अनुबन्ध की शर्ते एवं खण्ड CONDITION & CLAUSES OF CONTRACT



(विस्तृत निविदा विवरण, मद दर निविदा, सामान्य नियम एवं निर्देश, सुरक्षा संहिता, श्रम विनियमन, गारंटीबंध पत्र एवं "निविदा निर्धारक प्रमुख तथ्य - अनुसूचियों के प्रपत्र सहित ") (Including detailed NIT, Item rate tender, General Rules and Directions, Safety Code, Labour regulations, Guaranteed Bonds and "Silent Governing Features of the Tender - Proforma of schedules")

Office of Centre Director, UGC-DAE CSR, University Campus Khandwa, Indore P.O: CAT, Indore -452001, (M.P), India, Tel. no.: 91-731-2762267, 91-731-2463913 Fax No:+91-731-2462294, 2465437 Website:www.csr.res.in

IMPORTANT NOTES AND GENERAL GUIDELINES

- 1. This booklet "Conditions and Clauses of Contract" is Standard Form for invitation of Tenders in UGC-DAE CSR,Indore.
- This booklet consists of Standard forms of Detailed NIT, Item Rate Tender & Contract for Works, General Rules & Directions, Conditions & Clauses of Contract, Safety Codes, Labour Regulations, Guarantee Bonds, Salient Governing Features of Tender / Work with Proforma of Schedules "A" to "F" etc.
- 3. This Standard Form booklet of "Conditions and Clauses of Contract" will not be issued along with the Tender Documents but the same shall form part of the Contract / agreement to be executed and signed by both the parties after acceptance of the Tender.
- 4. All the blanks and variables in this booklet are confined to the Salient Governing Features of the Tender / Work (Which is an operative Schedule of Individual Tender / Work) and include Notice Inviting Tenders and Proforma of Schedules "A" to "F".
- NIT / Tender approving authority shall fill-up all the blanks and Schedules in the Salient Governing Features of the Tender / Work, and the same shall be issued to all the prospective Contracting Agencies along with other Tender Papers.
- 6. Intending bidders need to quote their rates as per Schedule "A", i.e. in the Financial Bid, issued with the tender papers.
- 7. Standard Formats given in this booklet for Labour Regulations, Guarantee Bonds / Indentures for Secured Advance, Registers and Schedules "A" to "F" are only for information and guidance. These are not to be filled in this booklet, but to be made use of as per Tender / Contract provisions.

INDEX OF CLAUSES

CLAUSE	TITLE OF THE CLAUSE	PAGE
SECTION -	1 : NOTICE INVITING TENDERS	
SECTION -	2 : ITEM RATE TENDER & CONTRACT FOR WORKS	
SECTION -	3 : GENERAL RULES AND DIRECTIONS	
SECTION -	4 : CONDITIONS OF CONTRACT	
	I – 5 (i) : GENERAL CLAUSES OF CONTRACT	
1 & 1-A	Performance Guarantee & Recovery of Security Deposit	
2	Compensation for delay	
3	When Contract can be determined – Powers of Engineer-in-Charge	
3-A	Closure of Contract on non-commencement of work	
4	Contractor liable to Pay Compensation even if action not taken under Clause - 3	
5	Time & Extension for delay	
6 & 6-A	Measurements of Work Done and Computerized Measurement Book	
7	Payment on Intermediate Certificate to be regarded as Advances	
8	Completion Certificate and Completion Plans	
8A& 8B	Contractor to keep Site clean & Completion Plans to be Submitted by the Contractor	
9 & 9A	Payment of Final Bill & Payment of Contractor's Bills to Banks	
10	Materials supplied by Government	
10A	Materials to be provided by the Contractor	
10B-(i)	Secured Advance on Non-Perishable Materials	
10B-(ii)	Mobilization Advance	
10B-(iii)	Plant, Machinery & Shuttering Material Advance	
10B-(iv)	Interest & Recovery	
10 C	Payment on Account of increase in Prices / Wages due to Statutory Order(s)	
10 CA	Payment due to Variation in Prices of Materials after receipt of Tender	
10 CC	Payment due to Increase/Decrease in Prices/Wages after Receipt of Tender for Works	
10 D	Excavated / Dismantled Materials will be Govt. property	
11	Work to be executed in Accordance with Specifications, Drawings, Orders etc.	
12	Deviations / Variations: Extent and Pricing	
12.1	Time Extension due to Additional Cost over Tendered Value	
12.2	Deviation, Extra items and Pricing	
(a)&(b)	Deviation, Substituted items / Deviated Quantities, Pricing	
12.5	Works treated as related to Foundation	
13	Foreclosure of Contract due to Abandonment or Reduction in Scope of Work	
14	Cancellation of contract in full or part (Deleted & merged with clause – 3)	
15	Suspension of Work	
16	Action in case of Work not done as per Specifications	
17	Contractor Liable for Damages, defects during Maintenance period	
18	Contractor to Supply Tools & Plants etc.	
18-A	Recovery of Compensation paid to Workmen	
18-B	Ensuring Payment & Amenities to Workers if Contractor fails	
19	Labour Laws to be Complied by the Contractor	
19-A	No Labour below 18 years.	
19-B	Payment of Wages	
19-C	Safety Provisions for Labour & Penalty on Default	
19-D	Submission of Fortnightly Labour Chart by every fortnight	
19-E	Contractor to Comply Govt. Rules on Health & Sanitary Arrangements for Workers	
CLAUSE	TITLE OF THE CLAUSE	PAGE
19-F	Maternity Benefit Rules (Leave and Pay)	

19-G	Penalty for Non Compliance of Labour Regulations	
19-G 19-H	Providing Hutment, W/S, S/I, Drainage, Sanitation etc. for Workers	
19-11 19-I	Removal of Incompetent Workers	
	· · · · · · · · · · · · · · · · · · ·	
19-J	No Part of Building to be Occupied - Action on Breach thereof	
19-K	Employment of Skilled / Semi skilled Workers	
20	Minimum Wages Act to be Complied with	
21	Work Not to be Sub-let / Action in Case of insolvency	
22	Sums Payable by Way of Compensation	
23	Changes in Firm's Constitution to be Intimated	
24	Works to be Under Direction of Engineer-in-Charge	
25& 25-A	Settlement of Disputes & Arbitration and No Arbitration for Decision on Sub-standard work	
26	Contractor to Indemnify Govt. against Patent Rights	
27	Lump sum Provision in Tender	
28	Action where no Specifications are Specified	
29	Withholding & Lien in respect of Sums due from Contractor	
29-A	Lien in respect of Claims in Other Contracts	
30	Employment of Coal Mining or Controlled area Labour not Permissible.	
31&31-A	Unfiltered water supply & Departmental water supply, if available	
32	Alternate Water arrangement	
33	Return of Surplus Materials	
34	Hire of Plant & Machinery - Deleted	
35	·	
	Use of Asphaltic Materials - Deleted	
36	Employment of Technical Staff and Employees	
37	Levy / Taxes payable by Contractor	
38	Conditions for Reimbursement of Levy / Taxes if Levied after Receipt of Tenders	
39	Termination of Contract in case of Death	
40	If Relative Working in UGC-DAE CSR, then the Contractor not Allowed to Tender	
41	No Officer Allowed to work as a Contractor within one Year of Retirement	
42	Return of Materials & Recovery for Excess Material issued	
43	Compensation during War-Like Situations	
44	Apprentices Act - Provisions to be Complied with	
SECTION	I – 5 (ii) : SPECIAL CLAUSES OF CONTRACT	
1	General	
2	Scope and Location of Work.	
3	Site Investigations	
4	Staking out Base Lines and Levels.	
5	Commencement & Completion of Work and Proper Schedule.	
6	Sequence of Work.	
7	Co-operation With other Contractors	
8	Co-ordination.	
9	Approach roads & Transportation of Equipment & Materials.	
10	Operations & Storage areas.	
11	Contractor's Storage and Site office.	
	<u> </u>	
12	Temporary Buildings.	
13	Traffic Interference & Inconvenience to the Public.	
14	Drainage around the Buildings & Foundation for other Works.	
15	Specifications and Drawings.	
16	Samples for Materials.	
17	Execution of Work and Inspection.	
18	Supply of Water for Construction Purpose	
19	Supply of Electricity for Construction Purpose	
20	Tendered Rates.	
21	Claims against the Contractor	
22	Mode of Measurements	
CLAUSE	TITLE OF THE CLAUSE	PAGE
		

24	Proper Drawings and Instructions					
25	Employment of staff for Plumbing & Electrical Works					
26	Government Labour Act					
27	Deduction of Income Tax					
28	Urgent Repairs					
29	Security Regulations					
30	Watch & ward and Lighting					
31	Department's drawings, Specifications, Proto -Type etc					
32	Confidential Information					
32	(a) Patents & Patent Rights Indemnification					
	(b) Endorsement on Fabrication Drawings for Protection of Department's interest					
SECTION	N – 6: SAFETY CODE:					
SECTION	N – 7 : SAFETY WITH SCAFFOLDING :					
SECTION	I — 8: MODEL RULES FOR THE PROTECTION OF HEALTH AND SANITARY ARRANGEMENTS					
	FOR WORKERS EMPLOYED OR CONTRACTORS.					
SECTION	9 : CONTRACTOR'S LABOUR REGULATIONS					
SECTION -	9: CONTRACTOR 5 LABOUR REGULATIONS					
ADDENI	DIX- I &XIV					
AFFEN	DIA- I GAIV					
SECTION	 					
SECTION	I − 10(i) to 10(iv) :					
PROFORMA OF SCHEDULES						
PROFUR	IWA OF SCHEDULES					

UGC-DAE CONSORTIUM FOR SCIENTIFIC RESEARCH INDORE

SECTION - 1: NOTICE INVITING TENDERS *

1. Sealed item rate tenders in the prescribed form are invited on behalf of the UGC-DAE CSR,Indore for the following:

*: Please refer "SALIENT GOVERNING FEATURES OF THE TENDER / WORK" (SGF) for blanks (issued with / as the tender)

TENDER NOTICE NO.: 4/2021-22 dt.24/12/21

	ME OF WORK: PH works for Narmada water line at UGC-DAE CSR, Piplya Rao Campus, Indore						
Estimated Cost :Rs.	16,98,010/-	EMD is exen of Bid securi	-		Performance security / Security Deposit :Refer SGF		
Date of Sale: From 24/12/21 (09:00 hours) to 24/01/22 ((15:00 hours)	0 hours) Cost of Tender Documents: Rs. 500/-(Non-refundable			
Last Date of receipt of tenders: 24/01/22 (15:00 hours) and opening of Technical Bid 24/01/22 (15:30 hours)							
Time of Completion: Three Months							

- a) Proof of registration with Government. / Semi Government organisations like CPWD, MES, Railways, State PWDs etc. in appropriate class OR having experience in execution of similar nature of works.
- b) Annual turnover as per ITCC or profit & loss statement for the last 5 years. (Average annual turnover for the last 3 financial years should be at least Rs.). Not having incurred any loss in more than 2 years during last 5 years ending.
- - **NOTE**: The value of executed works shall be brought to current costing level by enhancing the actual value of work at simple rate of 7% per annum; calculated from the date of completion to the last date of receipt of applications for tender.
- d) Latest Bank solvency certificate from any scheduled banks of Minimum Value of Rs......
- e) List of similar works in hand & works carried out by them for last 5 years indicating i) Agency for whom executed, ii) Value of work, iii) Completion time as stipulated and actual, or present position of the work.
- f) List of construction plant, machinery, equipments, accessories & infrastructure facilities possessed by the agency to complete the work in time.
- g) List of Technical staff they possess.

The Tender Documents can be purchased, during the period of sale, on payment of prescribed fee (non-refundable) paid in cash or in the form of pay order or crossed Demand draft from any of the scheduled banks, payable in favour of **Administrative Officer (Accounts), UGC-DAE CSR, INDORE, Payable at INDORE**. A set of drawings, if specified, will be supplied along with tender documents, and it will be obligatory on the part of all the tenderers to return the tender drawings at the time of opening of tenders.

- 5. Earnest Money Deposit (E.M.D.) EMD is exempted in lieu of Bid security document
- **6. Performance guarantee:** The tenderer, whose tender is accepted, will be required to furnish performance guarantee of 3% of the tendered amount within the period specified in Schedule "F". This guarantee shall be in the form of Department's cash receipt (in case guarantee amount is less than Rs.10,000/-) or Deposit at call receipt / Demand Draft / Pay Order / Banker's cheque issued by a Scheduled Bank (in case guarantee amount is less than Rs.1,00,000/-) or Government Securities / Fixed Deposit Receipt (FDR) or Guarantee Bonds of any Scheduled Bank or The State Bank of India in accordance with the prescribed form.
- **7. Acceptance of Tender:** The competent authority, on behalf of Director, UGC-DAE CSR,Indore does not bind himself to accept the lowest or any other tender, and reserves to himself the authority to reject any or all the tenders received, without assignment of any reason. All tenders, in which any of the prescribed condition is not fulfilled or any condition, including that of conditional rebates is put forth by the tenderer, shall be summarily rejected.

The Competent Authority, on behalf of the Director, UGC-DAE CSR, Indore, reserves to himself the right of accepting the whole or any part of the tender and the tenderer shall be bound to perform the same at the rates quoted.

The officer inviting tenders shall have the right of rejecting all or any of the tenders and will not be bound to accept the lowest tender or any other tender.

- **8. Condition for tender submission:** The contractor shall not be permitted to tender for works in the Department (responsible for award and execution of contracts) in which his near relative is posted in UGC-DAE CSR. He shall also intimate the names of persons who are working with him in any capacity or are subsequently employed by him and who are near relative to any gazetted officer in the UGC-DAE CSR. Any breach of this condition by the contractor would render him liable to be barred from tendering in this Department.
- No Engineer of Gazetted rank or other Gazetted Officer employed in Engineering or Administrative duties in an Engineering Department of the UGC-DAE CSR is allowed to work as a contractor for a period of **one** year after his retirement from UGC-DAE CSR Services, without the previous permission of the UGC-DAE CSR in writing. This contract is liable to be cancelled if either the contractor or any of his employees is found at any time to be such a person who had not obtained the permission of the UGC-DAE CSR as aforesaid before submission of the tender or engagement in the contractor's service.
- **9. Validity of Tender:** The tender for the work shall remain open for acceptance for a period of **180 days from the last date of submission of tenders**. If any tenderer withdraws his tender before the said period, or issue of Letter of Intent, whichever is earlier, or makes any modifications in the terms and conditions of the tender which are not acceptable to the Department, then the UGC-DAE CSR, Indore shall, without prejudice to any other right or remedy, be at liberty to forfeit 50% of the said earnest money absolutely. Further the tenderer shall not be allowed to participate in the re-tendering process of the work.
- 10. Site visit by the tenderer before tendering: Tenderers are advised to inspect and examine the site and its surroundings and satisfy themselves before submitting their tenders as to the nature of the ground and sub-soil (so far as is practicable), the form and nature of the site, the means of access to the site, the accommodation they may require and in general shall themselves obtain all necessary information as to risks, contingencies and other circumstances which may influence or affect their tender. A tenderer shall be deemed to have full knowledge of the site whether he inspects it or not and no extra charges consequent on any misunderstanding or otherwise shall be allowed.
- 11. Tenderer's responsibilities: The tenderer shall be responsible for arranging and maintaining at his own cost all materials, tools & plants, water, electricity access, facilities for workers and all other services required for executing the work unless otherwise specifically provided for in the contract documents. Submission of a tender by a tenderer implies that he has read this notice & all other contract documents, and has made himself aware of the scope & specifications of the work to be done and local conditions and factors having a bearing on the execution of the work.
- **12. Tender documents & signing of contract:** The Notice Inviting Tender shall form a part of the contract document. The successful tenderer / contractor, on acceptance of his tender by the Accepting Authority, shall, within 15 days from the stipulated date of start of the work, sign the contract consisting of: The Notice Inviting Tender, all the documents including all conditions, specifications and drawings, if any, forms the tender as issued at the time of invitation of tender and acceptance thereof together with any correspondence leading thereto.
- **12. Canvassing,** either directly or indirectly, in connection with the tenders is strictly prohibited and the tenders submitted by the contractors who resort to canvassing will be liable to rejection.
- **13. The terms** 'Municipal Corporation, Electricity Boards etc. indicated in this tender shall also represent the 'Local statutory authority'/ 'State Govt.'/ 'Union Territory' etc., for works at different station.

Signature of the officer inviting tender For and on behalf of the Director, UGC-DAE CSR.Indore

UGC-DAE CONSORTIUM FOR SCIENTIFIC RESEARCH INDORE

SECTION - 2: ITEM RATE TENDER & CONTRACT FOR WORKS

Tender Notice No. 4/2021-22/ dated 24.12.2021.

I) I ender for the work of "PH works for Narmada water line at UGC-DAE CSR, Piplya Rao Campus, Indore
" To be submitted byhours (time) on(date) to
i) To be opened in presence of tenderers who may be present athours onhours
in the office of
Issued to M/s
Signature of officer issuing the documents
Designation:
Date of issue:

TENDER

I / We have read and examined the Notice Inviting Tender, Salient Governing Features of the Tender / Work including Schedules A, B, C, D, E & F, Specifications, Drawings and Designs, General Rules & Directions, General Clauses of Contract, Special Clauses of Contract and other documents and rules referred to in the Conditions of Contract and all other contents in the tender documents for the work.

I / We, hereby tender for execution of the work specified for the UGC-DAE CSR within the time specified in Schedule "F", viz., Schedule of Quantities and in accordance in all respects with the specifications, designs, drawings and instructions in writing referred to in Rule 1 of General Rules and Directions and in Clause - 11 of General Clauses of Contract and with such materials as are provided for, by, and in respects in accordance with, such conditions so far as applicable.

We agree to keep the tender open for **one hundred eighty (180) days** from the last date of its submission and not to make any modifications in its terms and conditions.

A sum of (Refer NIT, Part B, SI. No.4) has been deposited in the form of Bankers Cheque / demand draft of a scheduled bank / fixed deposit receipt of scheduled bank in favour of UGC-DAE CSR payable at Indore, as earnest money. If I / we, fail to furnish the prescribed performance guarantee within prescribed period, I / we agree that the said UGC-DAE CSR or his successors in office shall without prejudice to any other right or remedy, be at liberty to forfeit the said earnest money absolutely. Further, if I / we fail to commence work as specified, I / we agree that UGC-DAE CSR or his successors in office shall without prejudice to any other right or remedy available in law, be at liberty to forfeit the said earnest money and the performance guarantee absolutely, otherwise the said earnest money shall be retained by him towards security deposit to execute all the works

referred to in the tender documents upon the terms and conditions contained or referred to therein and to carry out such deviations as may be ordered, up to maximum of the percentage mentioned in Schedule "F" those in excess of that limit at the rates to be determined in accordance with the provision contained in Clause 12.2 and 12.3 of the tender form. Further, I / We agree that in case of forfeiture of earnest money or both Earnest Money & Performance Guarantee as aforesaid, I / We shall be debarred for participation in the re-tendering process of the work.

I / We hereby declare that I / We shall treat the tender documents, drawings and other records connected with the work as secret / confidential documents and shall not communicate information derived there-from to any person other than a person to whom I / We am / are authorised to communicate the same or use the information in any manner prejudicial to the safety of the State.

Signature of Contractor Postal Address **Dated** Witness **Address** Occupation ACCEPTANCE The above tender (as modified by you as provided in the letters mentioned hereunder) is accepted by me for and on behalf of the Director, UGC-DAE CSR, Indore for a sum of Rs....../-(Rupees). The letters referred to below shall form part of this contract Agreement. a) b) c) For & on behalf of the Director, UGC-DAE CSR, Indore Signature Dated Designation

* * *

UGC-DAE CONSORTIUM FOR SCIENTIFIC RESEARCH INDORE

SECTION-3: GENERAL RULES AND DIRECTIONS

1. NIT & its contents: All works proposed for execution by contractor will be notified in a form of invitation to tender pasted in public places and signed by the officer inviting tender or by publication in News-papers as the case may be.

This form will state the work to be carried out, as well as the date for submitting and opening tenders and the time allowed for carrying out the work, also the amount of earnest money to be deposited, and the amount of the security deposit and Performance guarantee to be deposited by the successful tenderer and the percentage, if any, to be deducted from the bills. Copies of the specifications, designs and drawings, schedule of quantities of the various descriptions of work and any other documents required in connection with the work signed for the purpose of identifications by the officer inviting tender shall also be open for inspection by the contractor at the office of officer inviting tender during office hours.

2. Signing of Tender and receipts for payments: In the event of the tender being submitted by a firm, it must be signed separately by each partner thereof or in the event of the absence of any partner, it must be signed on his behalf by a person holding a power-of-attorney authorising him to do so, such power of attorney to be produced with the tender, and it must disclose that the firm is duly registered under the Indian Partnership Act-1952.

Receipts for payments made on account of work, when executed by a firm, must also be signed by all the partners, except where contractors are described in their tender as a firm, in which case the receipts must be signed in the name of the firm by one of the partners, or by some other person having due authority to give effectual receipts for the firm.

3. Filling-up of tender: Any person who submits a tender shall fill up the usual printed form, stating at what rate he is willing to undertake each item of the work. Tenders, which propose any alteration in the work specified in the said form of invitation to tender, or in the time allowed for carrying out the work, or which contain any other condition of any sort, including conditional rebates, will be summarily rejected. No single tender shall include more than one work, but contractors who wish to tender for two or more works shall submit separate tender for each. Tenders shall have the name and number of the works to which they refer, written on the envelopes.

It will be obligatory on the part of the tenderer to sign all the pages of tender documents affixing his stamp. The tenders are to be on the prescribed form of UGC-DAE CSR. All rates shall be quoted on the proper form of the tender alone. All corrections shall be attested by the dated initials of the tenderer. Use of correcting fluid, anywhere in tender document is not permitted. Such tender is liable for rejection.

If it is found that the tender is not submitted in proper manner or contains too much corrections and/or absurd rates or amount, it would be open for the UGC-DAE CSR to take suitable disciplinary action against the Contractor.

- **4. Opening of tenders:** The officer inviting tender or his duly authorised assistant will open tenders in the presence of any intending tenderers who may be present at the time, and will enter the amount of the several tenders in a Comparative Statement in a suitable form. In the event of a tender being accepted, a receipt for the earnest money shall thereupon be given to the tenderer who shall thereupon for the purpose of identifications sign copies of the specifications and other documents mentioned in Rule 1. In the event of a tender being rejected, the earnest money shall thereupon be returned to the tenderer remitting the same, without any interest.
- **5. Department's receipt for any money paid;** The receipt of an accountant or clerk for any money paid by the tenderer will not be considered as any acknowledgment of payment to the officer inviting tender and the tenderer shall be responsible for seeing that he procures a receipt signed by the officer inviting tender or a duly authorised cashier.
- **6. Signing of Memorandum & Schedule of Materials:** The memorandum of work tendered for and the schedule of materials to be supplied by the Department and their issue rates, shall be filled and completed in the office of the officer inviting tender before the tender form is issued. If a form is issued to an intending tenderer without having been so filled in and incomplete, he shall request the officer to have this done before he completes and delivers his tender.

- **7. Declaration by tenderer:** The tenderers shall sign a declaration under the Official Secret Act-1923 for maintaining secrecy of the tender documents, drawings or other records connected with the work given to them. The unsuccessful tenderers shall return all the drawings given to them.
- **8. Guidelines for quoting the rates:** All rates shall be quoted on the prescribed tender form. The amount for each item should be worked out and requisite totals given. Special care should be taken to write the rates in figures as well as in words, and the amount in figures only, in such a way that interpolation is not possible. The total amount should be written both in figures and in word. In case of figures, the words "`." should be written before the figures of rupees and word "P" after the decimal figures, e.g. "`. 2.15 P". and in case of words, the word, "Rupees" should precede and the word "Paise" should be written at the end. Unless the rate is in whole rupees followed by the word 'only' it should invariably be up to two decimal places. While quoting the rate in schedule of quantities, the word 'only' should be written closely following the amount and it should not be written in the next line.
- 9. Quoted rates to include Goods & Services Tax (GST) & any other taxes in respect of this contract if any should be mentioned separately.

As per the directives of the Tax Authorities, the tax due at the rates notified by the Central/State Government from time to time, shall be deducted from the bills payable to the Contractors, for which TDS certificate shall be issued by the Department.

Condition regarding taxes stipulated in detailed NIT of this work shall also be binding.

- **10. Filling-up of Financial Bid:** Unless otherwise called for, any tender containing percentage below / above the estimated cost put to tender is liable to be rejected. All rates shall be quoted on the tender form by the tenderers in figures and words shall be accurately filled in, so that there is no discrepancy in the rates written in figures and in words. The amount for each item should be worked out and requisite totals given. However,
- i) The rate(s) must be quoted in decimal coinage. Amounts must be quoted in full rupees by ignoring fifty paise and considering more than fifty paise as rupee one.
- ii) If a discrepancy is found, the rates which correspond with the amount worked out by the contractor shall, unless otherwise proved, be taken as correct.
- iii) If the amount of an item is not worked out by the tenderer, or it does not correspond with the rate written either in figures or in words, then the rates quoted by the tenderer in words shall be taken as correct.
- iv) Where the rate quoted by the tenderer in figures and in words tally but the amount is not worked out correctly, the rate quoted by the tenderer will, unless otherwise proved, be taken as correct and not the amount.
- v) In event no rate has been quoted for any item(s), leaving space both in figure(s), word(s), and amount blank, it will be presumed that the contractor has included the cost of this / these item(s) in other items and rate for such item(s) will be considered as zero and work will be required to be executed accordingly.
- **11. Action in case of un realistic rates:** In the case of any tender where unit rate of any item (s) appear unrealistic, such tender will be considered as unbalanced and in case the tenderer is unable to provide satisfactory explanation, such a tender is liable to be disqualified and rejected.
- **12. Furnishing of PG & SD on acceptance of Tender:** The tenderer, whose tender is accepted, will be required to furnish performance guarantee of 3% of the tendered amount within the period specified in Schedule "F". This guarantee shall be in the form of Department's cash receipt (in case guarantee amount is less than Rs.10,000/-) or Deposit at call receipt / Demand Draft / Pay Order / Banker's cheque issued by a Scheduled Bank (in case guarantee amount is less than Rs.1,00,000/-) or Government Securities / Fixed Deposit Receipt (FDR) or Guarantee Bonds of any Scheduled Bank or The State Bank of India in accordance with the prescribed form.
- ii) The tenderer, whose tender is accepted, will also be required to furnish by way of Security Deposit for fulfillment of his contract, an amount equal to 2.5% of the tendered value of the work. The security deposit will be collected by deduction from the running bill @ 2.5 % as well as final bill based on gross amount of the bills of the contractors at the rates mentioned above. The EMD deposited at the time of tender, will be refunded after issue of work order. The security amount will also be accepted in cash or in the shape of Government Securities. Fixed Deposit Receipt (FDR) of a Scheduled bank will also be accepted for this purpose, provided confirmatory advice is enclosed.BG shall be accepted as per provisions indicated in the detailed clause.
- 13. Contractor to depute his representative at site: The successful tenderer for the work should have responsible and responsive officer with adequate powers to take speedy decisions during the entire period of

execution at the Work place. On acceptance of the tender, the name of the accredited representative(s) of the contractor, who would be responsible for taking instructions from the Engineer-in-Charge, shall be communicated in writing to the Engr-in-Charge.

- **14. Witnessing of a tender:** The tender for the work shall not be witnessed by a contractor or contractors, who himself / themselves has / have tendered or who may and has / have tendered for the same work. Failure to observe this condition would render, tenders of the contractors tendering, as well as witnessing the tender, liable to summary rejection.
- **15. List of works in hand:** The contractor shall submit list of works which are in hand / in progress in the following form:

Name of work	Name & address of the establishment under whom the work is being executed	Value of the work	Completion time as per the contract	Position of the works in progress	Remarks
1	2	3	4	5	6

SECTION - 4: CONDITIONS OF CONTRACT

DEFINITIONS:

- 1. The 'Contract' means the documents forming the tender and acceptance thereof and the formal agreement executed between the Competent authority on behalf of the President of India and the Contractor together with the documents referred to therein including these conditions, the specifications, designs, drawings and instructions issued from time to time by the Engineer-in-charge and all these documents taken together, shall be deemed to form one contract and shall be complementary to one another.
- 2. In the contract the following expression shall, unless the context otherwise requires, have the meanings hereby respectively assigned to them.
- i) The expression 'Works' or 'Work' shall, unless there be something either in the subject or context repugnant to such construction, be construed and taken to mean the works by or by virtue of the contract contracted to be executed whether temporary or permanent and whether original, altered, substituted or additional.
- ii) The 'Site' shall mean the land or other places on, into or through which work is to be executed under the contract or any adjacent land, path or street through which work is to be executed under the contract or any adjacent land, path or street which may be allotted or used for the purpose of carrying out the contract.
- iii) The 'Contractor' shall mean the individual, firm or company, whether incorporated or not, undertaking the works and shall include the legal personnel representative of such individual or the persons composing such firm or company or the successors of such firm or company and the permitted assignees of such individual, firm or company.
 - iv) The 'Director' means the Director, UGC-DAE CSR, Indore
 - v) The Centre-Director means the Centre-Director of the Indore Centre.
- vi) The 'Engineer-in-Charge' means the Engineer / Officer, who shall supervise and be in charge of the work and who shall sign the contract on behalf of the President of India as mentioned in Schedule "F" hereunder.
- vii) 'Temporary Work' means all temporary works of every kind required in or about the execution, completion and maintenance of the works.
 - viii) 'Accepting authority' shall mean the authority mentioned in Schedule "F".
- (ix) **Excepted Risk** are risks due to riots (other than those on account of contractor's employees), war (whether declared or not) invasion, act of foreign enemies, hostilities, civil war, rebellion revolution, insurrection, military or usurped power, any acts of Government, damages from aircraft, acts of God, such as earthquake, lightening and unprecedented floods, and other causes over which the contractor has no control and accepted as such by the Accepting Authority or causes solely due to use or occupation by Government of the part of the works in respect of which a certificate of completion has been issued or a cause solely due to Government's faulty design of works.
- (x) **Market Rate** shall be the rate as decided by the Engineer-in-Charge on the basis of the cost of materials and labour at the site where the work is to be executed plus the percentage mentioned in Schedule `F' to cover, all overheads and profits.
- (xi) **Schedule(s)** referred to in these conditions shall mean the relevant schedule(s) annexed to the tender papers.
- (xii) **Department** means UGC-DAE CSR, Indore which invites tenders on behalf of Director, UGC-DAE CSR, Indore as specified in schedule `F'.
- (xiii) **District Specifications** means the specifications followed by the State Government in the area where the work is to be executed.
 - (xiv) Tendered value means the value of the entire work as stipulated in the letter of award.
- 3. **Scope and Performance:** Where the context so requires, words imparting the singular only also include the plural and vice versa. Any reference to masculine gender shall whenever required include feminine gender and vice versa.

- 4. Headings to these General / Special Clauses of Contract shall not be deemed to form part thereof or be taken into consideration in the interpretation or construction thereof or of the contract.
- 5. The contractor shall be furnished, free of cost one certified copy of the contract documents except standard specifications, Schedule of quantities and such other printed and published documents, together with all drawings as may be forming part of the tender papers. None of these documents shall be used for any purpose other than that of this contract.
- **6. Works to be Carried out:** The work to be carried out under the Contract shall, except as otherwise provided in these conditions, include all labour, materials, tools, plants, equipment and transport which may be required in preparation of and for and in the full and entire execution and completion of the works. The descriptions given in the Schedule of Quantities (Schedule-A) shall, unless otherwise stated, be held to include wastage on materials, carriage and cartage, carrying and return of empties, hoisting, setting, fitting and fixing in position and all other labours necessary in and for the full and entire execution and completion of the work as aforesaid in accordance with good practice and recognised principles.
- **7. Sufficiency of Tender:** The Contractor shall be deemed to have satisfied himself before tendering as to the correctness and sufficiency of his tender for the works and of the rates and prices quoted in the Schedule of Quantities, which rates and prices shall, except as otherwise provided, cover all his obligations under the Contract and all matters and things necessary for the proper completion and maintenance of the works.
- **8. Discrepancies and Adjustment of Errors:** The several documents forming the Contact are to be taken as mutually explanatory of one another, detailed drawings being followed in preference to small scale drawing and figured dimensions in preference to scale and Special Clauses in preference to General Clauses.
- 8.1 **In the case of discrepancy** between the schedule of Quantities, the Specifications and / or the drawings, the following order of preference shall be observed:-
 - (i) Description of Schedule of Quantities.
 - (ii) Particular Specifications and Special Clauses, if any.
 - (iii) Drawings.
 - (iv) Departmental Specifications
 - (v) C.P.W.D. Specifications.
 - (vi) Indian Standard Specifications of B.I.S.
- 8.2 If there are varying or conflicting provisions made in any one document forming part of the contract, the Accepting Authority shall be the deciding authority with regard to the intention of the document and his decision shall be final and binding on the contractor.
- **8.3** Any error in description, quantity or rate in Schedule of Quantities or any omission therefrom shall not vitiate the contract or release the Contractor from the execution of the whole or any part of the works comprised therein according to drawings and specifications or from any of his obligations under the contract. the works
- **9. Signing of Contract:** The successful tenderer / contractor, on acceptance of his tender by the Accepting Authority, shall, within 15 days from the stipulated date of start of the work, sign the contract consisting of :
 - (i) The notice inviting tender, all the documents including drawings, if any, forming the tender as issued at the time of invitation of tender and acceptance thereof together with any correspondence leading thereto.
 - (ii) Standard Form as mentioned in Schedule `F' consisting of :
 - a. Various standard clauses with corrections up to the date stipulated in Schedule `F' along with annexures thereto.
 - b. Safety Code.
 - c. Model Rules for the protection of health, sanitary arrangements for workers employed or its contractors.
 - d. Contractor's Labour Regulations.
 - **e.** List of Acts and omissions for which fines can be imposed.
 - **f.** (iii)No payment for the work done will be made unless contract is signed by the contractor.

SECTION - 5: CLAUSES OF CONTRACT

SECTION - 5 (j): GENERAL CLAUSES OF CONTRACT (GCC)

Clause 1.

Performance Guarantee:

- i) The contractor shall submit an irrevocable PERFORMANCE GUARANTEE of 3% (Three Percent) of the tendered amount in addition to other deposits mentioned elsewhere in the contract for his proper performance of the contract agreement, (not withstanding and/or without prejudice to any other provisions in the contract) within period specified in Schedule 'F' from the date of issue of letter of acceptance. This period can be further extended by the Engineer-in-charge upto a maximum period as specified in the Schedule 'F' on written request of the contractor stating the reason for delays in procuring the Performance Guarantee to the satisfaction of the Engineer-in-charge. This guarantee shall be in the form of cash (in case guarantee amount is less than Rs.10,000/-) or deposit at call receipt of any scheduled Bank (in case guarantee amount is less than Rs.1,00,000/-) or Government Securities or fixed deposit receipts or Guarantee bonds of any scheduled Bank or the State Bank of India in accordance with the form annexed hereto. In case a fixed deposit receipt of any Bank is furnished by the contractor to the Government as part of the performance guarantee and the Bank is unable to make payment against the said fixed deposit receipt, the loss caused thereby shall fall on the contractor and the contractor shall forthwith on demand furnish additional security to the Government to make good the deficit.
- ii) The Performance Guarantee shall be initially valid up to the stipulated date of completion plus 60 days beyond the stipulated completion date. In case the time for completion of work gets enlarged, the contractor shall get the validity of Performance Guarantee extended to cover such enlarged time for completion of work. After recording of the completion certificate for the work by the competent authority, the performance guarantee shall be returned to the contractor, without any interest. However, in case of contracts involving maintenance of building and services/other work, then 50% of Performance Guarantee shall be retained as Security deposit. The same shall be returned year wise proportionately.
- iii) The Engineer-in-charge shall not make a claim under the performance guarantee except for the amounts to which the Director, UGC-DAE CSR, Indore is entitled under the contract (not withstanding and/or without prejudice to any other provisions in the contract agreement) in the event of :
 - (a) Failure by the contractor to extend the validity of the performance guarantee as described herein above, in which event the EIC may claim the full amount of the Performance Guaranttee.
 - (b) Failure by the contractor to pay Director, UGC-DAE CSR, Indore any amount due, either as agreed by the contractor or determined under any of the Clauses/Conditions of the agreement within 30 days of the service of notice to this effect by EIC.
- iv) In the event of the contract being determined or rescinded under provision of any of the Clause/condition of the agreement, the performance guarantee shall stand forfeited in full and shall be absolutely at the disposal of the Director, UGC-DAE CSR, Indore
- v) On substantial completion of any work which has been completed to such an extend that the intended purpose of the work is met and ready to use then a provisional completion certificate shall be recorded by the EIC. The provisional certificate shall have appended with a list of outstanding balance item of work that need to be completed in accordance with the provisions of the contract.

The provisional certificate shall be recorded by the concerned EIC with the approval of the project manager/Chief Project Manager/Superintending Engineer. After recording of the provisional completion certificate for the work by the competent authority, the 80% of the performance guarantee shall be returned to the contractor without any interest.

However in case of contracts involving Maintenance of building and services/any other work after construction of the same building and services/other work then 40% of performance guarantee shall be returned to the contractor without any interest after recording the provisional completion certificate.

Clause 1A.

Security Deposit & its Recovery:

The person/persons whose tenders) may be accepted (hereinafter called the contractor) shall permit UGC-DAE CSR at the time of making any payment to him for work done under the contract to deduct a sum at the rate of 2.5% of the gross amount of each running and final bill till the sum deducted will amount to security deposit of 2.5% of the tendered value of the work. Such deductions will be made and held by UGC-DAE CSR by way of Security Deposit unless he/they deposited the amount of Security at the rate mentioned above in cash or in the form of Government Securities or fixed deposit receipts. In case a fixed deposit receipt of any Bank is furnished by the Contractor to the UGC-DAE CSR as part of the security deposit and the Bank is unable to make payment against the said fixed deposit receipt, the loss caused thereby shall fall on the contractor and the contractor shall forthwith on demand furnish additional security to the UGC-DAE CSR to make good the deficit.

All compensations or the other sums of money payable by the contractor under the term of this contract may be deducted from, or paid by the sale of a sufficient part of his security deposit or from the interest arising there from, or from any sums which may be due to or may become due to the contractor by UGC-DAE CSR on any account whatsoever and in the event of his Security Deposit being reduced by reason of any such deductions or sale as aforesaid, the contractor shall within 10 days make good in cash or fixed deposit receipt tendered by the State Bank of India or by any other scheduled bank or Government securities (if deposited for more than 12 months) endorsed in favour of EIC, any sum or sums which may have been deducted from or raised by sale of his security deposit or any part thereof. The security deposit shall be collected from the running bills and the final bill of the contractor at the rates mentioned above.

The security deposit as deducted above can be released against bank guarantee issued by a scheduled bank, on its accumulations to a minimum of Rs.5 lac subject to the condition that amount of such bank guarantee, except last one, shall not be less than Rs.5 lac. Provided further that the validity of bank guarantee including the one given against the earnest money shall be in conformity with provisions contained in clause 17 which shall be extended from time to time depending upon extension of contract granted under provisions of clause 2 and clause 5.

In case of contracts involving maintenance of building and services/any other work after construction of same building and services/other work, then 50% of the performance guarantee shall be retained as security deposit. The same shall be returned year wise proportionately.

Note 1: Government papers tendered as security will be taken at 5% (Five Percent) below its market price or at its race value, whichever is less. The market price of Government paper would be ascertained by we Divisional officer at the time of collection of interest and the amount of interest to the extent of deficiency in value of the Government paper will be withheld if necessary.

Note 2: Government securities will include all forms of securities mentioned in rule no. 274 of the G.F. Rules except fidelity bond. This will be subject to the observance of the condition mentioned under the rules against each form of security.

Note 3: Note 1& 2 above shall be applicable for both clause I & IA.

Clause 2/Section III regarding Compensation for delay:

The amended clause *supercedes* the existing clause at page III-2&3 and clause now enforced is as follows:

2.1 If the contractor fails to maintain the required progress in terms of clause 5 or to complete the work and clear the site on or before the contract or justified extended date of completion, as per clause 5 (excluding any extension under clause 5.5) as well as any extension granted under clause 12 and 15 he shall, without prejudice to any other right or remedy available under the law to the Government on account of such breach, pay as agreed compensation the amount calculated at the rates stipulated below as the authority specified in Schedule F may decide on the amount of tendered value of the work for every completed day/month (as determined) that the progress remains below that specified in clause 5 or that the work

remains incomplete. This will also apply to items or group of items for which a separate period of completion has been specified.

Compensation for delay of work shall be @ 1.% per month of delay to be computed on per day basis.

2.2 Provided always that the total amount of compensation for delay to be paid under this condition shall not exceed 10% of the tendered value of work or to the tendered value of the sectional part of the work as mentioned in schedule F for which a separate period of completion is originally given.

In case no compensation has been decided by the authority in Schedule 'F' during the progress of work, this shall be no waiver of right to levy compensation by the said authority if the work remains incomplete on final justified extended date of completion. If the Engineer in Charge decides to give further extension of time allowing performance of work beyond the justified extended date, the contractor shall be liable to pay compensation for such extended period. If any variation in amount of contract takes place during such extended period beyond justified extended date and the contractor becomes entitled to additional time under clause 12, the net period for such variation shall be accounted for while deciding the period for levy of compensation. However, during such further extended period beyond the justified extended period, if any delay occurs by events under sub clause 5.2, the contractor shall be liable to pay compensation for such delay.

Provided that compensation during the progress of work before the justified extended date of completion for delay under this clause shall be for non-achievement of sectional completion or part handing over of work on stipulated/justified extended date for such part work or if delay affects any other works/services. This is without prejudice to right of action by the Engineer in Charge under clause 3 for delay in performance and claim of compensation under that clause

In case action under clause 2 has not been finalized and the work has been determined under clause 3, the right of action under this clause shall remain post determination of contract but levy of compensation shall be for days the progress is behind the schedule on date of determination, as assessed by the authority in Schedule F, after due consideration of justified extension. The compensation for delay, if not decided before the determination of contract, shall be decided after of determination of contract.

2.3 The amount of compensation may be adjusted or set-off against any sum payable to the Contractor under this or any other contract with the Government. In case, the contractor does not achieve a particular milestone mentioned in Scheduled F or the rescheduled milestone (s) in terms of clauses 5.4, the amount shown against the milestone shall be withheld, to be adjusted against the compensation levied as above. Withholding of this amount on failure to achieve a milestone, shall be automatic without any notice to the contractor. However, if the contractor catches up with the progress of work on the subsequent milestone(s), the withheld amount shall be released. In case the contractor fails to make up for the delay in subsequent milestone(s) amount mentioned against each milestone missed subsequently also shall be withheld. However, no interest, whatsoever, shall be payable on such withheld amount.

CLAUSE 2A: Incentive for early compensation

In case, the contractor completes the work ahead of stipulated date of completion or justified extended date of completion as determined under clauses 5.3, 12 & 15, a bonus @ 1% (one per cent) of the tendered value per month computed on per day basis, shall be payable to the contractor, subject to a maximum limit of 5% (five per cent) of the tendered value. Provided that justified time for extra work shall be calculated on pro-rata basis as cost of extra work X stipulated period /tendered value. The amount of bonus, if payable, shall be paid along with final bill after completion of work. Provided always that provision of the Clause 2A shall be applicable only when so provided in 'Schedule F'.

CLAUSE - 3: When Contract can be determined

Subject to other provisions contained in this clause, The Engineer-in-charge may without prejudice to his any other rights or remedy against the contractor in respect of any delay, inferior workmanship, any claims for damages and/or any other provisions of this contract or otherwise and whether the date for completion has or has not elapsed, by notice in writing, absolutely determine the contract in any of the following cases:

i) If the contractor having been given by the Engineer-in-charge, a notice in writing to rectify, reconstruct or replace any defective work or that work is being performed in an inefficient or otherwise improper or

unworkmanlike manner shall omit to comply with the requirement of such notice for a period of seven days thereafter

- (ii) If the contractor has, without reasonable cause, suspended the progress of the work or has failed to proceed with the work with due diligence and continues to do so after a notice in writing of seven days from the Engineer-in-Charge.
- (iii) If the contractor fails to complete the work or section of work with individual date of completion on or before the stipulated or justified extended date, on or before such date of completion; and the Engineer in Charge without any prejudice to any other right or remedy under any other provision in the contract has given further reasonable time in a notice given in writing in that behalf as either mutually agreed or in absence of such mutual agreement by his own assessment making such time essence of contract and in the opinion of Engineer-in-Charge the contractor will be unable to complete the same or does not complete the same within the period specified.
- (iv) If the contractor persistently neglects to carry out his obligations under the contract and/or commits default in complying with any of the terms and conditions of the contract and does not remedy it or take effective steps to remedy it within 7 days after a notice in writing is given to him in that behalf by the Engineer-in-Charge.
- (v) If the contractor shall offer or give or agree to give to any person in UGC-DAE CSR or to any other person on his behalf any gift or consideration of any kind as an inducement or reward for doing or forbearing to do or for having done or forborne to do any act in relation to the obtaining or execution of this or any other contract for UGC-DAE CSR.
- (vi) If the contractor shall enter into a contract with UGC-DAE CSR in connection with which commission has been paid or agreed to be paid by him or to his knowledge, unless the particulars of any such commission and the terms of payment thereof have been previously disclosed in writing to the Engineer-in-Charge.
- (vii) If the contractor had secured the contract with UGC-DAE CSR as a result of wrong tendering or other non-bonafide methods of competitive tendering or commits breach of Integrity Agreement.
- (viii) If the contractor being an individual, or if a firm, any partner thereof shall at any time be adjudged insolvent or have a receiving order or order for administration of his estate made against him or shall take any proceedings for liquidation or composition (other than a voluntary liquidation for the purpose of amalgamation or reconstruction) under any Insolvency Act for the time being in force or make any conveyance or assignment of his effects or composition or arrangement for the benefit of his creditors or purport so to do, or if any application be made under any Insolvency Act for the time being in force for the sequestration of his estate or if a trust deed be executed by him for benefit of his creditors.
- (ix) If the contractor being a company shall pass a resolution or the court shall make an order that the company shall be wound up or if a receiver or a manager on behalf of a creditor shall be appointed or if circumstances shall arise which entitle the court or the creditor to appoint a receiver or a manager or which entitle the court to make a winding up order.
- (x) If the contractor shall suffer an execution being levied on his goods and allow it to be continued for a period of 21 days.
- (xi) If the contractor assigns, (excluding part(s) of work assigned to other agency(s) by the contractor as per terms of contract), transfers, sublets (engagement of labour on a piece-work basis or of labour with materials not to be incorporated in the work, shall not be deemed to be subletting) or otherwise parts with or attempts to assign, transfer, sublet or otherwise parts with the entire works or any portion thereof without the prior written approval of the Engineer -in-Charge.

When the contractor has made himself liable for action under any of the cases aforesaid, the Engineer-in-Charge on behalf of the Director, UGC-DAE CSR shall have powers:

(a) To determine the contract as aforesaid so far as performance of work by the Contractor is concerned (of which determination notice in writing to the contractor under the hand of the Engineer-in-Charge shall be conclusive evidence). Upon such determination, the Earnest Money Deposit Security Deposit already recovered

and Performance Guarantee under the contract shall be liable to be forfeited and shall be absolutely at the disposal of the UGC-DAE CSR.

(b) After giving notice to the contractor to measure up the work of the contractor and to take such whole, or the balance or part thereof, as shall be un-executed out of his hands and to give it to another contractor to complete the work. The contractor, whose contract is determined as above, shall not be allowed to participate in the tendering process for the balance work.

In the event of above courses being adopted by the Engineer-in-Charge, the contractor shall have no claim to compensation for any loss sustained by him by reasons of his having purchased or procured any materials or entered into any engagements or made any advances on account or with a view to the execution of the work or the performance of the contract. And in case action is taken under any of the provision aforesaid, the contractor shall not be entitled to recover or be paid any sum for any work thereof or actually performed under this contract unless and until the Engineer-in-Charge has certified in writing the performance of such work and the value payable in respect thereof and he shall only be entitled to be paid the value so certified.

CLAUSE 3A

In case, the work cannot be started due to reasons not within the control of the contractor within 1/8th of the stipulated time for completion of work or one month whichever is more, either party may close the contract by giving notice to the other party stating reasons. In such eventuality, the Performance Guarantee of the contractor shall be refunded within following time limits:

- (i) If the Tendered value of work is up to Rs. 45 lac: 15 days.
- (ii) If the Tendered value of work is more than Rs. 45 lac and up to Rs. 2.5 Crore: 21 days.
- (iii) If the Tendered value of work exceeds Rs. 2.5 Crore: 30 days.

Neither party shall claim any compensation for such eventuality. This clause is not applicable for any breah of the contract by either party.

CLAUSE - 4 : CONTRACTORS TO REMAIN LIABLE TO PAY COMPENSATION IF ACTION IS NOT TAKEN UNDER CLAUSE - 3. POWERS TO TAKE POSSESSION OF OR REQUIRE REMOVAL OF OR SELL CONTRACTORS PLANT.

In any case in which any of the powers conferred upon Engineer by Clause -3 hereof, shall have become exercisable and the same shall not be exercised, the non-exercise thereof shall not constitute a waiver of any of the conditions hereof any such powers shall notwithstanding be exercisable in the event of any future case of default by the contractor and the liability of the contractor for compensation shall remain unaffected. In the event of the Engineer putting in force all or any of the powers vested in him under the preceding clause he may, if he so desires, after giving a notice in writing to the contractor, take possession of (or at the sole discretion of the Engineer which shall be final)use as on hire (the amount of the hire money being also in the final determination of the Engineer) all or any tools, plant, materials and stores, in or upon the works, or the site thereof, belonging to the contractor, or procured by the contractor and intended to be used for the execution of the work OR any part thereof, paying or allowing for the same account at the contract rates or, in the case of these not being applicable, at current market rate OR procured by the contractor and intended to be used for the execution of the work OR any part at current market rate OR to be certified by the Engineer, whose certificate thereof shall be final, otherwise the agent to remove such tools, plant materials, or stores from the premises (within a time to be specified in such notice), and in the event of the contractor failing to comply with any such requisition, the Engineer may remove them at the contractor's expense or sell them by auction or private sale on account of the contractor and at his risk in all respects and the certificate of the Engineer as to the expenses of any such removal and the amount of the proceeds and expenses of any such sale shall be final and conclusive against the contractor.

CLAUSE - 5 : Time and Extension for Delay

The time allowed for execution of the Works as specified in the Schedule 'F' or the extended time in accordance with these conditions shall be the essence of the Contract. The execution of the works shall commence from such time period as mentioned in schedule 'F' or from the date of handing over of the site notified by the Engineer-in-Charge, whichever is later. However, the handing over of site by the Engineer in Charge, in full or in part (if so provided in contract), shall be completed within two months from issue of acceptance letter. If the Contractor commits default in commencing the execution of the work as aforesaid, the performance guarantee shall be forfeited by the Engineer in Charge and shall be absolutely at the disposal of the UGC-DAE CSR without prejudice to any other right or remedy available in law.

- **5.1** As soon as possible but within twenty one days of award of work and in consideration of
- a) Schedule of handing over of site as specified in the Schedule 'F'
- b) Schedule of issue of designs as specified in the Schedule 'F'
- (i) The Contractor shall submit a Time and Progress Chart for each mile stone. The Engineer-in- Charge may within 30 days thereafter, if required modify, and communicate the program approved to the contractor failing which the program submitted by the contractor shall be deemed to be approved by the Engineer-in-Charge. The work programme shall include all details of balance drawings and decisions required to complete the contract with specific dates by which these details are required by contractor without causing any delay in execution of the work. The Chart shall be prepared in direct relation to the time stated in the Contract documents for completion of items of the works. It shall indicate the forecast

of the dates of commencement and completion of various trades of sections of the work and may be amended as necessary by agreement between the Engineer-in-Charge and the Contractor within the limitations of time imposed in the Contract documents, and further to ensure good progress during the execution of the work, the contractor shall in all cases in which the time allowed for any work, exceeds one month (save for special jobs for which a separate programme has been agreed upon) complete the work as per mile stones given in Schedule 'F'.

- (ii) In case of non submission of construction programme by the contractor the program approved by the Engineer-in-Charge shall be deemed to be final.
- (iii) The approval by the Engineer-in-Charge of such programme shall not relieve the contractor of any of the obligations under the contract.
- (iv) The contractor shall submit the Time and Progress Chart and progress report using the mutually agreed software or in other format decided by Engineer-in-Charge for the work done during previous month to the Engineer-in-charge on or before 5th day of each month failing which a recovery Rs. 2500/ (for works costing upto Rs. 20 Crores) / Rs. 5000/- (for works costing more than Rs. 20 Crores) shall be made on per week or part basis in case of delay in submission of the monthly progress report.
- **5.2** If the work(s) be delayed by:-
- (i) force majeure, or
- (ii) abnormally bad weather, or
- (iii) serious loss or damage by fire, or
- (iv) civil commotion, local commotion of workmen, strike or lockout, affecting any of the trades employed on the work, or
- (v) delay on the part of other contractors or tradesmen engaged by Engineer-in-Charge in executing work not forming part of the Contract, or
- (vi) non-availability of stores, which are the responsibility of UGC-DAE CSR to supply or
- (vii) non-availability or break down of tools and Plant to be supplied or supplied by UGC-DAE CSR
- (viii) any other cause like above which, in the reasoned opinion of the Engineer-in-Charge is beyond the Contractor's control then upon the happening of any such event causing delay, the Contractor shall immediately give notice thereof in writing to the Engineer-in-Charge for entry in the hindrance register (physical or web-based as prescribed in Schedule 'F' but shall nevertheless use constantly his best endeavours to prevent or make good the delay and shall do all that may be reasonably required to the satisfaction of the Engineer-in-Charge to proceed with the works. The contractor shall have no claim of damages for extension of time granted or rescheduling of milestone/s for events listed in sub clause 5.2.

or

- **5.3** In case the work is hindered by any reasons, in the opinion of the contractor, by the Department or for someone for whose action the Department is responsible, the contractor may immediately give notice thereof in writing to the Engineer-in-Charge in the same manner as prescribed under sub Clause 5.2 seeking extension of time or rescheduling of milestone/s. The authority as indicated in Schedule 'F' shall, if justified, give a fair and reasonable extension of time and reschedule the mile stones for completion of work after due consideration of the same within 30 days of receipt of such request. In event of non application by the contractor for extension of time E-in-C after affording opportunity to the contractor may give, supported with a programme, a fair and reasonable extension within a reasonable period of occurrence of the event. Such extension of time or rescheduling of milestone/s shall be without prejudice to any other right or remedy of the parties in contract or in law; provided further that for concurrent delays under this sub clause and sub clause 5.2 to the extent the delay is covered under sub clause
- 5.2 the contractor shall be entitled to only extension of time and no damages.
- **5.4** Request for rescheduling of Mile stones or extension of time, to be eligible for consideration shall be made by the Contractor in writing within fourteen days of the happening of the event causing delay on the prescribed forms i.e. Form of application by the contractor for seeking rescheduling of milestones (Appendix-XVI) or Form of application by the contractor for seeking extension of time (Appendix –XVII) respectively to the authority as

indicated in Schedule 'F' The Contractor shall indicate in such a request the period by which rescheduling of milestone/s or extension of time is desired. With every request for rescheduling of milestones, or if at any time the actual progress of work falls behind the approved programme by more than 10% of the stipulated period of completion of contract, the contractor shall produce a revised programme which shall include all details of pending drawings and decisions required to complete the contract and also the target dates by which these details should be available without causing any delay in execution of the work. A recovery as specified in Schedule 'F' shall be made on per day basis in case of delay in submission of the revised programme.

- **5.4.1** In any such case the authority as indicated in Schedule 'F' may give a fair and reasonable extension of time for completion of work or reschedule the mile stones. Such extension or rescheduling of the milestones shall be communicated to the Contractor by the authority as indicated in Schedule 'F' in writing, within 30 days of the date of receipt of such request from the Contractor in prescribed form. In event of non application by the contractor for extension of time E-in-C after affording opportunity to the contractor, may give, supported with a programme (as specified under 5.4 above), a fair and reasonable extension within a reasonable period of occurrence of the event.
- **5.5** In case the work is delayed by any reasons, in the opinion of the Engineer-in-Charge, by the contractor for reasons beyond the events mentioned in clause 5.2 or clause 5.3 or clause

5.4 and beyond the justified extended date; without prejudice to right to take action under Clause 3, the Engineer-in-Charge may grant extension of time required for completion of work without rescheduling of milestones. The contractor shall be liable for levy of compensation for delay for such extension of time.

CLAUSE 6

Engineer-in-Charge shall, except as otherwise provided, ascertain and determine by

The time allowed for execution of the Works as specified in the Schedule F or the extended time in accordance with these conditions shall be the essence of the Contract. The execution of the works shall commence from such time period as mentioned in schedule F or from the date the 15th day or such time period as mentioned in letter of Award after the date on which the Engineer-in-charge issues written orders to commence the work or from the date of handing over of the site whichever is later. If the Contractor commits default in commencing the execution of the work as aforesaid. Government shall without prejudice to any other right or remedy available in law, be at liberty to forfeit the earnest money absolutely.

- **5.1** As soon as possible after the contract is concluded the Contractor shall submit a Time and Progress Chart and get it approved by the Department. The Chart shall be prepared in direct relation to the time stated in the Contract documents for completion of various trades of sections of the work and may be amended as necessary by agreement between the Engineer-in-charge and the Contractor within the limitations of time imposed in the Contract documents, and further to ensure good progress during the execution of the work, the contractor shall in all cases in which the time allowed for any work, exceeds one month (save for special jobs for which a separate programme has been agreed upon) complete 1/8th of the work before 1/4th of the whole time fallowed in the contract has elapsed 3/8th of the work before one half of such time has elapsed and 3/4th of the work before 3/4th of such time has elapsed.
- 5.2 If the work (s) be delayed by:
 - i) force majeure, or
 - ii) abnormally bad weather, or
 - iii) serious loss or damage by fire, or
 - iv) civil commotion, local commotion of workmen, strike or lockout, affecting any of the trades employed on the work, or
 - v) delay on the part of other contractors or tradesmen engaged by Engineer-in-Charge in executing work not forming part of the Contract, or
 - vi) non-availability of stores, which are the responsibility of Government to supply or
 - vii) non-availability or break down of tools and Plant to be supplied or supplied by Government, or
 - viii) any other cause which, in the absolute discretion of the Chief Engineer is beyond the Contractor's control.

Then upon the happening of any such event causing delay, the Contractor shall immediately give notice thereof in writing to the Engineer-in-Charge but shall nevertheless use constantly his best endeavors to prevent or make good the delay and shall do all that may be reasonably required to the satisfaction of the Engineer-in-Charge to proceed with the works.

- 5.3 Request for extension of time, to be eligible for consideration, shall be made by the Contractor in writing within fourteen days of the happening of the event causing delay on the prescribed form. The Contractor may also, if practicable, indicate in such a request the period for which extension is desired.
- 5.4 in any such case the Engineer may give a fair and reasonable extension of time for completion of work. Such extension shall be communicated to the Contractor by the Engineer-in-Charge in writing, within 3 months of the date of receipt of such request. Non application by the contractor for extension of time shall not be a bar for giving a fair and reasonable extension by the Engineer-in-Charge and this shall be binding on the contractor.

CLAUSE - 6: Measurements of Work done

Engineer-in-Charge shall, except as otherwise provided, ascertain and determine by measurement, the value in accordance with the contract of work done. All measurement of all items having financial value shall be entered in Measurement Book and/or level field book so that a complete record is obtained of all works performed under the contract.

All measurements and levels shall be taken jointly by the Engineer-in-Charge or his authorized representative and by the contractor or his authorized representative from time to time during the progress of the work and such measurements shall be signed and dated by the Engineer-in- Charge and the contractor or their representatives in token of their acceptance. If the contractor objects to any of the measurements recorded, a note shall be made to that effect with reason and signed by both the parties.

If for any reason the contractor or his authorized representative is not available and the work of recording measurements is suspended by the Engineer-in-Charge or his representative, the Engineer-in-Charge and the Department shall not entertain any claim from contractor for any loss or damages on this account. If the contractor or his authorized representative does not remain present at the time of such measurements after the contractor or his authorized representative has been given a notice in writing three (3) days in advance or fails to countersign or to record objection within a week from the date of the measurement, then such measurements recorded in his absence by the Engineer-in-Charge or his representative shall be deemed to be accepted by the Contractor.

The contractor shall, without extra charge, provide all assistance with every appliance, labour and other things necessary for measurements and recording levels.

Except where any general or detailed description of the work expressly shows to the contrary, measurements shall be taken in accordance with the procedure set forth in the specifications notwithstanding any provision in the relevant Standard Method of measurement or any general or local custom. In the case of items which are not covered by specifications, measurements shall be taken in accordance with the relevant standard method of measurement issued by the Bureau of Indian Standards and if for any item no such standard is available, then a mutually agreed method shall be followed.

The contractor shall give, not less than seven days' notice to the Engineer-in-Charge or his authorized representative in charge of the work, before covering up or otherwise placing beyond the reach of measurement any work in order that the same may be measured and correct dimensions thereof be taken before the same is covered up or placed beyond the reach of measurement and shall not cover up and place beyond reach of measurement any work without consent in writing of the Engineer-in-Charge or his authorized representative in charge of the work who shall within the aforesaid period of seven days inspect the work, and if any work shall be covered up or placed beyond the reach of measurements without such notice having been given or the Engineer-in-Charge's consent being obtained in writing, the same shall be uncovered at the Contractor's expense, or in default thereof no payment or allowance shall be made for such work or the materials with which the same was executed.

Engineer-in-Charge or his authorized representative may cause either themselves or through another officer of the department to check the measurements recorded jointly or otherwise as aforesaid and all provisions stipulated herein above shall be applicable to such checking of measurements or levels.

It is also a term of this contract that recording of measurements of any item of work in the measurement book and/or its payment in the interim, on account or final bill shall not be considered as conclusive evidence as to the sufficiency of any work or material to which it relates nor shall it relieve the contractor from liabilities from any over measurement or defects noticed till completion of the defects liability period.

CLAUSE 6A: Computerised Measurement Book

Engineer-in-Charge shall, except as otherwise provided, ascertain and determine by measurement the value of work done in accordance with the contract.

All measurements of all items having financial value shall be entered by the contractor and compiled in the shape of the Computerized Measurement Book having pages of A-4 size as per the format of the department so that a complete record is obtained of all the items of works performed under the contract.

All such measurements and levels recorded by the contractor or his authorized representative from time to time, during the progress of the work, shall be got checked by the contractor from the Engineer-in-Charge or his authorized representative as per interval or program fixed in consultation with Engineer-in-Charge or his authorized representative. After the necessary corrections made by the Engineer-in-Charge, the measurement sheets shall be returned to the contractor for incorporating the corrections and for resubmission to the Engineer-in-Charge for the dated signatures by the Engineer-in-Charge and the contractor or their representatives in token of their acceptance.

Whenever bill is due for payment, the contractor would initially submit draft computerized measurement sheets and these measurements would be got checked/test checked from the Engineer-in-Charge and/or his authorized representative. The contractor will, thereafter, incorporate such changes as may be done during these checks/test checks in his draft computerized measurements, and submit to the department a computerized measurement book, duly bound, and with its pages machine numbered. The Engineer-in-Charge and/or his authorized representative would thereafter check this MB, and record the necessary certificates for their checks/test checks

The final, fair, computerized measurement book given by the contractor, duly bound, with its pages machine numbered, should be 100% correct, and no cutting or over-writing in the measurements would thereafter be allowed. If at all any error is noticed, the contractor shall have to submit a fresh computerized MB with its pages duly machine numbered and bound, after getting the earlier MB cancelled by the department. Thereafter, the MB shall be taken in the UGC-DAE CSR Office records, and allotted a number as per the Register of Computerised MBs. This should be done before the corresponding bill is submitted to the UGC-DAE CSR Office for payment. The contractor shall submit two spare copies of such computerized MB's for the purpose of reference and record by the various officers of the department.

The contractor shall also submit to the department separately his computerized Abstract of Cost and the bill based on these measurements, duly bound, and its pages machine numbered along with two spare copies of the "bill. Thereafter, this bill will be processed by the Division Office and allotted a number as per the computerized record in the same way as done for the measurement book meant for measurements.

The contractor shall, without extra charge, provide all assistance with every appliance, labour and other things necessary for checking of measurements/levels by the Engineer-in-Charge or his representative.

Except where any general or detailed description of the work expressly shows to the contrary, measurements shall be taken in accordance with the procedure set forth in the specifications notwithstanding any provision in the relevant Standard Method of measurement or any general or local custom. In the case of items which are not covered by specifications, measurements shall be taken in accordance with the relevant standard method of measurement issued by the Bureau of Indian Standards and if for any item no such standard is available then a mutually agreed method shall be followed.

The contractor shall give not less than seven days' notice to the Engineer-in-Charge or his authorized representative in charge of the work before covering up or otherwise placing beyond the reach of checking and/or test checking the measurement of any work in order that the same may be checked and/or test checked and correct dimensions thereof be taken before the same is covered up or placed beyond the reach of checking and/or test checking measurement and shall not cover up and place beyond reach of measurement any work without consent in writing of the Engineer-in-Charge or his authorized representative in charge of the work

who shall within the aforesaid period of seven days inspect the work, and if any work shall be covered up or placed beyond the reach of checking and/or test checking measurements without such notice having been given or the Engineer-in-Charge's consent

being obtained in writing the same shall be uncovered at the Contractor's expense, or in default thereof no payment or allowance shall be made for such work or the materials with which the same was executed. Engineer-in-Charge or his authorized representative may cause either themselves or through another officer of the department to check the measurements recorded by contractor and all provisions stipulated herein above shall be applicable to such checking of measurements or levels.

It is also a term of this contract that checking and/or test checking the measurements of any item of work in the measurement book and/or its payment in the interim, on account of final bill shall not be considered as conclusive evidence as to the sufficiency of any work or material to which it relates nor shall it relieve the contractor from liabilities from any over measurement or defects noticed till completion of the defects liability period.

CLAUSE 7: Payment on Intermediate Certificate to be regarded as advances

No payment No payment shall be made for work, estimated to cost Rs. **One lac** or less till after the whole of the work shall have been completed and certificate of completion given. For works estimated to cost over Rs. One lac, the interim or running account bills shall be submitted by the contractor for the work executed on the basis of such recorded measurements on the format of the Department in triplicate on or before the date of every month fixed for the same by the Engineer-in-Charge. The contractor shall not be entitled to be paid any such interim payment if the gross work done together with net payment/adjustment of advances for material collected, if any, since the last such payment is less than the

amount specified in Schedule 'F', in which case the interim bill shall be prepared on the appointed date of the month after the requisite progress is achieved. Engineer-in-Charge shall arrange to have the bill verified by taking or causing to be taken, where necessary, the requisite measurements of the work. In the event of the failure of the contractor to submit the bills, no claims whatsoever due to delays on payment including that of interest shall be payable to the contractor. Payment on account of amount admissible shall be made by the Engineer-in-Charge certifying the sum to which the contractor is considered entitled by way of interim payment at such rates as decided by the Engineer-in-Charge. The amount admissible shall be paid by 10th working day after the day of presentation of the bill by the Contractor to the Engineer-in-Charge or his Asstt. Engineer together with the account of the material issued by the department, or dismantled materials, if any. In the case of works outside the headquarters

of the Engineer- in-Charge, the period of ten working days will be extended to fifteen working days. In case of delay in payment of intermediate bills after 45 days of submission of bill by the contractor provided the bill submitted by the contractor found to be in order, a simple interest @ 10% per annum shall be paid to the contractor from the date of expiry of prescribed time limit which will be compounded on yearly basis.

All such interim payments shall be regarded as payment by way of advances against final payment only and shall not preclude the requiring of bad, unsound and imperfect or unskilled work to be rejected, removed, taken away and reconstructed or re-erected. Any certificate given by the Engineer-in-Charge relating to the work done or materials delivered forming part of such payment, may be modified or corrected by any subsequent such certificate(s) or by the final certificate and shall not by itself be conclusive evidence that any work or materials to All such interim payments shall be regarded as payment by way of advances against final payment only and shall not preclude the requiring of bad, unsound and imperfect or unskilled work to be rejected, removed, taken away and reconstructed or re-erected. Any certificate given by the Engineer-in-Charge relating to the work done or materials delivered forming part

of such payment, may be modified or corrected by any subsequent such certificate(s) or by the final certificate and shall not by itself be conclusive evidence that any work or materials to which it relates is/are in accordance with the contract and specifications. Any such interim payment, or any part thereof shall not in any respect conclude, determine or affect in any way powers of the Engineer-in-Charge under the contract or any of such payments be treated as final settlement and adjustment of accounts or in any way vary or affect the contract.

Pending consideration of extension of date of completion, interim payments shall continue to be made as herein provided without prejudice to the right of the department to take action under the terms of this contract for delay in the completion of work, if the extension of date of completion is not granted by the competent authority.

The Engineer-in-Charge in his sole discretion on the basis of a certificate from the Asstt.Engineer to the effect that the work has been completed up to the level in question make interim advance payments without detailed measurements for work done (other than foundations, items to be covered under finishing items) up to lintel level (including sunshade etc.) and slab level, for each floor working out at 75% of the assessed value. The advance payments so allowed shall be adjusted in the subsequent interim bill to be submitted by the contractor within 10 days of the interim payment. In case of delay in submission of bill by the contractor a simple interest @ 10% per annum shall be paid to the UGC-DAE CSR, from the date of expiry of prescribed time limit which will be compounded on yearly basis.

Payment in Composite Contracts

In case of composite tenders, running payment for the major component shall be made by EE of major discipline to the main contractor. Running payment for minor component shall be made by the Engineer-in-Charge of the discipline of minor component directly to the main contractor.

In case main contractor fails to make the payment to the contractor associated by him within 15 days of receipt of each running account payment, then on the written complaint of contractor associated for such minor component, Engineer-in-Charge of minor component shall serve the show cause to the main contractor and if reply of main contractor either not received or found unsatisfactory, he may make the payment directly to the contractor associated for minor component, as per the terms and conditions of the agreement drawn between main contractor and associate contractor fixed by him. Such payment made to the associate contractor shall be recovered by Engineer-in-Charge of major or minor component from the next R/A/ final bill due to main contractor as the case may be.

CLAUSE 7A

No Running Account Bill shall be paid for the work till the applicable labour licenses, registration with EPFO, ESIC and BOCW Welfare Board, whatever applicable are submitted by the contractor to the Engineer-in-Charge.

Within ten days of the completion of the work, the contractor shall give notice of such completion to the

CLAUSE 8: Completion Certificate and Completion Plans

Engineer-in-Charge and within thirty days of the receipt of such notice, the Engineer-in-Charge shall inspect the work and if there is no defect in the work, shall furnish the contractor with a final certificate of completion, otherwise a provisional certificate of physical completion indicating defects (a) to be rectified by the contractor and/or (b) for which payment will be made at reduced rates, shall be issued. But no final certificate of completion shall be issued, nor shall the work be considered to be complete until the contractor shall have removed from the premises on which the work shall be executed all scaffolding, surplus materials, rubbish and all huts and sanitary arrangements required for his/their work people on the site in connection with the execution of the works as shall have been erected or constructed by the contractor(s) and cleaned off the dirt from all wood work, doors, windows, walls, floor or other parts of the building, in, upon, or about which the work is to be executed or of which he may have had possession for the purpose of the execution; thereof, and not until the work shall have been measured by the Engineer-in-Charge. If the contractor shall fail to comply with the requirements of this Clause as to removal of scaffolding, surplus materials and rubbish and all huts and sanitary arrangements as aforesaid and cleaning off dirt on or before the date fixed for the completion of work, the Engineer-in-Charge may at the expense of the contractor remove such scaffolding, surplus materials and rubbish etc., and dispose

off the same as he thinks fit and clean off such dirt as aforesaid, and the contractor shall have no claim in respect of scaffolding or surplus materials as aforesaid except for any sum actually realized by the sale thereof.

CLAUSE 8A: Contractor to keep site clean

When the annual repairs and maintenance of works are carried out, the splashes and droppings from white washing, colour washing, painting etc., on walls, floor, windows, etc shall be removed and the surface cleaned simultaneously with the completion of these items of work in the individual rooms, quarters or premises etc. where the work is done: without waiting for the actual completion of all the other items of work in the contract. In case the contractor fails to comply with the requirements of this clause, the Engineer-in-Charge shall have the right to get this work done at the cost of the contractor either departmentally or through any other agency. Before taking such action, the Engineer-in-Charge shall give ten days notice in writing to the contractor.

CLAUSE 8B: Completion plans to be submitted by the Contractor

The contractor shall submit completion plan as required vide General Specifications for Electrical works (Part-I internal) 2005 and (Part-Il External) 1994 as applicable within thirty days of the completion of the work.

In case, the contractor fails to submit the completion plan as aforesaid, he shall be liable to pay a sum of 0.1 % of Tendered Value or limit prescribed in Schedule F whichever is more as may be fixed by the Superintending Engineer concerned and in this respect the decision of the Superintending Engineer shall be final and binding on the contractor.

The contractor shall submit completion plan for Internal and External Civil, Electrical and Mechanical Services within thirty days of the completion of the work, provided that the service plans having been issued for execution by the Engineer-in-Charge, unless the contractor, by virtue of any other provision in the contract, is required to prepare such plans.

CLAUSE 9: Payment of Final Bill

The final bill shall be submitted by the contractor in the same manner as specified in interim bills within three months of physical completion of the work or within one month of the date of the final certificate of completion furnished by the Engineer-in-Charge whichever is earlier. No further claims shall be made by the contractor after submission of the final bill and these shall be deemed to have been waived and extinguished. Payments of those items of the bill in respect of which there is no dispute and of items in dispute, for quantities and rates as approved by Engineer-in-Charge, will, as far as possible be made within the period specified here in under, the period being reckoned from the date of receipt of the bill by the Engineer-in-Charge or his authorized Asstt. Engineer, complete with account of materials issued by the Department and dismantled materials.

- (i) If the Tendered value of work is up to Rs. 45 lac: 2 months
- (ii) If the Tendered value of work is more than Rs.45 lac and up to Rs. 2.5 Crore: 3 months
- (iii) If the Tendered value of work exceeds Rs. 2.5 Crore: 6 months

In case of delay in payment of final bills after prescribed time limit, a simple interest @ 10% per annum shall be paid to the contractor from the date of expiry of prescribed time limit which will be compounded on yearly basis, provided the final bill submitted by the contractor found to be in order.

CLAUSE 9A: Payment of Contractors Bills to Banks

Payments due to the contractor may, if so desired by him, be made to his bank, registered financial, cooperative or thrift societies or recognized financial institutions instead of direct to him provided that the contractor furnishes to the Engineer-in-Charge (1) an authorization in the form of a legally valid document such as a power of attorney conferring authority on the bank; registered financial, co-operative or thrift societies or recognized financial institutions to receive payments and (2) his own acceptance of the correctness of the amount made out as being due to him by UGC-DAE CSR or his signature on the bill or other claim preferred against UGC-DAE CSR before settlement by the Engineer-in-Charge of the account or claim by payment to the bank, registered financial, co-operative or thrift societies or recognized financial institutions. While the receipt given by such banks; registered financial, co-operative or thrift societies or recognized financial institutions shall constitute a full and sufficient discharge for the payment, the contractor shall whenever possible present his bills duly receipted and discharged through his bank, registered financial, co-operative or thrift societies or recognized financial institutions. Nothing herein contained shall operate to create in favour of the bank; registered financial, co-operative or thrift societies or recognized financial institutions any rights or equities visavis the Director, UGC-DAE CSR.

CLAUSE 10: Materials Supplied by the UGC-DAE CSR

Materials which UGC-DAE CSR will supply are shown in Schedule 'B' which also stipulates quantum, place of issue and rate(s) to be charged in respect thereof. The contractor shall be bound to procure them from the Engineer-in-Charge.

As soon as the work is awarded, the contractor shall finalise the programme for the completion of work as per clause 5 of this contract and shall give his estimates of materials required on the basis of drawings/or schedule of quantities of the work. The Contractor shall give in writing his requirement to the Engineer-in-Charge which shall be issued to him keeping in view the progress of work as assessed by the Engineer-in-Charge, in accordance with the agreed phased programme of work indicating monthly requirements of various materials.

The contractor shall place his indent in writing for issue of such materials at least 7 days in advance of his requirement.

Such materials shall be supplied for the purpose of the contract only and the value of the materials so supplied at the rates specified in the aforesaid schedule shall be set off or deducted, as and when materials are consumed in items of work (including normal wastage) for which payment is being made to the contractor, from any sum then due or which may therefore become due to the contractor under the contract or otherwise or from the security deposit. At the time of submission of bills, the contractor shall certify that balance of materials supplied is available at site in original good condition.

The contractor shall submit along with every running bill (on account or interim bill) material wise reconciliation statements supported by complete calculations reconciling total issue, total consumption and certified balance (diameter/section-wise in the case of steel) and resulting variations and reasons therefore. Engineer-in-Charge shall (whose decision shall be final and binding on the contractor) be within his rights to follow the procedure of recovery in clause 42 at any stage of the work if reconciliation is not found to be satisfactory.

The contractor shall bear the cost of getting the material issued, loading, transporting to site, unloading, storing under cover as required, cutting assembling and joining the several parts together as necessary. Notwithstanding anything to the contrary contained in any other clause of the contract and all stores/materials so supplied to the contractor or procured with the assistance of the UGC-DAE CSR shall remain the absolute property of UGC-DAE CSR and the contractor shall be the trustee of the stores/materials, and the said stores/materials shall not be removed/disposed off from the site of the work on any account and shall be at all times open to inspection by the Engineer-in-Charge or his authorized agent. Any such stores/materials remaining unused shall be returned to the Engineer-in-Charge in as good a condition in which they were originally supplied at a place directed by him, at a place of issue or any other place specified by him as he shall require, but in case it is decided not to take back the stores/materials the contractor shall have no claim for compensation on any account of such stores/materials so supplied to him as aforesaid and not used by him or for any wastage in or damage to in such stores/materials.

On being required to return the stores/materials, the contractor shall hand over the stores/materials on being paid or credited such price as the Engineer-in-Charge shall determine, having due regard to the condition of the stores/materials. The price allowed for credit to the contractor, however, shall be at the prevailing market rate not exceeding the amount charged to him, excluding the storage charges, if any. The decision of the Engineer-in-Charge shall be final and conclusive. In the event of breach of the aforesaid condition, the contractor shall in addition to throwing himself open to account for contravention of the terms of the licences or permit and/or for criminal breach of trust, be liable to Government for all advantages or profits resulting or which in the usual course would have resulted to him by reason of such

breach. Provided that the contractor shall in no case be entitled to any compensation or damages on account of any delay in supply or non-supply thereof all or any such materials and stores provided further that the contractor shall be bound to execute the entire work if the materials are supplied by the Government within the original scheduled time for completion of the work plus 50% thereof or schedule time plus 6 months whichever is more if the time of completion of work exceeds 12 months, but if a part of the materials only has been supplied within the aforesaid period, then the contractor shall be bound to do so much of the work as may be possible with the materials and stores supplied in the aforesaid period. For the completion of the rest of the work, the contractor shall be entitled to such extension of time

as may be determined by the Engineer-in-Charge whose decision in this regard shall be final and binding on the contractor.

The contractor shall see that only the required quantities of materials are got issued. Any such material remaining unused and in perfectly good/original condition at the time of completion or determination of the contract shall be returned to the Engineer-in-Charge at the stores from which it was issued or at a place directed by him by a notice in writing. The contractor shall not be entitled for loading, transporting, unloading and stacking of such unused material except for the extra lead, if any involved, beyond the original place of issue.

CLAUSE 10A: Materials to be provided by the Contractor

The contractor shall, at his own expense, provide all materials, required for the works other than those which are stipulated to be supplied by the Government.

The contractor shall, at his own expense and without delay, supply to the Engineer-in-Charge samples of materials to be used on the work and shall get these approved in advance. All such materials to be provided by the Contractor shall be in conformity with the specifications laid down or referred to in the contract. The contractor shall, if requested by the Engineer-in-Charge furnish proof, to the satisfaction of the Engineer-in-Charge that the materials so comply. The Engineer-in-Charge shall within thirty days of supply of samples or within such further period as he may require intimate to the Contractor in writing whether samples are approved by him or not. If samples are not approved, the Contractor shall forthwith arrange to supply to the Engineer-in-Charge for his approval, fresh samples complying with the specifications laid down in the contract. When materials are required to be tested in accordance with specifications, approval of the Engineer-in-Charge shall be issued after the test results are received.

The Contractor shall at his risk and cost submit the samples of materials to be tested or analyzed and shall not make use of or incorporate in the work any materials represented by the samples until the required tests or analysis have been made and materials finally accepted by the Engineer-in-Charge. The Contractor shall not be eligible for any claim or compensation either arising out of any delay in the work or due to any corrective measures required to be taken on account of and as a result of testing of materials.

The contractor shall, at his risk and cost, make all arrangements and shall provide all facilities as the Engineer-in-Charge may require for collecting, and preparing the required number of samples for such tests at such time and to such place or places as may be directed by the Engineer-in-Charge and bear all charges and cost of testing unless specifically provided for otherwise elsewhere in the contract or specifications. The Engineer-in-Charge or his authorized representative shall at all times have access to the works and to all workshops and places where work is being prepared or from where materials, manufactured articles or machinery are being obtained for the works and the contractor shall afford every facility and every assistance in obtaining the right to such access.

The Engineer-in-Charge shall have full powers to require the removal from the premises of all materials which in his opinion are not in accordance with the specifications and in case of default, the Engineer-in-Charge shall be at liberty to employ at the expense of the contractor, other persons to remove the same without being answerable or accountable for any loss or damage that may happen or arise to such materials. The Engineer-in-Charge shall also have full powers to require other proper materials to be substituted thereof and in case of default, the Engineer-in-Charge may cause the same to be supplied and all costs which may attend such removal and substitution shall be borne by the Contractor. The contractor shall at his own expense, provide a material testing lab at the site for conducting routine field tests. The lab shall be equipped at least with the testing equipment as specified in schedule F.

CLAUSE-10 B: Secured Advance on Non Perishable Materials

(i) The contractor, on signing an indenture in the form in Annexure XVIII by the Engineer-in-Charge, shall be entitled to be paid during the progress of the execution of the work up to 75% of the assessed value of any materials which are in the opinion of the Engineer-in-Charge non-perishable, non-fragile and non-combustible and are in accordance with the contract and which have been brought on the site in connection therewith and are adequately stored and/or protected against damage by weather or other causes but which have not at the time of advance been incorporated in the works. When materials on account of which an advance has been made under this sub-clause are incorporated in the work, the amount of such advance shall be recovered/deducted from the next payment made under any of the clause or clauses of this contract.

Such secured advance shall also be payable on other items of perishable nature, fragile and combustible with the approval of the Engineer-in-Charge provided the contractor provides a comprehensive insurance cover for the full cost of such materials. The decision of the Engineer- in-Charge shall be final and binding on the contractor in this matter. No secured advance, shall however, be paid on high-risk materials such as ordinary glass, sand, petrol, diesel etc.

Mobilisation Advance (ii) Mobilization advance not exceeding 10% of the tendered value may be given, if requested by the contractor in writing within one month of the order to commence the work. Such advance shall be in two or more installments to be determined by the Engineer-in-Charge at his sole discretion. The first installment of such advance shall be released by the Engineer-in-Charge to the contractor on a request made by the contractor to the Engineer-in-Charge in this behalf. The second and subsequent installments shall

be released by the Engineer- in- Charge only after the contractor furnishes a proof of the satisfactory utilization of the earlier installment to the entire satisfaction of the Engineer-in-Charge.

Before any installment of advance is released, the contractor shall execute a Bank Guarantee Bonds not more than 6 in number from Scheduled Bank for the amount equal to 110% of the amount of advance and valid for the period till recovery of advance. This (Bank Guarantee from Scheduled Bank for the amount equal to 110% of the balance amount of advance) shall be kept renewed from time to time to cover the balance amount and likely period of complete recovery. Provided always that provision of Clause 10 B (ii) shall be applicable only when so provided in 'Schedule F'.

Plant Material and Shuttering Material Advance (iii) An advance for plant, machinery & shuttering material required for the work and brought to site by the Contractor may be given if requested by the contractor in writing within one month of bringing such plant and machinery to site. Such advance shall be given on such plant and machinery which in the opinion of the Engineer-in-Charge will add to the expeditious execution of work and improve the quality of work. The amount of advance shall be restricted to 5% percent of the tender value. In the case of new plant and equipment to be purchased for the work, the advance shall be restricted to 90% of the price of such new plant and equipment paid by the contractor for which the contractor shall produce evidence satisfactory to the Engineer-in-Charge. In the case of second hand and used plants and equipment, the amount of such advance shall be limited to 50% of the depreciated value of plant and equipment as may be decided by the Engineer-in-Charge. The contractor shall, if so required by the Engineer-in-Charge, submit the statement of value of such old plant and equipment duly approved by a Registered Valuer recognized by the Central Board of Direct Taxes under the Income- Tax Act, 1961. No such advance shall be paid on any plant and equipment of perishable nature and on any plant and equipment of a value less than Rs. 50,000/- Seventy five per cent of such

amount of advance shall be paid after the plant & equipment is brought to site and balance twenty five percent on successfully commissioning the same.

Leasing of equipment shall be considered at par with purchase of equipment and shall be covered by tripartite agreement with the following:

- 1. Leasing company which gives certificate of agreeing to lease equipment to the contractor.
- 2. Engineer in Charge, and
- 3. The contractor.

This advance shall further be subject to the condition that such plant and equipment (a) are considered by the Engineer-in-Charge to be necessary for the works; (b) and are in working order and are maintained in working order; (c) hypothecated to the UGC-DAE CSR, Indore as specified by the Engineer-in-Charge before the payment of advance is released. The contractor shall not be permitted to remove from the site such hypothecated plant and equipment without the prior written permission of the Engineer-in-Charge. The contractor shall be responsible for maintaining such plant and equipment in good working order during the entire period of hypothecation failing which such advance shall be entirely recovered in lump sum. For this purpose, steel scaffolding and form work shall be treated as plant and equipment.

The contractor shall insure the Plant and Machinery for which mobilization advance is sought and given, for a sum sufficient to provide for their replacement at site. Any amounts not recovered from the insurer will be borne by the contractor.

- (iv) **Interest & Recovery** The mobilization advance and plant and machinery advance in (ii) & (iii) above bear simple interest at the rate of 10 per cent per annum and shall be calculated from the date of payment to the date of recovery, both days inclusive, on the outstanding amount of advance. Recovery of such sums advanced shall be made by the deduction from the contractors bills commencing after first ten per cent of the gross value of the work is executed and paid, on pro-rata percentage basis to the gross value of the work billed beyond 10% in such a way that the entire advance is recovered by the time eighty per
- cent of the gross value of the contract is executed and paid, together with interest due on the entire outstanding amount up to the date of recovery of the installment.
- (v) If the circumstances are considered reasonable by the Engineer-in-Charge, the period mentioned in (ii) and (iii) for request by the contractor in writing for grant of mobilization advance and plant and equipment advance may be extended in the discretion of the Engineer-in-Charge.

CLAUSE 10C: Payment on account of increase in prices/wages due to statutory orders

If after submission of the tender, if the price of any marital in corporate in the work (excluding the material covered under clause 10 CA and not been a material supply for a Engineer-in-charge's store in accordance with

clause 10 therefore)and/ or wages of labour increases as a direct result of the coming into force of any fresh ,low or statutory rule or order (but not due to any variation of rate in GST applicable on such material(s) being considered under this clause) beyond the prices/wages prevailing at the time of the last stipulated date of receipt of tenders including extensions, if any, for the work during contract period including the justified period extended under the provisions of clause 5 of the contract without any action under clause 2, then the amount of the contract shall accordingly be varied.

If after submission of the tender, the price of any material incorporated in the works (excluding the materials covered under Clause 10CA and not being a material supplied from the Engineer-in-Charge's stores in accordance with Clause 10 thereof) and/or wages of labour as prevailing at the time of last stipulated date of receipt of tender including extensions, if any, is decreased as a direct result of the coming into force of any fresh law or statutory rules or order (but not due to any changes of rate in sales tax/VAT, Central/State Excise/Custom Duty), UGC-DAE CSR, Indore shall in respect of materials incorporated in the works (excluding the materials covered under Clause 10CA and not being material supplied from the Engineer-in-Charge's stores in accordance with Clause 10 hereof) and/or labour engaged on the execution of the work after the date of coming into force of such law statutory rule or order be entitled to deduct from the dues of the contractor, such amount as shall be equivalent to the difference between the prices of the materials and/or wages as prevailed at the time of the last stipulated date for receipt of tenders including extensions if any for the work and the prices of materials and/or wages of labour on the coming into force of such law, statutory rule or order. This will be applicable for the contract period including the justified period extended under the provisions of clause 5 of the contract without any action under clause 2.

Engineer-in-Charge shall call books of account and other relevant documents from the contractor to satisfy himself about reasonability of increase in prices of materials and wages.

The contractor shall, within a reasonable time of his becoming aware of any alteration in the price of any such materials and/or wages of labour, give notice thereof to the Engineer-in-Charge stating that the same is given pursuant to this condition together with all information relating thereto which he may be in position to supply. For this purpose, the labour component of 85% of the value of the work executed during period under consideration shall not exceed the percentage as specified in Schedule F, of the value of work done during that period and the increase/decrease in labour shall be considered on the minimum daily wages in rupees of any unskilled mazdoor, fixed under any law, statutory rule or order. The cost of work for which escalation is applicable (W) is same as cost of work done worked out as indicated in sub-para (ii) of clause 10 CC except the amount of full assessed value of secured Advance.

CLAUSE 10 CA: Payment due to variation in prices of materials after receipt of tender

If after submission of the tender, the price of materials specified in Schedule F increases/decreases beyond the base price(s) as indicated in Schedule F for the work, then the amount of the contract shall accordingly be varied and provided further that any such variations shall be effected for stipulated period of Contract including the justified period extended under the provisions of Clause 5 of the Contract without any action under Clause 2.

However for work done/during the justified period extended as above, it will be limited to indices prevailing at the time of updated stipulated date of completion considering the effect of extra work (extra time to be calculated on pro-rata basis only as cost of extra work x stipulated period/tendered cost).

The increase/decrease in prices of cement, steel reinforcement, structural steel and POL shall be determined by the Price indices issued by the Director General, CPWD. For other items provided in the Schedule 'F', this shall be determined by the All India Wholesale Price Indices of materials as published by Economic Advisor to Government of India, Ministry of Commerce and Industry. Base price for cement, steel reinforcement, structural steel and POL shall be as issued under the authority of Director General CPWD applicable for Delhi including Noida, Gurgaon, Faridabad & Ghaziabad and for other places as issued under the authority of Zonal Chief Engineer, CPWD and base price of other materials issued by concerned Zonal chief Engineer and as indicated in Schedule 'F'. In case, price index of a particular material is not issued by Ministry of Commerce and Industry, then the price index of nearest similar material as indicated in Schedule 'F' shall be followed. The amount of the contract shall accordingly be varied for all such materials and will be worked out as per the formula given below for individual material:-

Adjustment for component of individual material

 $V = P \times Q \times CI -CI_0$

Clowhere.

V = Variation in material cost i.e. increase or decrease in the amount of rupees to be paid or recovered.

P = Base Price of material as issued under authority of DG, CPWD or concerned Zonal Chief Engineer and as indicated in Schedule "F".

For Projects and Original Works

Q = Quantity of material brought at site for bonafide use in the works since previous bill excluding any such quantity consumed in the deviated quantity of items beyond deviation limit and extra /substituted item, paid/to be paid at rates derived on the basis of market rate under clause 12.2.

For Maintenance Works

Q = Quantity of material brought at site for bonafide use in the works since previous bill including any such quantity consumed in the deviated quantity of items beyond deviation limit paid at agreement rate and extra /substituted item being scheduled items, but excluding non schedule extra /substituted item paid/to be paid at market rate under clause 12.2.

CIo = Price index for cement, steel reinforcement bars structural steel and POL as issued by the DG, CPWD and corresponding to the time of base price of respective material indicated in Schedule 'F'. For other items, if any, provided in Schedule 'F', All India Wholesale Price Index for the material as published by the Economic Advisor to Government of India, Ministry of Industry and Commerce and corresponding to the time of base price of respective material indicated in Schedule 'F'.

CI = Price index for cement, steel reinforcement bars, structural steel and POL as issued under the authority of DG, CPWD for period under consideration. For other items, if any, provided in Schedule 'F', All India Wholesale Price Index for the material for period under consideration as published by Economic Advisor to Government of India, Ministry of Industry and Commerce.

Note: (i) In respect of the justified period extended under the provisions of clause 5 of the contract without any action under clause 2, the index prevailing at the time of updated stipulated date of completion considering the effect of extra work (extra time to be calculated on prorata basis only as cost of extra work x stipulated period/tendered cost) shall be considered.

Provided always that provisions of the preceding Clause 10 C shall not be applicable in respect of Materials covered in this Clause.

- (ii) If during progress of work or at the time of completion of work, it is noticed that any material brought at site is in excess of requirement, then amount of escalation if paid earlier on such excess quantity of material shall be recovered on the basis of cost indices as applied at the time of payment of escalation or as prevailing at the time of effecting recovery, whichever is higher.
- (iii) Cement mentioned wherever in this clause includes Cement component used in RMC brought at site from outside approved RMC plants, if any.
- (iv) The date wise record of ready mix concrete shall be kept in a register and the cement consumption for the same shall be calculated accordingly.
- (v) If built-up steel items are brought at site from workshop, then the variation shall be paid for the structural steel up to the period when the built up item/finished product is brought at site.

CLAUSE 10 CC: Payment due to increase/decrease in prices/ wages (excluding materials covered under clause 10 CA) after receipt of tender for works.

If the prices of materials (not being materials supplied or services rendered at fixed prices by the department in accordance with clause 10 & 34 thereof) and/or wages of labour required for execution of the work increase, the contractor shall be compensated for such increase as per provisions detailed below and the amount of the contract shall accordingly be varied, subject to the condition that such compensation for escalation in prices and wages shall be available only for the work done during the stipulated period of the contract including the justified period extended under the provisions of clause 5 of the contract without any action under clause 2. No such compensation shall be payable for a work for which the stipulated period of completion is equal to or less than the time as specified in Schedule F. Such compensation for escalation in the prices of materials and labour, when due, shall be worked

out based on the following provisions:-

- (i) The base date for working out such escalation shall be the last stipulated date of receipt of tenders including extension, if any.
- (ii) The cost of work on which escalation will be payable shall be reckoned as below:
- (a) Gross value of work done up to this quarter: (A)
- (b) Gross value of work done up to the last quarter: (B)
- (c) Gross value of work done since previous quarter (A-B) (C)
- (d) Full assessed value of Secured Advance (excluding materials
- Covered under Clause 10 CA) fresh paid in this quarter: (D)
- (e) Full assessed value of Secured Advance (excluding materials
- Covered under Clause 10 CA) recovered in this quarter: (E)
- (f) Full assessed value of Secured Advance for which escalation
- Payable in this quarter (D-E): (F)
- (g) Advance payment made during this quarter: (G)
- (h) Advance payment recovered during this quarter: (H)
- (i) Advance payment for which escalation is payable in this Quarter(G-H): (I) (j) Extra items/deviated quantities of items paid as per Clause 12

Based on prevailing market rates during this quarter: (J)

Then, M = C+F+I-J

N = 0.85 M

(k) Less cost of material supplied by the department as per

Clause 10 and recovered during the quarter (K)

(1) Less cost of services rendered at fixed charges as per Clause

34 and recovered during the quarter (L)

Cost of work for which escalation is applicable:

$\mathbf{W} = \mathbf{N} - (\mathbf{K} + \mathbf{L})$

- (iii) Components for materials (except cement, reinforcement bars, structural steel, POL or other materials covered under clause 10 CA) labour, etc. shall be pre-determined for every work and incorporated in the conditions of contract attached to the tender papers included in Schedule 'F'. The decision of the Engineer-in-Charge in working out such percentage shall be binding on the contractors.
- (iv) The compensation for escalation for other materials (excluding cement, reinforcement bars, structural steel, POL or other materials covered under clause 10 CA) shall be worked as per the formula given below:-Adjustment for civil component (except cement, structural steel, reinforcement bars, POL and other materials covered under clause 10CA) / electrical component of construction 'Materials'

Vm=W x <u>Xm x MI- Mlo</u> 100 Mlo

Vm = Variation in material cost i.e. increase or decrease in the amount in rupees to be paid or recovered.

W = Cost of Work done worked out as indicated in sub-para (ii) of Clause 10CC.

Xm = Component of 'materials' (except cement, structural steel, reinforcement bars POL and other materials covered under clause 10CA) expressed as percent of the total value of work.

Ml = All India Wholesale Price Index for civil component/electrical component*of construction material as worked out on the basis of All India Wholesale Price Index for Individual Commodities/ Group Items for the period under consideration as published by Economic Advisor to Govt. of India, Ministry of Industry & Commerce and applying weightages to the Individual Commodities/Group Items. (In respect of the justified period extended under the provisions of clause 5 of the contract without any action under clause 2, the index prevailing at the time of updated stipulated date of completion considering the effect of extra work (extra time to be calculated on prorata basis only as cost of extra work x stipulated period/tendered cost, shall be considered.)

Mlo = All India Wholesale Price Index for civil component/electrical component*of construction material as worked out on the basis of All India Wholesale Price Index for Individual Commodities/Group Items valid on the last stipulated date of receipt of tender including extension, if any, as published by the Economic Advisor to Govt. of India, Ministry of Industry & Commerce and applying weightages to the Individual Commodities/Group items.

*Note: relevant component only will be applicable.

(v) The following principles shall be followed while working out the indices mentioned in para (iv) above.

- (a) The compensation for escalation shall be worked out at quarterly intervals and shall be with respect to the cost of work done as per bills paid during the three calendar months of the said quarter. The dates of preparation of bills as finally entered in the Measurement Book by the Assistant Engineer/ date of submission of bill finally by the contractor to the department in case of computerised measurement books shall be the guiding factor to decide the bills relevant to the quarterly interval. The first such payment shall be made at the end of three months after the month (excluding the month in which tender was accepted) and thereafter at three months' interval. At the time of completion of the work, the last period for payment might become less than 3 months, depending on the actual date of completion.
- (b) The index (MI/FI etc.) relevant to any quarter/period for which such compensation is paid shall be the arithmetical average of the indices relevant to the three calendar months. If the period up to date of completion after the quarter covered by the last such installment of payment, is less than three months, the index MI and FI shall be the average of the indices for the months falling within that period.
- (vi) The compensation for escalation for labour shall be worked out as per the formula given below:-

$$VL = Wx \quad \underline{Y} \quad x \quad \underline{LI-LIo} \\ 100 \quad LIo$$

VL: Variation in labour cost i.e. amount of increase or decrease in rupees to be paid or recovered.

W: Value of work done, worked out as indicated in sub-para (ii) above.

Y: Component of labour expressed as a percentage of the total value of the work.

L I: Minimum wage in rupees of an unskilled adult male mazdoor, fixed under any law, statutory rule or order as applicable on the last date of the quarter previous to the one under consideration. (In respect of the justified period extended under the provisions of clause 5 of the contract without any action under clause 2, the minimum wage prevailing on the last date of quarter previous to the quarter pertaining to updated stipulated date of Completion considering the effect of extra work (extra time to be calculated on prorata basis only as cost of extra work x stipulated period/tendered cost, shall be considered.)

Llo: Minimum daily wage in rupees of an unskilled adult male mazdoor, fixed under any law, statutory rule or order as on the last stipulated date of receipt of tender including extension, if any.

- (vii) The following principles will be followed while working out the compensation as per subpara (vi) above.
- (a) The minimum wage of an unskilled mazdoor mentioned in sub-para (vi) above shall be the higher of the wage notified by Government of India, Ministry of Labour and that notified by the local administration both relevant to the place of work and the period of reckoning.
- (b) The escalation for labour also shall be paid at the same quarterly intervals when escalation due to increase in cost of materials is paid under this clause. If such revision of minimum wages takes place during any such quarterly intervals, the escalation compensation shall be payable at revised rates only for work done in subsequent quarters;
- (c) Irrespective of variations in minimum wages of any category of labour, for the purpose of this clause, the variation in the rate for an unskilled mazdoor alone shall form the basis for working out the escalation compensation payable on the labour component.
- (viii) In the event the price of materials and/or wages of labour required for execution of the work decrease/s, there shall be a downward adjustment of the cost of work so that such price of materials and/or wages of labour shall be deductible from the cost of work under this contract and in this regard the formula herein before stated under this Clause 10CC shall mutatis mutandis apply, provided that:
- (a) no such adjustment for the decrease in the price of materials and/or wages of labour aforementioned would be made in case of contracts in which the stipulated period of completion of the work is equal to or less than the time as specified in Schedule 'F'.
- (b) the Engineer-in-Charge shall otherwise be entitled to lay down the procedure by which the provision of this sub-clause shall be implemented from time to time and the decision of the Engineer-in-Charge in this behalf shall be final and binding on the contractor.
- (ix) Provided always that:-(a) Where provisions of clause 10CC are applicable, provisions of clause 10C will not be applicable but provisions of clause 10CA will be applicable. (b) Where provisions of clause 10CC are not applicable, provisions of clause 10CA will become applicable.

Note: Updated stipulated date of completion (period of completion plus extra time for extra work for compensation under clause 10C, 10CA and 10CC

The factor of 1.25 taken into account for calculating the extra time under clause 12.1 for extra time shall not be considered while calculating the updated stipulated date of completion for this purpose in clause 10C, clause 10CA, and clause 10CC.

CLAUSE 10 D: Dismantled Material UGC-DAE CSR Property

The contractor shall treat all materials obtained during dismantling of a structure, excavation of the site for a work, etc. as UGC-DAE CSR's property and such materials shall be disposed off to the best advantage of UGC-DAE CSR according to the instructions in writing issued by the Engineer-in-Charge.

CLAUSE 11: Work to be executed in accordance with specifications, drawings, orders etc.

The contractor shall execute the whole and every part of the work in the most substantial and workmanlike manner both as regards materials and otherwise in every respect in strict accordance with the specifications. The contractor shall also conform exactly, fully and faithfully to the design, drawings and instructions in writing in respect of the work signed by the Engineer-in-Charge and the contractor shall be furnished free of charge one copy of the contract documents together with specifications, designs, drawings and instructions as are not included in the standard specifications of UGC-DAE CSR, Indore specified in Schedule 'F' or in any Bureau of Indian Standard or any other, published standard or code or, Schedule of Rates or any other printed publication referred to elsewhere in the contract.

The contractor shall comply with the provisions of the contract and with the care and diligence execute and maintain the works and provide all labour and materials, tools and plants including for measurements and supervision of all works, structural plans and other things of temporary or permanent nature required for such execution and maintenance in so far as the necessity for providing these, is specified or is reasonably inferred from the contract. The Contractor shall take full responsibility for adequacy, suitability and safety of all the works and methods of construction.

CLAUSE 12: Deviations/Variations Extent and Pricing

The Engineer-in-Charge shall have power (i) to make alteration in, omissions from, additions to, or substitutions for the original specifications, drawings, designs and instructions that may appear to him to be necessary or advisable during the progress of the work, and (ii) to omit a part of the works in case of non-availability of a portion of the site or for any other reasons and the contractor shall be bound to carry out the works in accordance with any instructions given to him in writing signed by the Engineer-in-Charge and such alterations, omissions, additions or substitutions shall form part of the contract as if originally provided therein and any altered, additional or substituted work which the contractor may be directed to do in the manner specified above as part of the works, shall be carried out by the contractor on the same conditions in all respects including price on which he agreed to do the main work except as hereafter provided.

The completion cost of any agreement for Maintenance works including works of upgradation, aesthetic, special repair, addition/alteration shall not exceed 1.25 times of Tendered amount. Any further deviation beyond this limit upto 1.5 times of tendered amount shall be approved by Director, UGC-DAE CSR on the recommendation of the Building Committee with recorded reason and in exceptional case, Director, UGC-DAE CSR, Indore on the recommendation of the Building Committee shall have full power to approve the deviation beyond 1.50 times of tendered amount with recorded reason and take suitable corrective action.

- **12.1** The time for completion of the works shall, in the event of any deviations resulting in additional cost over the tendered value sum being ordered, be extended, if requested by the contractor, as follows:
- (i) In the proportion which the additional cost of the altered, additional or substituted work, bears to the original tendered value plus
- (ii) 25% of the time calculated in (i) above or such further additional time as may be considered reasonable by the Engineer-in-Charge.

12.2 A: Deviations, Extra items and pricing: For Project and original works:

In the case of extra item(s) (items that are completely new, and are in addition to the items contained in the contract), the contractor may within fifteen days of receipt of order or occurrence of the item(s) claim rates, supported by proper analysis, which shall include invoices, vouchers etc. and Manufacturer's specification for the work failing which the rate approved later by the Engineer- in- charge shall be binding and the Engineer-in-

Charge shall within prescribed time limit of the receipt of the claims supported by analysis, after giving consideration to the analysis of the rates submitted by the contractor, determine the rates on the basis of the market rates and the contractor shall be paid in accordance with the rates so determined, failing which it will be deemed to have been approved.

B. For Maintenance works including works of upgradation, aesthetic, special repair, addition/ alteration: In the case of Extra Item(s) being the schedule items (Delhi Schedule of Rates items), these shall be paid as per the schedule rate plus cost index (at the time of tender) plus/minus percentage above/ below quoted contract amount.

Payment of Extra items in case of non-schedule items (Non-DSR items) shall be made as per the prevailing market rate.

A. For Project and original works:

In the case of substituted items (items that are taken up with partial substitution or in lieu of items of work in the contract), the rate for the agreement item (to be substituted) and substituted item shall also be determined in the manner as mentioned in the following para.

- (a) If the market rate for the substituted item so determined is more than the market rate of the agreement item (to be substituted), the rate payable to the contractor for the substituted item shall be the rate for the agreement item (to be substituted) so increased to the extent of the difference between the market rates of substituted item and the agreement item (to be substituted).
- (b) If the market rate for the substituted item so determined is less than the market rate of the agreement item (to be substituted), the rate payable to the contractor for the substituted item shall be the rate for the agreement item (to be substituted) so decreased to the extent of the difference between the market rates of substituted item and the agreement item (to be substituted).
- B. For Maintenance works including works of upgradation, aesthetic, special repair, addition/alteration:

In the case of substitute Item(s) being the schedule items (Delhi Schedule of Rates items), these shall be paid as per the schedule rate plus cost index (at the time of tender) plus/minus percentage above/ below quoted contract amount. Payment of substitute items in case of non-schedule items (Non-DSR items) shall be made as per the prevailing market rate.

A. Deviation, Deviated Quantitities, Pricing For Project and original works:

In the case of contract items, substituted items, contract cum substituted items, which exceed the limits laid down in schedule F, the contractor may within fifteen days of receipt of order or occurrence of the excess, claim revision of the rates, supported by proper analysis for the work in excess of the above mentioned limits, provided that if the rates so claimed are in excess of the rates specified in the schedule of quantities, the Engineer-in-Charge shall within prescribed time limit of receipt of the claims supported by analysis, after giving consideration to the analysis of the rates submitted by the contractor, determine the rates on the basis of the market rates and the contractor shall be paid in accordance with the rates so determined.

B. For Maintenance works including works of upgradation, aesthetic, special repair, addition/ alteration:

In the case of contract items, which exceed the limits laid down in schedule F, the contractor shall be paid rates specified in the schedule of quantities.

The prescribed time limits for finalising rates for Extra Item(s), Substitute Item(s) and Deviated Quantities of contract items is within 30 days after submission of proposal by the contractor without observation of the Engineer-in-Charge.

12.3 A. For Project and original works:

The provisions of the preceding paragraph shall also apply to the decrease in the rates of items for the work in excess of the limits laid down in Schedule F, and the Engineer-in-Charge shall after giving notice to the contractor within one month of occurrence of the excess and after taking into consideration any reply received from him within fifteen days of the receipt of the notice, revise the rates for the work in question within one month of the expiry of the said period of fifteen days having regard to the market rates. B. For Maintenance works including works of upgradation, aesthetic, special repair, addition/alteration:

In case of decrease in the rates prevailing in the market of items for the work in excess of the limits laid down in Schedule F, the Engineer-in-Charge shall after giving notice to the contractor within one month of occurrence of the excess and after taking into consideration any reply received from him within fifteen days of the receipt of the notice, revise the rates for the work in question within one month of the expiry of the said period of fifteen days having regard to the market rates.

- 12.4 The contractor shall send to the Engineer-in-Charge once every three months, an up to date account giving complete details of all claims for additional payments to which the contractor may consider himself entitled and of all additional work ordered by the Engineer-in-Charge which he has executed during the preceding quarter failing which the contractor shall be deemed to have waived his right. However, the Superintending Engineer may authorise consideration of such claims on merits.
- **12.5** For the purpose of operation of Schedule "F", the following works shall be treated as works relating to foundation unless & otherwise defined in the contract:
- (i) For Buildings: All works up to 1.2 metres above ground level or up to floor 1 level whichever is lower.
- (ii) For abutments, piers and well staining: All works up to 1.2 m above the bed level.
- (iii) For retaining walls, wing walls, compound walls, chimneys, over head reservoirs/tanks and other elevated structures: All works up to 1.2 metres above the ground level (iv) For reservoirs/tanks (other than overhead reservoirs/tanks): All works up to 1.2 metres above the ground level.
- (v) For basement: All works up to 1.2 m above ground level or up to floor 1 level whichever is lower.
- (vi) For Roads, all items of excavation and filling including treatment of sub base.
- **12.6** Any operation incidental to or necessarily has to be in contemplation of tenderer while filing. tender, or necessary for proper execution of the item included in the Schedule of quantities or in the schedule of rates mentioned above, whether or not, specifically indicated in the description of the item and the relevant specifications, shall be deemed to be included in the rates quoted by the tenderer or the rate given in the said schedule of rates, as the case may be. Nothing extra shall be admissible for such operations.

CLAUSE 13: Foreclosure of Contract due abandonment or reduction in scope of work

If at any time after acceptance of the tender or during the progress of work, the purpose or object for which the work is being done changes due to any supervening cause and as a result of which the work has to be abandoned or reduced in scope the Engineer-in-Charge shall give notice in writing to that effect to the contractor stating the decision as well as the cause for such decision and the contractor shall act accordingly in the matter. The contractor shall have no claim to any payment of compensation or otherwise whatsoever, on account of any profit or advantage which he might have derived from the execution of the works in full but which he did not derive in consequence of the foreclosure of the whole or part of the works.

The contractor shall be paid at contract rates, full amount for works executed at site and, in addition, a reasonable amount as certified by the Engineer-in-Charge for the items hereunder mentioned which could not be utilized on the work to the full extent in view of the foreclosure;

- (i) Any expenditure incurred on preliminary site work, e.g. temporary access roads, temporary labour huts, staff quarters and site office; storage accommodation and water storage tanks.
- (ii) UGC-DAE CSR shall have the option to take over contractor's materials or any part thereof either brought to site or of which the contractor is legally bound to accept delivery from suppliers (for incorporation in or incidental to the work) provided, however UGC-DAE CSR shall be bound to take over the materials or such portions thereof as the contractor does not desire to retain. For materials taken over or to be taken over by UGC-DAE CSR, cost of such materials as detailed by Engineer-in-Charge shall be paid. The cost shall, however, take into account purchase price, cost of transportation and deterioration or damage which may have been caused to materials whilst in the custody of the contractor.
- (iii) If any materials supplied by UGC-DAE CSR are rendered surplus, the same except normal wastage shall be returned by the contractor to UGC-DAE CSR at rates not exceeding those at which these were originally issued, less allowance for any deterioration or damage which may have been caused whilst the materials were in the custody of the contractor. In addition, cost of transporting such materials from site to UGC-DAE CSR stores, if so required by UGC-DAE CSR, shall be paid.

- (iv) Reasonable compensation for transfer of T & P from site to contractor's permanent stores or to his other works, whichever is less. If T & P are not transported to either of the said places, no cost of transportation shall be payable.
- (v) Reasonable compensation for repatriation of contractor's site staff and imported labour to the extent necessary.

The contractor shall, if required by the Engineer- in-Charge, furnish to him, books of account, wage books, time sheets and other relevant documents and evidence as may be necessary to enable him to certify the reasonable amount payable under this condition. The reasonable amount of items on (i), (iv) and (v) above shall not be in excess of 2% of the cost of the work remaining incomplete on the date of closure, i.e. total stipulated cost of the work as per accepted tender less the cost of work actually executed under the contract and less the cost of contractor's materials at site taken over by the UGC-DAE CSR as per item (ii) above. Provided always that against any payments due to the contractor on this account or

otherwise, the Engineer-in-Charge shall be entitled to recover or be credited with any outstanding balances due from the contractor for advance paid in respect of any tool, plants and materials and any other sums which at the date of termination were recoverable by the UGC-DAE CSR from the contractor under the terms of the contract.

In the event of action being taken under Clause 13 to reduce the scope of work, the contractor may furnish fresh Performance Guarantee on the same conditions, in the same manner and at the same rate for the balance tendered amount and initially valid up to the extended date of completion or stipulated date of completion if no extension has been granted plus 60 days beyond that. Wherever such a fresh Performance Guarantee is furnished by the contractor the Engineer-in-Charge may return the previous Performance Guarantee.

Clause 14: Carrying out part work at risk & cost of contractor

If contractor:

- (i) At any time makes default during currency of work or does not execute any part of the work with due diligence and continues to do so even after a notice in writing of 7 days in this respect from the Engineer-in-Charge; or
- (ii) Commits default in complying with any of the terms and conditions of the contract and does not remedy it or takes effective steps to remedy it within 7 days even after a notice in writing is given in that behalf by the Engineer-in-Charge; or

Fails to complete the work(s) or items of work with individual dates of completion, on or before the date(s) so determined, and does not complete them within the period specified in the notice given in writing in that behalf by the Engineer-in-Charge.

The Engineer- in-Charge without invoking action under clause 3 may, without prejudice to any other right or remedy against the contractor which have either accrued or accrue thereafter to UGC-DAE CSR, by a notice in writing to take the part work / part incomplete work of any item(s) out of his hands and shall have powers to:
(a) Take possession of the site and any materials, constructional plant, implements, stores, etc., thereon; and/or

(b) Carry out the part work / part incomplete work of any item(s) by any means at the risk and cost of the contractor.

The Engineer-in-Charge shall determine the amount, if any, is recoverable from the contractor for completion of the part work/ part incomplete work of any item(s) taken out of his hands and execute at the risk and cost of the contractor, the liability of contractor on account of loss or damage suffered by Government because of action under this clause shall not exceed 10% of the tendered value of the work.

In determining the amount, credit shall be given to the contractor with the value of work done in all respect in the same manner and at the same rate as if it had been carried out by the original contractor under the terms of his contract, the value of contractor's materials taken over and incorporated in the work and use of plant and machinery belonging to the contractor. The certificate of the Engineer-in-Charge as to the value of work done shall be final and conclusive against the contractor provided always that action under this clause shall only be taken after giving notice in writing to the contractor. Provided also that if the expenses incurred by the department are less than the amount payable to the contractor at his agreement rates, the difference shall not be payable to the contractor.

Any excess expenditure incurred or to be incurred by UGC-DAE CSR in completing the part work/ part incomplete work of any item(s) or the excess loss of damages suffered or may be suffered by UGC-DAE CSR as aforesaid after allowing such credit shall without prejudice to any other right or remedy available to UGC-

DAE CSR in law or per as agreement be recovered from any money due to the contractor on any account, and if such money is insufficient, the contractor shall be called upon in writing and shall be liable to pay the same within 30 days.

If the contractor fails to pay the required sum within the aforesaid period of 30 days, the Engineer-in-Charge shall have the right to sell any or all of the contractors' unused materials, constructional plant, implements, temporary building at site etc. and adjust the proceeds of sale thereof towards the dues recoverable from the contractor under the contract and if thereafter there remains any balance outstanding, it shall be recovered in accordance with the provisions of the contract.

In the event of above course being adopted by the Engineer-in-Charge, the contractor shall have no claim to compensation for any loss sustained by him by reason of his having purchased or procured any materials or entered into any engagements or made any advance on any account or with a view to the execution of the work or the performance of the contract.

CLAUSE 15: Suspension of work

- (i) The contractor shall, on receipt of the order in writing of the Engineer-in-Charge, (whose decision shall be final and binding on the contractor) suspend the progress of the works or any part thereof for such time and in such manner as the Engineer-in-Charge may consider necessary so as not to cause any damage or injury to the work already done or endanger the safety thereof for any of the following reasons:
- (a) on account of any default on the part of the contractor or;
- (b) for proper execution of the works or part thereof for reasons other than the default of the contractor; or
- (c) for safety of the works or part thereof.

The contractor shall, during such suspension, properly protect and secure the works to the extent necessary and carry out the instructions given in that behalf by the Engineer-in- Charge.

- (ii) If the suspension is ordered for reasons (b) and (c) in sub-para (i) above:
- (a) the contractor shall be entitled to an extension of time equal to the period of every such suspension PLUS 25%, for completion of the item or group of items of work for which a separate period of completion is specified in the contract and of which the suspended work forms a part, and;
- (b) If the total period of all such suspensions in respect of an item or group of items or work for which a separate period of completion is specified in the contract exceeds thirty days, the contractor shall, in addition, be entitled to such compensation as the Engineer-in-Charge may consider reasonable in respect of salaries and/or wages paid by the contractor to his employees and labour at site, remaining idle during the period of suspension, adding thereto 2% to cover indirect expenses of the contractor provided the contractor submits his claim supported by details to the Engineer-in-Charge within fifteen days of the expiry of the period of 30 days. (iii) If the works or part thereof is suspended on the orders of the Engineer-in-Charge for more than three months at a time, except when suspension is ordered for reason (a) in sub para (i) above, the contractor may after receipt of such order serve a written notice on the Engineer-in-Charge requiring permission within fifteen days from receipt by the Engineer-in-Charge of the said notice, to proceed with the work or part thereof in regard to which progress has been suspended and if such permission is not granted within that time, the contractor, if he intends to treat the suspension, where it affects only a part of the works as an omission of such part by UGC-DAE CSR or where it affects whole of the works, as an abandonment of the works by UGC-DAE CSR, shall within ten days of expiry of such period of 15 days give notice in writing of his intention to the Engineer-in-Charge. In the event of the contractor treating the suspension as an abandonment of the contract by UGC-DAE CSR, he shall have no claim to payment of any compensation on account of any profit or advantage which he might have derived from the execution of the work in full but which he could not derive in consequence of the abandonment. He shall, however, be entitled to such compensation, as the Engineer-in-Charge may consider reasonable, in respect of salaries and/or wages paid by him to his employees and labour at site, remaining idle in consequence adding to the total thereof 2% to cover indirect expenses of the contractor provided the contractor submits his claim supported by details to the Engineer-in-Charge within 30 days of the expiry of the period of 3 months.

CLAUSE 15 A: Compensation in case of Delay of Supply of Material by UGC-DAE CSR

The contractor shall not be entitled to claim any compensation from UGC-DAE CSR for the loss suffered by him on account of delay by UGC-DAE CSR in the supply of materials in schedule 'B' where such delay is covered by the difficulties relating to the supply of wagons, force majeure or any reasonable cause beyond the control of the UGC-DAE CSR. This clause 15 A will not be applicable for works where no material is stipulated.

CLAUSE 16: Action in case work not done as per specifications

All works under or in course of execution or executed in pursuance of the contract, shall at all times be open and accessible to the inspection and supervision of the Engineer-in-Charge, his authorized subordinates in charge of the work and all the superior officers, officer of the Quality Assurance Unit of the Department or any organization engaged by the Department for Quality Assurance and of the Chief Technical Examiner's Office, and the contractor shall, at all times, during the usual working hours and at all other times at which reasonable notice of the visit of such officers has been given to the contractor, either himself be present to receive orders and instructions or have a responsible agent duly accredited in writing, present for that purpose. Orders given to the Contractor's agent shall be considered to have the same force as if they had been given to the contractor himself.

If it shall appear to the Engineer-in-Charge or his authorized subordinates in charge of the work or to the Engineer in charge of Quality Assurance or his subordinate officers or the officers of the organization engaged by the Department for Quality Assurance or to the Chief Technical Examiner or his subordinate officers, that any work has been executed with unsound, imperfect, or un skillful workmanship, or with materials or articles provided by him for the execution of the work which are unsound or of a quality inferior to that contracted or otherwise not in accordance with the contract, the contractor shall, on demand in writing which shall be made within twelve months (six months in the case of work costing Rs. 10 Lac and below except road work) of the completion of the work from the Engineer-in-Charge specifying the work, materials or articles complained of notwithstanding that the same may have been passed, certified and paid for forthwith rectify, or remove and reconstruct the work so specified in whole or in part, as the case may require or as the case may be, remove the materials or articles so specified and

provide other proper and suitable materials or articles at his own charge and cost. In the event of the failing to do so within a period specified by the Engineer-in-Charge in his demand aforesaid, then the contractor shall be liable to pay compensation at the same rate as under clause 2 of the contract (for non-completion of the work in time) for this default.

In such case the Engineer-in-Charge may not accept the item of work at the rates applicable under the contract but may accept such items at reduced rates as the authority specified in schedule 'F' may consider reasonable during the preparation of on account bills or final bill if the item is so acceptable without detriment to the safety and utility of the item and the structure or he may reject the work outright without any payment and/or get it and other connected and incidental items rectified, or removed and re-executed at the risk and cost of the contractor. Decision of the Engineer-in-Charge to be conveyed in writing in respect of the same will be final and binding on the contractor.

CLAUSE 17: Contractor liable for damages, defects during defect liability period

If the contractor or his working people or servants shall break, deface, injure or destroy any part of building in which they may be working, or any building, road, road kerb, fence, enclosure, water pipe, cables, drains, electric or telephone post or wires, trees, grass or grassland, or cultivated ground contiguous to the premises on which the work or any part is being executed, or if any damage shall happen to the work while in progress, from any cause whatever or if any defect, shrinkage or other faults appear in the work within twelve months (six months in the case of work costing Rs. Ten lacs and below except road work) after a certificate final or otherwise of its completion shall have been given by the Engineer-in-Charge as aforesaid arising out of defect or improper materials or workmanship the contractor shall upon receipt of a notice in writing on that behalf make the same good at his own expense or in default the Engineer-in-Charge cause the same to be made good by other workmen and deduct the expense from any sums that may be due or at any time thereafter may become due to the contractor, or from his security deposit or the proceeds of sale thereof or of a sufficient portion thereof. The security deposit of the contractor shall not be refunded before the expiry of twelve months (six months in the case of work costing Rs. Ten lacs and below except road work) after the issue of the certificate final or otherwise, of completion of work, or till the final bill has been prepared and passed whichever is later.

Provided that in the case of road work, if in the opinion of the Engineer-in-Charge, half of the security deposit is sufficient, to meet all liabilities of the contractor under this contract, half of the security deposit will be refundable after six months and the remaining half after twelve months of the issue of the said certificate of completion or till the final bill has been prepared and passed whichever is later.

In case of Maintenance and Operation works of E&M services, the security deposit deducted from contractors shall be refunded within one month from the date of final payment or within one month from the date of completion of the maintenance contract whichever is earlier.

CLAUSE 18: Contractor to Supply Tools and Plants etc.

The contractor shall provide at his own cost all materials (except such special materials, if any, as may in accordance with the contract be supplied from the Engineer-in-Charge's stores), machinery, tools & plants as specified in schedule F. In addition to this, appliances, implements, other plants, ladders, cordage, tackle, scaffolding and temporary works required for the proper execution of the work, whether original, altered or substituted and whether included in the specifications or other documents forming part of the contract or referred to in these conditions or not, or which may be necessary for the purpose of satisfying or complying with the requirements of the Engineer-in-Charge as to any matter as to which under these conditions he is entitled to be satisfied, or which he is entitled to require together with carriage therefore to and from the work. The contractor shall also supply without charge the requisite number of persons with the means and materials, necessary for the purpose of setting out works, and counting, weighing and assisting the measurement for examination at any time and from time to time of the work or materials. Failing his so doing, the same may be provided by the Engineer-in-Charge at the expense of the contractor and the expenses may be deducted, from any money due to the contractor, under this contract or otherwise and/or from his security deposit or the proceeds of sale thereof, or of a sufficient portions thereof.

CLAUSE 18 A: Recovery of Compensation paid to workmen

In every case in which by virtue of the provisions sub-section (1) of Section 12, of the Workmen's Compensation Act, 1923, UGC-DAE CSR is obliged to pay compensation to a workman employed by the contractor, in execution of the works, UGC-DAE CSR will recover from the contractor, the amount of the compensation so paid; and, without prejudice to the rights of the UGC-DAE CSR under sub-section (2) of Section 12, of the said Act, UGC-DAE CSR shall be at liberty to recover such amount or any part thereof by deducting it from the security deposit or from any sum due by UGC-DAE CSR to the contractor whether under this contract or otherwise. UGC-DAE CSR shall not be bound to contest any claim made against it under sub-section (1) of Section 12, of the said Act, except on the written request of the contractor and upon his giving to UGC-DAE CSR full security for all costs for which UGC-DAE CSR might become liable in consequence of contesting such claim.

CLAUSE 18 B: Ensuring payment and Amenities to workers if Contractor fails.

In every case in which by virtue of the provisions of the Contract Labour (Regulation and Abolition) Act, 1970, and of the Contract Labour (Regulation and Abolition) Central Rules, 1971, UGC-DAE CSR is obliged to pay any amounts of wages to a workman employed by the contractor in execution of the works, or to incur any expenditure in providing welfare and health amenities required to be provided under the above said Act and the rules under Clause 19H or under the C.P.W.D. Contractor's Labour Regulations, or under the Rules framed by Government from time to time for the protection of health and sanitary arrangements for workers employed by UGC-DAE CSR Contractors, Government will recover from the contractor, the amount of wages so paid or the amount of expenditure so incurred; and without prejudice to the rights of the UGC-DAE CSR under subsection(2) of Section 20, and sub-section (4) of Section 21, of the Contract Labour (Regulation and Abolition) Act, 1970, UGC-DAE CSR shall be at liberty to recover such amount or any part thereof by deducting it from the security deposit or from any sum due by UGC-DAE CSR to the contractor whether under this contract or otherwise UGC-DAE CSR shall not be bound to contest any claim made against it under sub-section (1) of Section 20, sub-section (4) of Section 21, of the said Act, except on the written request of the contractor and upon his giving to the UGC-DAE CSR full security for all costs for which UGC-DAE CSR might become liable in contesting such claim.

CLAUSE 19: Labour laws to be compiled by the Contractor

The contractor shall obtain a valid licence under the Contract Labour (R&A) Act, 1970, and the Contract Labour (Regulation and Abolition) Central Rules, 1971, before the commencement of the work, and continue to have a valid license until the completion of the work. **The contractor shall also comply with provisions of the Inter-State Migrant Workmen (Regulation of Employment and Conditions of Service) Act, 1979.** The contractor shall also abide by the provisions of the Child Labour (Prohibition and Regulation) Act, 1986. The contractor shall also comply with the provisions of the building and other Construction Workers (Regulation of Employment & Conditions of Service) Act, 1996 and the building and other Construction Workers Welfare Cess Act, 1996.

Any failure to fulfil these requirements shall attract the penal provisions of this contract arising out of the resultant non-execution of the work.

CLAUSE 19A

No labour below the age of fourteen years shall be employed on the work.

CLAUSE 19 B: Payment of Wages

Payment of wages:

- (i) The contractor shall pay to labour employed by him either directly or through subcontractors, wages not less than fair wages as defined in the C.P.W.D. Contractor's Labour Regulations or as per the provisions of the Contract Labour (Regulation and Abolition) Act, 1970 and the contract Labour (Regulation and Abolition) Central Rules, 1971, wherever applicable.
- (ii) The contractor shall, notwithstanding the provisions of any contract to the contrary, cause to be paid fair wage to labour indirectly engaged on the work, including any labour engaged by his sub-contractors in connection with the said work, as if the labour had been immediately employed by him.
- (iii) In respect of all labour directly or indirectly employed in the works for performance of the contractor's part of this contract, the contractor shall comply with or cause to be complied with the Central Public Works Department contractor's Labour Regulations made by Government from time to time in regard to payment of wages, wage period, deductions from wages recovery of wages not paid and deductions unauthorizedly made, maintenance of wage books or wage slips, publication of scale of wages and other terms of employment, inspection and submission of periodical returns and all other matters of the like nature or as per the provisions of the Contract Labour (Regulation and Abolition) Act, 1970, and the Contract Labour (Regulation and Abolition) Central Rules, 1971, wherever applicable.
- (iv) (a) The Engineer-in-Charge concerned shall have the right to deduct from the moneys due to the contractor any sum required or estimated to be required for making good the loss suffered by a worker or workers by reason of non-fulfilment of the conditions of the contract for the benefit of the workers, non-payment of wages or of deductions made from his or their wages which are not justified by their terms of the contract or non-observance of the Regulations.
- (b) Under the provision of Minimum Wages (Central) Rules, 1950, the contractor is bound to allow to the labours directly or indirectly employed in the works one day rest for 6 days continuous work and pay wages at the same rate as for duty. In the event of default, the Engineer-in-Charge shall have the right to deduct the sum or sums not paid on account of wages for weekly holidays to any labours and pay the same to the persons entitled thereto from any money due to the contractor by the Engineer-in-Charge concerned.

In the case of Union Territory of Delhi, however, as the all inclusive minimum daily wages fixed under Notification of the Delhi Administration No.F.12 (162)MWO/DAB/43884-91, dated 31-12-1979 as amended from time to time are inclusive of wages for the weekly day of rest, the question of extra payment for weekly holiday would not arise.

- (v) The contractor shall comply with the provisions of the Payment of Wages Act, 1936, Minimum Wages Act, 1948, Employees Liability Act, 1938, Workmen's Compensation Act, 1923, Industrial Disputes Act, 1947, Maternity Benefits Act, 1961, and the Contractor's Labour (Regulation and Abolition) Act 1970, or the modifications thereof or any other laws relating thereto and the rules made thereunder from time to time.
- (vi) The contractor shall indemnify and keep indemnified UGC-DAE CSR against payments to be made under and for the observance of the laws aforesaid and the C.P.W.D. Contractor's Labour Regulations without prejudice to his right to claim indemnity from his sub-contractors.
- (vii) The laws aforesaid shall be deemed to be a part of this contract and any breach thereof shall be deemed to be a breach of this contract.
- (viii) Whatever is the minimum wage for the time being, or if the wage payable is higher than such wage, such wage shall be paid by the contractor to the workmen directly without the intervention of Jamadar and that Jamadar shall not be entitled to deduct or recover any amount from the minimum wage payable to the workmen as and by way of commission or otherwise.
- (ix) The contractor shall ensure that no amount by way of commission or otherwise is deducted or recovered by the Jamadar from the wage of workmen.

CLAUSE 19C

In respect of all labour directly or indirectly employed in the work for the performance of the contractor's part of this contract, the contractor shall at his own expense arrange for the safety provisions as per UGC-DAE CSR Safety Code framed from time to time and shall at his own expense provide for all facilities in connection therewith. In case the contractor fails to make arrangement and provide necessary facilities as aforesaid, he shall be liable to pay a penalty of Rs.200/- for each default and in addition, the Engineer-in-Charge shall be at

liberty to make arrangement and provide facilities as aforesaid and recover the costs incurred in that behalf from the contractor.

CLAUSE 19 D

The contractor shall submit by the 4th and 19th of every month, to the Engineer-in-Charge, a true statement showing in respect of the second half of the preceding month and the first half of the current month respectively:-

- (1) the number of labourers employed by him on the work,
- (2) their working hours,
- (3) the wages paid to them,
- (4) the accidents that occurred during the said fortnight showing the circumstances under which they happened and the extent of damage and injury caused by them, and
- (5) the number of female workers who have been allowed maternity benefit according to Clause 19F and the amount paid to them.

Failing which the contractor shall be liable to pay to UGC-DAE CSR, a sum not exceeding Rs.200/- for each default or materially incorrect statement. The decision of the Engineer-in-Charge shall be final in deducting from any bill due to the contractor, the amount levied as fine and be binding on the contractor.

CLAUSE 19 E

In respect of all labour directly or indirectly employed in the works for the performance of the contractor's part of this contract, the contractor shall comply with or cause to be complied with all the instructions/ rules framed by UGC-DAE CSR from time to time for the protection of health and sanitary arrangements for workers employed by the UGC-DAE CSR and its contractors.

CLAUSE 19 F

Leave and pay during leave shall be regulated as follows:-

- 1. Leave:
- (i) in the case of delivery maternity leave not exceeding 8 weeks, 4 weeks up to and including the day of delivery and 4 weeks following that day,
- (ii) in the case of miscarriage upto 3 weeks from the date of miscarriage.
- 2. Pay :
- (i) in the case of delivery leave pay during maternity leave will be at the rate of the women's average daily earnings, calculated on total wages earned on the days when full time work was done during a period of three months immediately preceding the date on which she gives notice that she expects to be confined or at the rate of Rupee one only a day whichever is greater.
- (ii) in the case of miscarriage leave pay at the rate of average daily earning calculated on the total wages earned on the days when full time work was done during a period of three months immediately preceding the date of such miscarriage.
- 3. Conditions for the grant of Maternity Leave:

No maternity leave benefit shall be admissible to a woman unless she has been employed for a total period of not less than six months immediately preceding the date on which she proceeds on leave.

4. The contractor shall maintain a register of Maternity (Benefit) in the Prescribed Form as shown in appendix - I and II, and the same shall be kept at the place of work.

CLAUSE 19 G

In the event of the contractor(s) committing a default or breach of any of the provisions of the Central Public Works Department, Contractor's Labour Regulations and Model Rules for the protection of health and sanitary arrangements for the workers as amended from time to time or furnishing any information or submitting or filing any statement under the provisions of the above Regulations and' Rules which is materially incorrect, he/they shall, without prejudice to any other liability, pay to the UGC-DAE CSR a sum not exceeding Rs.200/for every default, breach or furnishing, making, submitting, filing such materially incorrect statements and in the event of the contractor(s) defaulting continuously in this

respect, the penalty may be enhanced to Rs.200/- per day for each day of default subject to a maximum of 5 per cent of the estimated cost of the work put to tender. The decision of the Engineer-in-Charge shall be final and binding on the parties.

Should it appear to the Engineer-in-Charge that the contractor(s) is/are not properly observing and complying with the provisions of the C.P.W.D. Contractor's Labour Regulations and Model Rules and the provisions of the Contract Labour (Regulation and Abolition) Act 1970, and the Contract Labour (R& A) Central Rules

1971, for the protection of health and sanitary arrangements for work-people employed by the contractor(s) (hereinafter referred as "the said Rules") the Engineer-in-Charge shall have power to give notice in writing to the contractor(s) requiring that the said Rules be complied with and the amenities prescribed therein be provided to the work-people within a reasonable time to be specified in the notice. If the contractor(s) shall fail within the period specified in the notice to comply with and/observe the said Rules and to provide the amenities to the work-people as aforesaid, the Engineer-in-Charge shall have the power to provide the amenities hereinbefore mentioned at the cost of the contractor(s). The contractor(s) shall erect, make and maintain at his/their own expense and to approved standards all necessary huts and sanitary arrangements required for his/their work-people on the site in connection with the execution of the works, and if the same shall not have been erected or constructed, according to approved standards, the Engineer-in-Charge shall have power to give notice in writing to the contractor(s) requiring that the said huts and sanitary arrangements be remodelled and/or reconstructed according to approved standards, and if the contractor(s) shall fail to remodel or reconstruct such huts and sanitary arrangements according to approved standards within the period specified in the notice, the Engineer-in-Charge shall have the power to remodel or reconstruct such huts and sanitary arrangements according to approved standards at the cost of the contractor(s).

CLAUSE 19 H

The contractor(s) shall at his/their own cost provide his/their labour with a sufficient number of huts (hereinafter referred to as the camp) of the following specifications on a suitable plot of land to be approved by the Engineer-in-Charge.

- (i) (a) The minimum height of each hut at the eaves level shall be 2.10m (7 ft.) and the floor area to be provided will be at the rate of 2.7 sq.m. (30 sq.ft.) for each member of the worker's family staying with the labourer.
- (b) The contractor(s) shall in addition construct suitable cooking places having a minimum area of 1.80m x 1.50m (6'x5') adjacent to the hut for each family.
- (c) The contractor(s) shall also construct temporary latrines and urinals for the use of the labourers each on the scale of not less than four per each one hundred of the total strength, separate latrines and urinals being provided for women.
- (d) The contractor(s) shall construct sufficient number of bathing and washing places, one unit for every 25 persons residing in the camp. These bathing and washing places shall be suitably screened.
- (ii) (a) All the huts shall have walls of sun-dried or burnt-bricks laid in mud mortar or other suitable local materials as may be approved by the Engineer-in-Charge. In case of sun-dried bricks, the walls should be plastered with mud gobri on both sides. The floor may be kutcha but plastered with mud gobri and shall be at least 15 cm (6") above the surrounding ground. The roofs shall be laid with thatch or any other materials as may be approved by the Engineer-in-Charge and the contractor shall ensure that throughout the period of their occupation, the roofs remain water-tight.
- (b) The contractor(s) shall provide each hut with proper ventilation.
- (c) All doors, windows, and ventilators shall be provided with suitable leaves for security purposes.
- (d) There shall be kept an open space of at least 7.2m (8 yards) between the rows of huts which may be reduced to 6m (20 ft.) according to the availability of site with the approval of the Engineer-in-Charge. Back to back construction will be allowed.
- (iii) Water Supply The contractor(s) shall provide adequate supply of water for the use of labourers. The provisions shall not be less than two gallons of pure and wholesome water per head per day for drinking purposes and three gallons of clean water per head per day for bathing and washing purposes. Where piped water supply is available, supply shall be at stand posts and where the supply is from wells or river, tanks which may be of metal or masonry, shall be provided. The contractor(s) shall also at his/ their own cost make arrangements for laying pipe lines for water supply to his/ their labour camp from the existing mains wherever available, and shall pay all fees and charges therefore.
- (iv) The site selected for the camp shall be high ground, removed from jungle.
- (v) **Disposal of Excreta** The contractor(s) shall make necessary arrangements for the disposal of excreta from the latrines by trenching or incineration which shall be according to the requirements laid down by the Local Health Authorities. If trenching or incineration is not allowed, the contractor(s) shall make arrangements for the removal of the excreta through the Municipal Committee/authority and inform it about the number of labourers employed so that arrangements may be made by such Committee/authority for the removal of the excreta. All charges on this account shall be borne by the contractor and paid direct by him to the Municipality/authority. The contractor shall provide one sweeper for every eight seats in case of dry system.
- (vi) **Drainage** The contractor(s) shall provide efficient arrangements for draining away sullage water so as to keep the camp neat and tidy.
- (vii) The contractor(s) shall make necessary arrangements for keeping the camp area sufficiently lighted to avoid accidents to the workers.

(viii) **Sanitation** - The contractor(s) shall make arrangements for conservancy and sanitation in the labour camps according to the rules of the Local Public Health and Medical Authorities.

CLAUSE 19 I

The Engineer-in-Charge may require the contractor to dismiss or remove from the site of the work any person or persons in the contractors' employ upon the work who may be incompetent or misconduct himself and the contractor shall forthwith comply with such requirements. In respect of maintenance/repair or renovation works etc. where the labour have an easy access to the individual houses, the contractor shall issue identity cards to the labourers, whether temporary or permanent and he shall be responsible for any untoward action on the part of such labour. AE/JE will display a list of contractors working in the colony/Blocks on the notice board in the colony and also at the service centre, to apprise the residents about the same.

CLAUSE 19J

It shall be the responsibility of the contractor to see that the building under construction is not occupied by any body unauthorizedly during construction, and is handed over to the Engineer-in-Charge with vacant possession of complete building. If such building though completed is occupied illegally, then the Engineer-in-Charge shall have the option to refuse to accept the said building/buildings in that position. Any delay in acceptance on this account will be treated as the delay in completion and for such delay, a levy upto 5% of tendered value of work may be imposed by the Superintending Engineer whose decision shall be final both with regard to the justification and quantum and be binding on the contractor.

However, the Superintending Engineer, through a notice, may require the contractor to remove the illegal occupation any time on or before construction and delivery.

CLAUSE 19K: Employment of skilled/semiskilled workers

The contractor shall, at all stages of work, deploy skilled/semi skilled tradesmen who are qualified and possess certificate in particular trade from CPWD Training Institute/Industrial Training Institute/National Institute of construction Management and Research (NICMAR)/ National Academy of Construction, CIDC or any similar reputed and recognized Institute managed/ certified by State/Central Government. The number of such qualified tradesmen shall not be less than 20% of total skilled/semi skilled workers required in each trade at any stage of work. The contractor shall submit number of man days required in respect of each trade, its scheduling and the list of qualified tradesmen along with requisite certificate from recognized Institute to Engineer-in-Charge for approval. Notwithstanding such approval, if the tradesmen are found to have inadequate skill to execute the work of respective trade, the contractor shall substitute such tradesmen within two days of written notice from Engineer-in-Charge. Failure on the part

of contractor to obtain approval of Engineer-in-Charge or failure to deploy qualified tradesmen will attract a compensation to be paid by contractor at the rate of Rs. 100 per such tradesman per day. Decision of Engineer-in-Charge as to whether particular tradesman possesses requisite skill and amount of compensation in case of default shall be final and binding.

Provided always, that the provisions of this clause, shall not be applicable for works with estimated cost put to tender being less than Rs. 5 crores.

CLAUSE 19L: Contribution of EPF and ESI

The ESI and EPF contributions on the part of employer in respect of this contract shall be paid by the contractor. These contributions on the part of the employer paid by the contractor shall be reimbursed by the Engineer-in-Charge to the contractor on actual basis. The applicable and eligible amount of EPF&ESI shall be reimbursed preferably within 7 days but not later than 30 days of submission of documentary proof of payment provided same are in order.

CLAUSE 20: Minimum wages act to be compiled with

The contractor shall comply with all the provisions of the Minimum Wages Act, 1948, and Contract Labour (Regulation and Abolition) Act, 1970, amended from time to time and rules framed there under and other labour laws affecting contract labour that may be brought into force from time to time.

CLAUSE 21: Work not to be sublet. Action in case of insolvency.

The contract shall not be assigned or sublet without the written approval of the Engineer-in -Charge. And if the contractor shall assign or sublet his contract, or attempt to do so, or become insolvent or commence any insolvency proceedings or make any composition with his creditors or attempt to do so, or if any bribe, gratuity, gift, loan, perquisite, reward or advantage pecuniary or otherwise, shall either directly or indirectly, be given, promised or offered by the contractor, or any of his servants or agent to any public officer or person in the employ of UGC-DAE CSR in any way relating to his office or employment, or if any such officer or person shall become in any way directly or indirectly interested in the contract, the Engineer-in-Charge on behalf of the Director, UGC-DAE CSR shall have power to adopt the course specified in Clause 3 hereof in the interest of UGC-DAE CSR and in the event of such course being adopted, the consequences specified in the said Clause 3 shall ensue.

CLAUSE 22

All sums payable by way of compensation under any of these conditions shall be considered as reasonable compensation to be applied to the use of UGC-DAE CSR without reference to the actual loss or damage sustained and whether or not any damage shall have been sustained.

CLAUSE 23: Changes in firm's constitution to be intimidated.

Where the contractor is a partnership firm, the previous approval in writing of the Engineer-in-Charge shall be obtained before any change is made in the constitution of the firm. Where the contractor is an individual or a Hindu undivided family business concern, such approval as aforesaid shall likewise be obtained before the contractor enters into any partnership agreement where under the partnership firm would have the right to carry out the works hereby undertaken by the contractor. If previous approval as aforesaid is not obtained, the contract shall be deemed to have been assigned in contravention of Clause

21 hereof and the same action may be taken, and the same consequences shall ensue as provided in the said Clause 21.

CLAUSE 24

All works to be executed under the contract shall be executed under the direction and subject to the approval in all respects of the Engineer-in-Charge who shall be entitled to direct at what point or points and in what manner they are to be commenced, and from time to time carried on.

CLAUSE 25: Settlement of Disputes and Arbitration

Except where otherwise provided in the contract, all questions and disputes relating to the meaning of the specifications, design, drawings and instructions here-in before mentioned and as to the quality of workmanship or materials used on the work or as to any other question, claim, right, matter or thing whatsoever in any way arising out of or relating to the contract, designs, drawings, specifications, estimates, instructions, orders or these conditions or otherwise concerning the works or the execution or failure to execute the same whether arising during the progress of the work or after the cancellation, termination, completion or abandonment thereof shall be dealt with as mentioned hereinafter:

(i) If If the contractor considers any work demanded of him to be outside the requirements of the contract, or disputes any drawings, record or decision given in writing by the Engineer-in-Charge or if the Engineer in Charge considers any act or decision of the contractor on any matter in connection with or arising out of the contract or carrying out of the work, to be unacceptable and is disputed, such party shall promptly within 15 days of the arising of the disputes request the Centre Director or the Director UGC-DAE CSR who shall refer the disputes to Dispute Redressal Committee (DRC) within 15 days along with a list of disputes with amounts claimed if any in respect of each such dispute. The Dispute Redressal Committee (DRC) shall give the opposing party two weeks for a written response, and, give its decision within a period of 60 days extendable by 30 days by consent of both the parties from the receipt of reference from Centre-Director/Director. The constitution of Dispute Redressal Committee (DRC) shall be as indicated in Schedule 'F'. Provided that no party shall be represented before the Dispute Redressal Committee by an advocate/legal counsel etc.

If the Dispute Redressal Committee (DRC) fails to give its decision within the aforesaid period or any party is dissatisfied with the decision of Dispute Redressal Committee (DRC) or expiry of time limit given above, then either party may within a period of 30 days from the receipt of the decision of Dispute Redressal Committee (DRC), give notice to the Centre Director, UGC-DAE CSR, in charge of the work or the Director UGC-DAE

CSR for appointment of arbitrator on prescribed proforma as per Appendix XV under intimation to the other party.

It is a term of contract that each party invoking arbitration must exhaust the aforesaid mechanism of settlement of claims/disputes prior to invoking arbitration.

The Centre-Director/Director shall in such case appoint the sole arbitrator or one of the three arbitrators as the case may be within 30 days of receipt of such a request and refer such disputes to arbitration. Wherever the Arbitral Tribunal consists of three Arbitrators, the contractor shall appoint one arbitrator within 30 days of making request for arbitration or of receipt of request by Engineer-in-charge to Centre-Director/Director for appointment of arbitrator, as the case may be, and two appointed arbitrators shall appoint the third arbitrator who shall act as the Presiding Arbitrator. In the event of

- a. A party fails to appoint the second Arbitrator, orb. The two appointed Arbitrators fail to appoint the Presiding Arbitrator, thenThe Director, UGC-DAE CSR shall appoint the second or Presiding Arbitrator as the case may be.
- (ii) Disputes or difference shall be referred for adjudication through arbitration by a Tribunal having sole arbitrator where Tendered amount is Rs. 100 Crore or less. Where Tendered Value is more than Rs. 100 Crore, Tribunal shall consist of three Arbitrators as above. The requirements of the Arbitration and Conciliation Act, 1996 (26 of 1996) and any further statutory modifications or re-enactment thereof and the rules made there under and for the time being in force shall be applicable.

It is a term of this contract that the party invoking arbitration shall give a list of disputes with amounts claimed, if any, in respect of each such dispute along with the notice for appointment of arbitrator and giving reference to the decision of the DRC.

It is also a term of this contract that any member of the Arbitration Tribunal shall be a Graduate Engineer with experience in handling public works engineering contracts at a level not lower than Chief Engineer (Joint Secretary level of Government of India). This shall be treated as a mandatory qualification to be appointed as arbitrator.

Parties, before or at the time of appointment of Arbitral Tribunal may agree in writing for fast track arbitration as per the Arbitration and Conciliation Act, 1996 (26 of 1996) as amended in 2015.

Subject to provision in the Arbitration and Conciliation Act, 1996 (26 of 1996) as amended in 2015 whereby the counter claims if any can be directly filed before the arbitrator without any requirement of reference by the appointing authority, the arbitrator shall adjudicate on only such disputes as are referred to him by the appointing authority and give separate award against each dispute and claim referred to him and in all cases where the total amount of the claims by any party exceeds Rs. 1,00,000/-, the arbitrator shall give reasons for the award.

It is also a term of the contract that if any fees are payable to the arbitrator, these shall be paid as per the Act. The place of arbitration shall be as mentioned in Schedule F. In case there is no mention of place of arbitration, the arbitral tribunal shall determine the place of arbitration.

The venue of the arbitration shall be such place as may be fixed by the Arbitral Tribunal in consultation with both the parties. Failing any such agreement, then the Arbitral Tribunal shall decide the venue.

CLAUSE 26: Contractor to indemnify the UGC-DAE CSR against Patent Rights

The contractor shall fully indemnify and keep indemnified the Director, UGC-DAE CSR against any action, claim or proceeding relating to infringement or use of any patent or design or any alleged patent or design rights and shall pay any royalties which may be payable in respect of any article or part thereof included in the contract. In the event of any claims made under or action brought against UGC-DAE CSR in respect of any such matters as aforesaid, the contractor shall be immediately notified thereof and the contractor shall be at liberty, at his own expense, to settle any dispute or to conduct any litigation that may arise therefrom, provided that the contractor shall not be liable to indemnify the Director, UGC-DAE CSR if the infringement of the patent or design or any alleged patent or design right is the direct result of an order passed by the Engineer-in-Charge in this behalf.

CLAUSE 27: Lump sum provisions in Tender

When the estimate on which a tender is made includes lump sum in respect of parts of the work, the contractor shall be entitled to payment in respect of the items of work involved or the part of the work in question at the same rates as are payable under this contract for such items, or if the part of the work in question is not, in the opinion of the Engineer-in-Charge payable of measurement, the Engineer-in-Charge may at his discretion pay the lump-sum amount entered in the estimate, and the certificate in writing of the Engineer-in-Charge shall be final and conclusive against the contractor with regard to any sum or sums payable to him under the provisions of the clause.

CLAUSE 28: Action where no specifications are specified

In the case of any class of work for which there is no such specifications as referred to in Clause 11, such work shall be carried out in accordance with the Bureau of Indian Standards Specifications. In case, there are no such specifications in Bureau of Indian Standards, the work shall be carried out as per manufacturers' specifications, if not available then as per District Specifications. In case there are no such specifications as required above, the work shall be carried out in all respects in accordance with the instructions and requirements of the Engineer-in-Charge.

CLAUSE 29: Withholding and lien in respect of sum due from contractor

(i) Whenever any claim or claims for payment of a sum of money arises out of or under the contract or against the contractor, the Engineer-in-Charge or the UGC-DAE CSR shall be entitled to withhold and also have a lien to retain such sum or sums in whole or in part from the security, if any deposited by the contractor and for the purpose aforesaid, the Engineer-in-Charge or the UGC-DAE CSR shall be entitled to withhold the security deposit, if any, furnished as the case may be and also have a lien over the same pending finalisation or adjudication of any such claim. In the event of the security being insufficient to cover the claimed amount or amounts or if no security has been taken from the contractor, the Engineer-in-Charge or the UGC-DAE CSR shall be entitled to withhold and have a lien to retain to the extent of such claimed amount or amounts referred to above, from any sum or sums found payable or which may at any time thereafter become payable to the contractor under the same contract or any other contract with the Engineer-in-Charge of the UGC-DAE CSR or any contracting person through the Engineer-in-Charge pending finalization of adjudication of any such claim.

It is an agreed term of the contract that the sum of money or moneys so withheld or retained under the lien referred to above by the Engineer-in-Charge or UGC-DAE CSR will be kept withheld or retained as such by the Engineer-in-Charge or UGC-DAE CSR till the claim arising out of or under the contract is determined by the arbitrator(if the contract is governed by the arbitration clause) by the competent court, as the case may be and that the contractor will have no claim for interest or damages whatsoever on any account in respect of such withholding or retention under the lien referred to above and duly notified as such to the contractor. For the purpose of this clause, where the contractor is a partnership firm or a limited company, the Engineer-in-Charge or the UGC-DAE CSR shall be entitled to withhold and also have a lien to retain towards such claimed amount or amounts in whole or in part from any sum found payable to any partner/limited company as the case may be, whether in his individual capacity or otherwise.

(ii) UGC-DAE CSR shall have the right to cause an audit and technical examination of the works and the final bills of the contractor including all supporting vouchers, abstract, etc., to be made after payment of the final bill and if as a result of such audit and technical examination any sum is found to have been overpaid in respect of any work done by the contractor under the contract or any work claimed to have been done by him under the contract and found not to have been executed, the contractor shall be liable to refund the amount of overpayment and it shall be lawful for UGC-DAE CSR to recover the same from him in the manner prescribed in sub-clause (i) of this clause or in any other manner legally permissible; and if it is found that the contractor was paid less than what was due to him under the contract in respect of any work executed by him under it, the amount of such under payment shall be duly paid by UGC-DAE CSR to the contractor, without any interest thereon whatsoever.

Provided that the UGC-DAE CSR shall not be entitled to recover any sum overpaid, nor the contractor shall be entitled to payment of any sum paid short where such payment has been agreed upon between the Engineer on the one hand and the contractor on the other under any term of the contract permitting payment for work after assessment by the Engineer.

CLAUSE 29A: Lien in respect of claims in other Contracts

Any sum of money due and payable to the contractor (including the security deposit returnable to him) under the contract may be withheld or retained by way of lien by the Engineer-in-Charge or the UGC-DAE CSR or any other contracting person or persons through Engineer-in-Charge against any claim of the Engineer-in-Charge or Government or such other person or persons in respect of payment of a sum of money arising out of or under any other contract made by the contractor with the Engineer- in-Charge or the Government or with such other person or persons.

It is an agreed term of the contract that the sum of money so withheld or retained under this clause by the Engineer-in-Charge or the UGC-DAE CSR will be kept withheld or retained as such by the Engineer-in-Charge or the UGC-DAE CSR or till his claim arising out of the same contract or any other contract is either mutually settled or determined by the arbitration clause or by the competent court, as the case may be and that the contractor shall have no claim for interest or damages whatsoever on this account or on any other ground in respect of any sum of money withheld or retained under this clause and duly notified as such to the contractor.

CLAUSE 30: Employment of Coal Mining or controlled area labour not permissible

The contractor shall not employ coal mining or controlled area labour falling under any category whatsoever on or in connection with the work or recruit labour from area within a radius of 32 km (20 miles) of the controlled area. Subject as above the contractor shall employ imported labour only i.e., deposit imported labour or labour imported by contractors from area, from which import is permitted.

Where ceiling price for imported labour has been fixed by State or Regional Labour Committees not more than that ceiling price shall be paid to the labour by the contractor.

The contractor shall immediately remove any labourer who may be pointed out by the Engineer-in-Charge as being a coal mining or controlled area labourer. Failure to do so shall render the contractor liable to pay to UGC-DAE CSR a sum calculated at the rate of Rs.10/- per day per labourer. The certificate of the Engineer-in-Charge about the number of coal mining or controlled area labourer and the number of days for which they worked shall be final and binding upon all parties to this contract.

It is declared and agreed between the parties that the aforesaid stipulation in this clause is one in which the public are interested within the meaning of the exception in Section 74 of Indian Contract Act, 1872. **Explanation:** Controlled Area means the following areas:

Districts of Dhanbad, Hazaribagh, Jamtara - a Sub-Division under Santhal Pargana Commissionery, Districts of Bankuara, Birbhum, Burdwan, District of Bilaspur.

Any other area which may be declared a Controlled Area by or with the approval of the Central Government.

CLAUSE 31: Unfiltered Water Supply

The contractor(s) shall make his/their own arrangements for water required for the work and nothing extra will be paid for the same. This will be subject to the following conditions.

- (i) That the water used by the contractor(s) shall be fit for construction purposes to the satisfaction of the Engineer-in-Charge.
- (ii) The Engineer-in-Charge shall make alternative arrangements for supply of water at the risk and cost of contractor(s) if the arrangements made by the contractor(s) for procurement of water are in the opinion of the Engineer-in-Charge, unsatisfactory.

CLAUSE 31 A: Departmental Water Supply if available

Water if available may be supplied to the contractor by the department subject to the following conditions:-

- (i) The water charges @ 1 % shall be recovered on gross amount of the work done.
- (ii) The contractor(s) shall make his/their own arrangement of water connection and laying of pipelines from existing main of source of supply.
- (iii) The Department do not guarantee to maintain uninterrupted supply of water and it will be incumbent on the contractor(s) to make alternative arrangements for water at his/ their own cost in the event of any temporary break down in the UGC-DAE CSR water main so that the progress of his/their work is not held up for want of water. No claim of damage or refund of water charges will be entertained on account of such break down.

CLAUSE 32: Alternate water arrangements

- (i) Where there is no piped water supply arrangement and the water is taken by the contractor from the wells or hand pump constructed by the UGC-DAE CSR, no charge shall be recovered from the contractor on that account. The contractor shall, however, draw water at such hours of the day that it does not interfere with the normal use for which the hand pumps and wells are intended. He will also be responsible for all damages and abnormal repairs arising out of his use, the cost of which shall be recoverable from him. The Engineer-in-Charge shall be the final authority to determine the cost recoverable from the contractor on this account and his decision shall be binding on the contractor.
- (ii) The contractor shall be allowed to construct temporary wells in UGC-DAE CSR land for taking water for construction purposes only after he has got permission of the Engineer-in-Charge in writing. No charges shall be recovered from the contractor on this account, but the contractor shall be required to provide necessary safety arrangements to avoid any accidents or damages to adjacent buildings, roads and service lines. He shall be responsible for any accidents or damages caused due to construction and subsequent maintenance of the wells and shall restore the ground to its original condition after the wells are dismantled on completion of the work.

CLAUSE 33: Return of Surplus Materials

Notwithstanding anything contained to the contrary in this contract, where any materials for the execution of the contract are procured with the assistance of UGC-DAE CSR either by issue from UGC-DAE CSR stocks or purchase made under orders or permits or licences issued by UGC-DAE CSR, the contractor shall hold the said materials economically and solely for the purpose of the contract and not dispose of them without the written permission of the UGC-DAE CSR and return, if required by the Engineer-in-Charge, all surplus or unserviceable materials that may be left with him after the completion of the contract or at its termination for any reason whatsoever on being paid or credited such price as the Engineer-in-Charge shall determine having due regard to the condition of the materials. The price allowed to the contractor however shall not exceed the amount charged to him excluding the element of storage charges. The decision of the Engineer-in-Charge shall be final and conclusive. In the event of breach of the aforesaid condition, the contractor shall in addition to throwing himself open to action for contravention of the terms of the licence or permit and/or for criminal breach of trust, be liable to UGC-DAE CSR for all moneys, advantages or profits resulting or which in the usual course would have resulted to him by reason of such breach.

CLAUSE 34: Hire of Plant and Machinery

- (i) The contractor shall arrange at his own expense all tools, plant, machinery and equipment (hereinafter referred to as T&P) required for execution of the work except for the Plant & Machinery listed in Schedule 'C' and stipulated for issue to the contractor. If the contractor requires any item of T&P on hire from the T&P available with the UGC-DAE CSR over and above the T&P stipulated for issue, the UGC-DAE CSR will, if such item is available, hire it to the contractor at rates to be agreed upon between him and the Engineer-in-Charge. In such a case, all the conditions hereunder for issue of T&P shall also be applicable to such T&P as is agreed to be issued.
- (ii) Plant and Machinery when supplied on hire charges shown in Schedule 'C' shall be made over and taken back at the departmental equipment yard/shed shown in Schedule 'C' and the contractor shall bear the cost of carriage from the place of issue to the site of work and back. The contractor shall be responsible to return the plant and machinery with condition in which it was handed over to him, and he shall be responsible for all damage caused to the said plant and machinery at the site of work or elsewhere in operation and otherwise during transit including damage to or loss of plant and for all losses due to his failure to return the same soon after the completion of the work for which it was issued. The Engineer shall be the sole judge to determine the liability of the contractor and its extent in this regard and his decision shall be final and binding on the contractor.
- (iii) The plant and machinery as stipulated above will be issued as and when available and if required by the contractor. The contractor shall arrange his programme of work according to the availability of the plant and machinery and no claim, whatsoever, will be entertained from him for any delay in supply by the Department. (iv) The hire charges shall be recovered at the prescribed rates from and inclusive of the date the plant and machinery made over up to and inclusive of the date of the return in good order even though the same may not have been working for any cause except major breakdown due to no fault of the contractor or faulty use requiring more than three working days continuously (excluding intervening holidays and Sundays) for bringing the plant in order. The contractor shall immediately intimate in writing to the Engineer-in-Charge when any plant or machinery gets out of order requiring major repairs as aforesaid. The Engineer-in-Charge

shall record the date and time of receipt of such intimation in the log sheet of the plant or machinery. Based on this, if the breakdown before lunch period or major breakdown will be computed considering half a day's breakdown on the day of complaint. If the breakdown occurs in the post lunch period of major breakdown will be computed starting from the next working day. In case of any dispute under this clause, the decision of the Engineer shall be final and binding on the contractor.

- (v) The hire charges shown above are for each day of 8 hours (inclusive of the one hour lunch break) or part thereof.
- (vi) Hire charges will include service of operating staff as required and also supply of lubricating oil and stores for cleaning purposes. Power fuel of approved type, firewood, kerosene oil etc. for running the plant and machinery and also the full time chowkidar for guarding the plant and machinery against any loss or damage shall be arranged by the contractor who shall be fully responsible for the safeguard and security of plant and machinery. The contractor shall on or before the supply of plant and machinery sign an agreement indemnifying the Department against any loss or damage caused to the plant and machinery either during transit or at site of work.
- (vii) Ordinarily, no plant and machinery shall work for more than 8 hours a day inclusive of one hour lunch break. In case of an urgent work however, the Engineer-in-Charge may, at his discretion, allow the plant and machinery to be worked for more than normal period of 8 hours a day. In that case, the hourly hire charges for overtime to be borne by the contractor shall be 50% more than the normal proportionate hourly charges (1/8th of the daily charges) subject to a minimum of half day's normal charges on any particular day. For working out hire charges for over time, a period of half an hour and above will be charged as one hour and a period of less than half an hour will be ignored.
- (viii) The contractor shall release the plant and machinery every seventh day for periodical servicing and/or wash out which may take about three to four hours or more. Hire charges for full day shall be recovered from the contractor for the day of servicing/ wash out irrespective of the period employed in servicing.
- (ix) The plant and machinery once issued to the contractor shall not be returned by him on account of lack of arrangements of labour and materials, etc. on his part, the same will be returned only when they are required for major repairs or when in the opinion of the Engineer-in-Charge, the work or a portion of work for which the same was issued is completed.
- (x) Log Book for recording the hours of daily work for each of the plant and machinery supplied to the contractor will be maintained by the Department and will be countersigned by the contractor or his authorized agent daily. In case the contractor contests the correctness of the entries and/or fails to sign the Log Book, the decision of the Engineer-in-Charge shall be final and binding on him. Hire charges will be calculated according to the entries in the Log Book and will be binding on the contractor. Recovery on account of hire charges for road rollers shall be made for the minimum number of days worked out on the assumption that a roller can consolidate per day and maximum quantity of materials or area surfacing as noted against each in the annexed statement (see attached annexure).
- (xi) In the case of concrete mixers, the contractors shall arrange to get the hopper cleaned and the drum washed at the close of the work each day or each occasion.
- (a) In case, rollers for consolidation are employed by the contractor himself, log book for such rollers shall be maintained in the same manner as is done in case of departmental rollers, maximum quantity of any items to be consolidated for each roller-day shall also be same as in Annexure to Clause 34(x). For less use of rollers, recovery for the less roller days shall be made at the stipulated issue rate.
- (xii) The contractor shall be responsible to return the plant and machinery in the condition in which it was handed over to him and he shall be responsible for all damage caused to the said plant and machinery at the site of work or elsewhere in operation or otherwise or during transit including damage to or loss of parts, and for all losses due to his failure to return the same, soon after the completion of the work, for which it was issued. The Engineer shall be the sole judge to determine the liability of the contractor and its extent in this regard and his decision shall be final and binding on the contractor.
- (xiii) The contractor will be exempted from levy of any hire charges for the number of days he is called upon in writing by the Engineer-in-Charge to suspend execution of the work, provided UGC-DAE CSR plant and machinery in question have, in fact, remained idle with the contractor because of the suspension (xiv) In the event of the contractor not requiring any item of plant and machinery issued by UGC-DAE CSR though not stipulated for issue in Schedule 'C' any time after taking delivery at the place of issue, he may return it after two days written notice or at any time without notice if he agrees to pay hire charges for two additional days without, in any way, affecting the right of the Engineer-in-Charge to use the said plant and machinery during the said period of two days as he likes including hiring out to a third party.

CLAUSE 35: Condition relating to use of asphaltic materials

- (i) The contractor undertakes to make arrangement for the supervision of the work by the firm supplying the tar or bitumen used.
- (ii) The contractor shall collect the total quantity of tar or bitumen required for the work as per standard formula, before the process of painting is started and shall hypothecate it to the Engineer-in-Charge. If any bitumen or tar remains unused on completion of the work on account of lesser use of materials in actual execution for reasons other than authorized changes of specifications and abandonment of portion of work, a corresponding deduction equivalent to the cost of unused materials as determined by the Engineer-in-Charge shall be made and the material return to the contractors. Although the materials are hypothecated to UGC-DAE CSR, the contractor undertakes the responsibility for their proper watch, safe custody and protection against all risks. The materials shall not be removed from site of work without the consent of the Engineer-in-Charge in writing.
- (iii) The contractor shall be responsible for rectifying defects noticed within a year from the date of completion of the work and the portion of the security deposit relating to asphaltic work shall be refunded after the expiry of this period.

CLAUSE 36: Employment of Technical staff and employees

Contractors Superintendence, Supervision, Technical Staff & Employees

(i) The contractor shall provide all necessary superintendence during execution of the work and all along thereafter as may be necessary for proper fulfilling of the obligations under the contract.

The contractor shall immediately after receiving letter of acceptance of the tender and before commencement of the work, intimate in writing to the Engineer-in-Charge, the name(s), qualifications, experience, age, address(s) and other particulars along with certificates, of the principal technical representative to be in charge of the work and other technical representative(s) who will be supervising the work. Minimum requirement of such technical representative(s) and their qualifications and experience shall not be lower than specified in Schedule 'F'. The Engineer-in-Charge shall within 3 days of receipt of such communication, intimate in writing his approval or otherwise of such a representative(s) to the contractor. Any such approval may at any time be withdrawn and in case of such withdrawal, the contractor shall appoint another such representative(s) according to the provisions of this clause. Decision of the tender accepting authority shall be final and binding on the contractor in this respect. Such a principal technical representative and other technical representative(s) shall be appointed by the contractor soon after receipt of the approval from Engineer-in-Charge and shall be available at site before start of work.

All the provisions applicable to the principal technical representative under the Clause will also be applicable to other technical representative(s) The principal technical representative and other technical representative(s) shall be present at the site of work for supervision at all times when any construction activity is in progress and also present himself/themselves, as required, to the Engineer-in-Charge and/or his designated representative to take instructions. Instructions given to the principal technical representative or other technical representative(s) shall be deemed to have the same force as if these have been given to the contractor. The principal technical representative and other technical representative(s) shall be actually available at site fully during all stages of execution of work, during recording/checking/test checking of measurements of works and whenever so required by the Engineer-in-Charge and shall also note down instructions conveyed by the Engineer-in-Charge or his designated representative(s) in the site order book and shall affix his/their signature in token of noting down the

instructions and in token of acceptance of measurements/ checked measurements/ test checked measurements. The representative(s) shall not look after any other work. Substitutes, duly approved by Engineer-in-Charge of the work, in similar manner as aforesaid shall be provided in event of absence of any of the representative(s) by more than two days.

If the Engineer-in-Charge, whose decision in this respect is final and binding on the contractor, is convinced that no such technical representative(s) is/are effectively appointed or is/are effectively attending or fulfilling the provision of this clause, a recovery (non-refundable) shall be effected from the contractor as specified in Schedule 'F' and the decision of the Engineer-In-Charge as recorded in the site order book and measurement recorded checked/test checked in Measurement Books shall be final and binding on the contractor. Further if the contractor fails to appoint suitable technical Principal technical

representative and/or other technical representative(s) and if such appointed persons are not effectively present or are absent by more than two days without duly approved substitute or do not discharge their responsibilities satisfactorily, the Engineer-in-Charge shall have full powers to suspend the execution of the work until such

date as suitable other technical representative(s) is/are appointed and the contractor shall be held responsible for the delay so caused to the work. The contractor shall submit a certificate

of employment of the technical representative(s) (in the form of copy of Form-16 or CPF deduction issued to the Engineers employed by him) along with every on account bill final bill and shall produce evidence if at any time so required by the Engineer-in-Charge.

(ii) The contractor shall provide and employ on the site only such technical assistants as are skilled and experienced in their respective fields and such foremen and supervisory staff as are competent to give proper supervision to the work.

The contractor shall provide and employ skilled, semiskilled and unskilled labour as is necessary for proper and timely execution of the work.

The Engineer-in-Charge shall be at liberty to object to and require the contractor to remove from the works any person who in his opinion misconducts himself, or is incompetent or negligent in the performance of his duties or whose employment is otherwise considered by the Engineer-in-Charge to be undesirable. Such person shall not be employed again at works site without the written permission of the Engineer-in-Charge and the persons so removed shall be replaced as soon as possible by competent substitutes.

CLAUSE 37: Levy/Taxes Payable by contractor

- (i) GST, Building and other Construction Workers Welfare Cess or any other tax, levy or Cess in respect of input for or output by this contract shall be payable by the contractor and UGC-DAE CSR shall not entertain any claim whatsoever in this respect except as provided under Clause 38.
- (ii) The contractor shall deposit royalty and obtain necessary permit for supply of the red bajri, stone, kankar, etc. from local authorities.

If pursuant to or under any law, notification or order any royalty, cess or the like becomes payable by the UGC-DAE CSR and does not any time become payable by the contractor to the State Government, Local authorities in respect of any material used by the contractor in the works, then in such a case, it shall be lawful to the UGC-DAE CSR and it will have the right and be entitled to recover the amount paid in the circumstances as aforesaid from dues of the contractor.

CLAUSE 38: Conditions for the reimbursement of levy/taxes if levied after receipt

(i) All tendered rates shall be inclusive any tax, levy or cess applicable on last stipulated date of receipt of tender including extension if any. No adjustment i.e. increase or decrease shall be made for any variation in the rate of GST, Building and Other Construction Workers Welfare Cess or any tax, levy or cess applicable on inputs.

However, effect of variation in rates of GST or Building and Other Construction Workers Welfare Cess or imposition or repeal of any other tax, levy or cess applicable on output of the works contract shall be adjusted on either side, increase or decrease.

Provided further that for Building and Other Construction Workers Welfare Cess or any tax (other than GST), levy or cess varied or imposed after the last date of receipt of tender including extension if any, any increase shall be reimbursed to the contractor only if the contractor necessarily and properly pays such increased amount of taxes/levies/cess.

Provided further that such increase including GST shall not be made in the extended period of contract for which the contractor alone is responsible for delay as determined by authority for extension of time under Clause 5 in Schedule F.

- (ii) The contractor shall keep necessary books of accounts and other documents for the purpose of this condition as may be necessary and shall allow inspection of the same by a duly authorized representative of the UGC-DAE CSR and/or the Engineer-in-Charge and shall also furnish such other information/document as the Engineer-in-Charge may require from time to time.
- (iii) The contractor shall, within a period of 30 days of the imposition of any such further tax or levy or cess, give a written notice thereof to the Engineer-in-Charge that the same is given pursuant to this condition, together with all necessary information relating thereto.

CLAUSE 39: Termination of contract on death of contractor

Without prejudice to any of the rights or remedies under this contract, if the contractor dies, the Divisional Officer on behalf of the President of India shall have the option of terminating the contract without compensation to the contractor.

CLAUSE 40: If relative working in UGC-DAE CSR then the Contractor is not allowed to tender

The contractor shall not be permitted to tender for works in the UGC-DAE CSR (Division in case of contractors of Horticulture/Nursery categories) responsible for award and execution of contracts in which his near relative is posted as Accountant or as an officer in any capacity between the grades of the Scientists/ Engineer and Junior Engineer (both inclusive). He shall also intimate the names of persons who are working with him in any capacity or are subsequently employed by him and who are near relatives to any Gazetted Officer in the UGC-DAE CSR. Any breach of this condition by the contractor would render him liable to be removed from the approved list of contractors of this Department. If however, the contractor is registered in any other department, he shall be debarred from tendering in UGC-DAE CSR for any breach of this condition.

NOTE: By the term "near relatives" is meant wife, husband, parents and grand-parents, children and grand-

CLAUSE 41: No Gazetted engineer to work as contractor within one year of retirement

children, brothers and sisters, uncles, aunts and cousins and their corresponding in-laws.

No engineer of gazetted rank or other gazetted officer employed in engineering or administrative duties in an engineering department of the UGC-DAE CSR shall work as a contractor or employee of a contractor for a period of one year after his retirement from government service without the previous permission of UGC-DAE CSR in writing. This contract is liable to be cancelled if either the contractor or any of his employees is found at any time to be such a person who had not obtained the permission of UGC-DAE CSR as aforesaid, before submission of the tender or engagement in the contractor's service, as the case may be.

CLAUSE 42: Return of material and recovery for excess material issued

- (i) After completion of the work and also at any intermediate stage in the event of non-reconciliation of materials issued, consumed and in balance (see Clause 10), theoretical quantity of materials issued by the UGC-DAE CSR for use in the work shall be calculated on the basis and method given hereunder:-
- (a) Quantity of cement & bitumen shall be calculated on the basis of quantity of cement & bitumen required for different items of work as shown in the Schedule of Rates mentioned in Schedule 'F'. In case any item is executed for which standard constants for the consumption of cement or bitumen are not available in the above mentioned schedule/statement or cannot be derived from the same shall be calculated on the basis of standard formula to be laid down by the Engineer-in-Charge.
- (b) Theoretical quantity of steel reinforcement or structural steel sections shall be taken as the quantity required as per design or as authorized by Engineer-in-Charge, including authorized lappages, chairs etc. plus 3% wastage due to cutting into pieces, such theoretical quantity being determined and compared with the actual issues each diameter wise, section wise and category wise separately.
- (c) Theoretical quantity of G.I. & C.I. or other pipes, conduits, wires and cables, pig lead and G.I./M.S. sheets shall be taken as quantity actually required and measured plus 5% for wastage due to cutting into pieces (except in the case of G.I./M.S. sheets it shall be 10%), such determination & comparison being made diameter wise & category wise.
- (d) For any other material as per actual requirements.
- (ii) Over the theoretical quantities of materials so computed a variation shall be allowed as specified in Schedule 'F'. The difference in the net quantities of material actually issued to the contractor and the theoretical quantities including such authorized variation, if not returned by the contractor or if not fully reconciled to the satisfaction of the Engineer-in-Charge within fifteen days of the issue of written notice by the Engineer-in-Charge to this effect, shall be recovered at the rates specified in Schedule 'F', without prejudice to the provision of the relevant conditions regarding return of materials governing the contract.

Decision of Engineer-in-Charge in regard to theoretical quantities of materials, which should have been actually used as per the Annexure of the standard schedule of rates and recovery at rates specified in Schedule 'F', shall be final & binding on the contractor.

For non-scheduled items, the decision of the Engineer regarding theoretical quantities of materials which should have been actually used, shall be final and binding on the contractor.

(iii) The said action under this clause is without prejudice to the right of the UGC-DAE CSR to take action against the contractor under any other conditions of contract for not doing the work according to the prescribed specifications.

CLAUSE43: Compensation during war like situation

The work (whether fully constructed or not) and all materials, machines, tools and plants, scaffolding, temporary buildings and other things connected therewith shall be at the risk of the contractor until the work has been delivered to the Engineer-in-Charge and a certificate from him to that effect obtained. In the event of the work or any materials properly brought to the site for incorporation in the work being damaged or destroyed in consequence of hostilities or warlike operation, the contractor shall when ordered (in writing) by the Engineer-in-Charge to remove any debris from the site, collect and properly stack or remove in store all

serviceable materials salvaged from the damaged work and shall be paid at the contract rates in accordance with the provision of this agreement for the work of clearing the site of debris, stacking or removal of serviceable material and for reconstruction of all works ordered by the Engineer-in-Charge, such payments being in addition to compensation up to the value of the work originally executed before being damaged or destroyed and not paid for. In case of works damaged or

destroyed, but not already measured and paid for, the compensation shall be assessed by the Engineer upto Rs.5,000/- and by the Centre-Director for a higher amount. The contractor shall be paid for the damages/destruction suffered and for restoring the material at the rate based on analysis of rates tendered for in accordance with the provision of the contract. The certificate of the Engineer-in-Charge regarding the quality and quantity of materials and the purpose for which they were collected shall be final and binding on all parties to this contract.

Provided always that no compensation shall be payable for any loss in consequence of hostilities or warlike operations (a) unless the contractor had taken all such precautions against air raid as are deemed necessary by the Engineer-in-Charge (b) for any material etc. not on the site of the work or for any tools, plant, machinery, scaffolding, temporary building and other things not intended for the work.

In the event of the contractor having to carry out reconstruction as aforesaid, he shall be allowed such extension of time for its completion as is considered reasonable by the Engineer-in-Charge.

CLAUSE 44: Apprentices act provisions to be complied with

The contractor shall comply with the provisions of the Apprentices Act, 1961 and the rules and orders issued thereunder from time to time. If he fails to do so, his failure will be a breach of the contract and the Engineer-in-charge may, in his discretion, cancel the contract. The contractor shall also be liable for any pecuniary liability arising on account of any violation by him of the provisions of the said Act.

CLAUSE 45: Release of Security Deposit after labour clearance

Release of Security Deposit of the work shall not be refunded till the contractor produces a clearance certificate from the Labour Officer. As soon as the work is virtually complete, the contractor shall apply for the clearance certificate to the Labour Officer under intimation to the Engineer-in-Charge. The Engineer-in-Charge, on receipt of the said communication, shall write to the Labour Officer to intimate if any complaint is pending against the contractor in respect of the work. If no complaint is pending, on record till after 3 months after completion of the work and/or no communication is received from the Labour Officer to this effect till six months after the date of completion, it will be deemed to have received the clearance certificate and the Security Deposit will be released if otherwise due.

Signature of the Contractor SEAL

Signature of the Engineer, UGC-DAE CSR,INDORE

FOR AND ON BEHALF OF THE DIRECTOR, UGC-DAE CSR, INDORE

* * *

SECTION-5(ii): SPECIAL CLAUSES OF CONTRACT

GENERAL:

The following Special clauses of contract shall be read in conjunction with General clauses of contract. The same shall be considered as an extension and not limitation of the obligations of the contractor. In case of any discrepancy between Special clauses of contract and the General clauses of contract, these Special clauses shall take precedence over the General clauses of the Contract.

2. SCOPE AND LOCATION OF WORK:

(PI. refer to Schedule "A")

The contractor carrying this work will be strictly abide by the Local / Municipal / Statutory body / Police / Department's regulations as well as security regulations imposed by such authorities from time to time regarding transshipments of equipment, operations, drainage, late hour working, working on holidays, bringing / taking away of materials, disposal of debries, excavated / surplus materials etc. as and wherever applicable.

The contractor for this work shall co-ordinate his work with other contractors who will be simultaneously carrying out the work in the same area. All workmen working at heights beyond 1st floor shall be provided with safety belts and the workers should be directed to wear safety belts as long as they are working. The instructions issued by the Engineer-in-Charge with regard to safety and security of workmen from time to time to be strictly followed. All other safety measures stipulated in the tender documents shall be strictly followed, failing which the Engineer-in-Charge shall take immediate action deemed fit and the same shall be binding on the contractor.

The work shall be completed as per detailed time-schedule, which shall be prepared after issue of work order. However the entire work shall be completed within the stipulated completion period as specified in the Tender Notice.

3. SITE INVESTIGATIONS:

The tenderers are advised to visit the site of work with prior permission of the Engineer / Engineer-in-Charge or his authorised representative, to acquaint themselves as to the nature and location of the work, access to the site, the general and local conditions, particularly those bearing upon transportation, disposal, handling and storage of materials, availability of labour, water, electric power and road, as also uncertainties of weather or similar physical conditions of the site, the formation and conditions of the ground, the character, quality and quantity of surface and sub-surface materials to be encountered, including subsoil water levels, the character of equipment and facilities needed preliminary to and during the progress of the work, and all other matters which can be, in any way, effect the work or the cost thereof under the contract.

4. STAKING OUT BASE LINES AND LEVELS:

The contractor shall establish at site the layout of the building/road etc. for the work from base lines and grids established by the Department and shall be responsible for all measurements in connection therewith. The contractor shall, at his own expenses, furnish all stakes, templates, platform, equipments, ranges and labour that may be required in setting out or laying out any part of the work. The contractor shall be held responsible for the proper execution of the work to such lines, levels and grids as may be established or indicated on the drawings and specifications. The contractor shall check the bench marks and stakes existing at the site for laying out lines and levels.

The contractor has to construct and maintain proper bench marks at all salient positions in order that the lines and levels may be accurately checked at all times.

Theodolite, levels, prismatic compass, chain, steel and metallic tapes and all other surveying instruments found necessary on the works shall be provided by the contractors for use at site in connection with this work.

5. COMMENCEMENT AND COMPLETION OF WORK AND PROPER SCHEDULE:

The work shall be completed within the stipulated period of completion. The contractor shall submit detailed time schedule in triplicate within 15 days from the date of issue of work order, for completion of the work, indicating all the important activities of execution of the work / group of the items in sequence of its operation etc. including making ready the sample finishes / finished sample flat for bldg. works, in consultation with the Engineer-in-Charge, and submit the same for approval of the work awarding authority. This time schedule, after approval, shall form part of the contract and the work in all respects shall be carried out as per this time schedule.

Time shall be the essence of the contract. The rate of progress of the whole work as well as for all the important individual items of work shall not be slower than as laid down in the attached Time schedule.

The contractor shall properly assess his capability and fully satisfy himself before tendering that he will be able to adhere to the specified schedule. In this connection the attention of the tenderer is specially invited to clause 2 of the General Conditions of the Contract.

The contractor shall furnish to the Engineer-in-Charge monthly progress report in triplicate on 5th day of every month indicating the following :

SI. No.	Item of work	Scheduled progress for the month	Actual short- fall if any	Reasons for short-fall	Steps taken to make- up the short-fall

- 5(a) The contractor shall employ sufficient number of skilled and unskilled labour required for the work for maintaining the progress of work as stipulated in the Time schedule. The trade-wise labour strength should be intimated to the Engineer-in-Charge everyday in writing. The skilled labour shall be increased if required by Engineer-in-Charge to maintain progress of the work.
- **6. SEQUENCE OF WORK:** The contractor shall execute the work as per the sequence given by the Engineer-in-Charge from time to time so that all other items of the work to be executed by other agencies are completed progressively along with the main work.
- 7. CO-OPERATION WITH OTHER CONTRACTORS: The contractor shall extend all facilities and give complete co-operation for the execution of various connected works, if required to be carried out simultaneously by other agencies, while his own work is in progress. The co-ordination will be effected in consultation with the Engineer-in-Charge of the work. Other contractors are also likely to be authorised by the Department to work in the same area during the construction stage of the work.

Since Electrical/Air-conditioning/other agencies will have to carry out their works such as installations of conduits, junction boxes, wiring, distribution boxes, switches, fittings and fixtures etc. in a planned manner in stages which will be in relation to the status and progress of civil construction works, the civil contractor shall accept and take over the inventories of installations of Electrical/Air-conditioning/other agencies when their works are in part/full completion stage. The same inventory in the same condition will have to be handed over back to the electrical/air-conditioning/other agencies for carrying out their remaining works after the stage-wise completion of the civil works. During final handing over of the building(s) to the Department/Users, the civil contractor will again take over the installation/inventories of fittings and fixtures of electrical/air-conditioning/other agencies and will complete all his balance finishing works and hand over his works along with the installations of other agencies to the Department / Users.

The contractor shall afford all facilities:

- a) For the installation of embedded parts, sleeves with its accessories in slabs, beams and walls by the other agencies before the reinforcement is placed, necessary cut-outs in the shuttering will have to be provided by the civil contractor for this purpose for which no extra payment will be admissible.
 - b) For the installation of various service lines in the walls, floors, slabs, ducts etc.
 - c) For using approach road etc. by the other contractors.

No extra claims on account of facilities provided for carrying out the work mentioned above will be entertained.

8. CO-ORDINATION: The contractor will carry out the entire work in a planned manner by co-coordinating his work with other contractors, who will be simultaneously carrying out work in the same area and also co-ordinate in connection with the position of various fixtures, inserts, embedments and other allied work connected with the completion of the building / subject work.

In case of any dispute between the contractors engaged on the same work, decision of Engineer-in-Charge shall be final and binding.

- 9. APPROACH ROADS AND TRANSPORTATION OF EQUIPMENT & MATERIALS: Contractor will be permitted to use the existing roads in the establishment area for the purpose of transporting equipment and materials and for use of labour etc. The Engineer-in-Charge, however, will not undertake to provide any approach roads to the actual site of work. It shall be the entire responsibility of the contractor to provide and maintain such temporary approach roads including cross drainage works if any at his own cost for the purpose of movement of men, materials and equipment. Layout of such approach roads shall be submitted to Engineer-in-Charge for his approval before undertaking the construction of the same. Such approach roads shall be made available to other agencies for carrying out the work in the same area in consultation with the Engineer-in-Charge of the works without any cost.
- 10. OPERATIONS AND STORAGE AREAS: All operations of the contractor shall be confined to areas authorised by the Engineer-in-Charge and storage of materials shall be over the areas specially indicated by the Engineer-in-Charge. Materials like sand and metal of different sizes shall be stored in properly constructed bins with hard floor to avoid inter mixing as well as mixing with objectionable materials. The contractor shall be obliged to keep the premises in hygienic conditions by proper drainages of the area provided with suitable approaches throughout the period of contract. He shall rectify all damages caused to the UGC-DAE CSR property within the areas thus allotted. He shall be responsible to clear all rank, vegetation at site at his own cost.
- 11. CONTRACTOR'S STORAGE AND SITE OFFICE: Suitable area near the site of work shall be allocated to the contractor, @ Re.1/- per month as token compensation, for storing his equipment, plant, materials etc. and for his site office and cement godown. He will, however, be solely responsible for watching or guarding his property and materials issued to him by the Department. Contractor shall cover all materials at site with

requisite insurance against theft, larceny, dacoits, fire tempest and flood. He, however, will have to dismantle the shed and vacate the land after the receipt of due notice from the Engineer-in-Charge if the same is obstructing any work.

The tenderer should obtain necessary permission / approval from Statutory authorities such as Municipal corporations / Local bodies etc. for construction of temporary structures at site of work such as cement godown, stores, site office etc. It will be responsibility of the tenderers to prepare proper plans, to pay any requisite fees to statutory authorities and to execute the work for the temporary structure at their own cost as per the conditions and rules laid by statutory authorities.

12. TEMPORARY BUILDINGS: Warehouse, shed, workshop and office facilities as required by the contractor shall be provided by him at his own expense. Area for the same will be made available by the Department @ Re.1/- per month as token compensation. Prior approval of the Engineer-in-Charge shall be obtained in respect of location and layout and details of those buildings. After the work is over, all these temporary facilities shall be removed by the contractor at his own expense to the satisfaction of the Engineer-in-Charge within 10 days from the date of completion.

No labour shall be permitted to stay at site or in the partly completed building at any time and no land for erection of temporary huts for labourers will be made available by the Department. The contractor shall make his own arrangements for labour hutments elsewhere out side the Department's colony/area at his own cost. Unauthorised occupation of any area/partly completed building by the contractor's labourer will be treated as trespass and action will be taken to evict them including termination of contract if deemed fit. Sanitary as well as water supply and drainage facilities as required by the labour laws in force, are to be provided by the contractor at his own cost.

13. TRAFFIC INTERFERENCE & INCONVENIENCE TO THE PUBLIC: The contractor shall so conduct his operations as to interfere as little as possible with the traffic/public. When interference to traffic is inevitable, a notice of such interference shall be given to the Engineer-in-Charge well in advance (at least 2 days) at any stage, if it becomes necessary to divert the traffic, the contractor shall obtain permission from the local traffic authorities at his own expense. The Department will render reasonable assistance in the matter. The contractor shall take all precautionary and other measure, such as providing warning signals, temporary diversion etc. all as directed by the Engineer-in-Charge.

The contractor shall not deposit materials anywhere at work site which will seriously inconvenience the public. The Engineer-in-Charge may require the contractor to remove any materials which are considered to be a danger or inconvenience to the public or cause them to be removed at the contractor's cost.

The contractor shall exercise full care to ensure that no damage is caused by him or his workmen, during the operation to the existing water supply and power lines. The cost of any such damage and risks arising out of this shall be entirely borne by the contractor.

14. DRAINAGE AROUND THE BUILDINGS AND FOUNDATION FOR OTHER WORKS: The contractor shall be entirely responsible for the provision and maintenance of efficient drainage arrangements in the work site to lead of all water whatsoever pumped from the excavations on account of rains, floods, springs or any other source whatsoever. The foundation trenches shall be kept free from water while all the works below ground level are in progress.

Flooding or ponding of water in the work site shall not be permitted under any circumstances whatsoever and the contractor shall take all necessary precautions to prevent the same by providing suitable pumps and other dewatering arrangement.

The cost of repairing damages if any, to the work under execution or to any government property in and around the site shall be entirely borne by the contractor where such damages are due to his non-compliance with the above conditions.

15. SPECIFICATIONS AND DRAWINGS:

- 15.1 The drawings furnished to the contractor for this work shall be interpreted by the use of given dimensions and nomenclature only and the drawings shall not be scaled. Drawings to a large scale shall have precedence over those to a smaller scale. Prior to the execution of the work, the contractor shall check all drawings, specifications and shall immediately report any error, discrepancy and / or omissions discovered therein to the Engineer-in-Charge and obtain appropriate orders on the same. Any adjustment made by the contractor without prior approval of the Engineer-in-Charge shall be at his own risk. Description of item in the schedule of quantities is brief and therefore, shall be read in conjunction with the relevant drawings and the specifications and the contractor's rate shall be deemed to be for such complete work unless otherwise specified by the contractor while tendering.
- 15.2 In case any difference or discrepancy between the description in the schedule of quantities and the specifications, the schedule of quantities shall take precedence.

In case any difference or discrepancy between the description in the schedule of quantities and the drawing, the description in schedule of quantities shall take precedence. In case of any difference or discrepancy between drawing and specifications, the specifications shall take precedence.

15.3 Prior to submission of drawing called for as per specifications or any other drawings, contractor may intend to submit for approval, the contractor shall be responsible for thoroughly checking of all drawings to

ensure that they comply with the intend and the requirements of the contract specifications and that they fit in with the overall lay out. Drawing found to be inaccurate or otherwise in error will be returned to the contractor for corrections.

- For all drawings to be submitted by the contractor, for the approval of the Engineer-in-Charge, the contractor shall submit 6 (six) copies of each drawing.
- 15.5 The approval of the drawings by the Engineer-in-Charge shall not be construed as a complete dimensional check, but will indicate only that the general method of construction as detailed is satisfactory. The contractor shall be responsible for the dimensions and designs of adequate connection supports, details and satisfactory construction of the work.
- 15.6 Cost of all shop drawings, fabrication drawings or form work drawings and details to be furnished by the contractor shall be deemed to be included in his tendered rates. Approval of shop drawings shall not be construed as authorised additional work of increased costs to the Department.
- **16. SAMPLES FOR MATERIALS:** Samples of all materials to be incorporated in the work shall be submitted to the Engineer-in-Charge for his approval without any extra cost. The approved samples will be kept with Engineer-in-Charge till completion of the work. Materials not conforming strictly to the approved samples will be rejected.

Samples of various materials required for testing shall be provided free of charge by the contractor. Testing charges if any, including all other expenses required to be incurred for taking the samples, conveyance, packing etc., shall be borne by the contractor.

16.1 In addition to submission of samples of materials, the contractor shall make a sample flat (sample finishing works in case of Non-residential bldgs.) ready in all respects, including the finishing items of works of civil works including installation of fittings as well as those of water supply, plumbing and sanitation work and electrical, internal fittings, fixtures and wiring etc. to determine the acceptable standard of materials and workmanship. The sample flat with all final finishes and installations etc. shall be got approved from the Engineer-in-Charge in advance before taking up the finishing items of the work in the building(s). Each of these samples of items of work / trade / materials approved by the Engineer-in-Charge will be endorsed as "Guide line samples", as per which further works shall be executed in strict conformity with standard of materials & workmanship.

The provision of co-ordination and co-operation with other agencies shall be mutatis-mutandis applicable to the above mentioned "Sample flat / Sample finishing works" also.

17. **EXECUTION OF WORK AND INSPECTION:** The work shall be conducted under the general direction of the Engineer-in-Charge and is subject to inspection by his appointed representative to ensure strict compliance with the terms of the contract. No failure of the Engineer-in-Charge or his designated representative during the progress of the work to discover or to reject materials, or work not in accordance with the requirement of this contract shall be deemed as on acceptance thereof or a waiver of defects therein and no payment by the Engineer-in-Charge or partial or entire occupancy of the premises shall be construed to be an acceptance of work or materials which are not strictly in accordance with the requirements of the contract. No changes whatsoever to any provision of specifications shall be made without authorisation from the Engineer-in-Charge.

18. WATER FOR CONSTRUCTION:

- (1) Water: One of the following conditions shall be applicable for this work as indicated in schedule 'A'.
- (a) The contractor (s) shall make his/their own arrangements for water required for the work and nothing extra will be paid for the same. This will be subject to the following conditions:-
- (i) That the water used by the contractor (s) shall be fit for construction purposes to the satisfaction of the Engineer-in-charge.
- (ii) The Engineer-in-charge shall make alternative arrangement (s), for supply of water at the risk and cost of contractor(s) if the arrangements made by the contractor(s) for procurement of water are unsatisfactory in the opinion of the Engineer-in-charge.
- (iii) No water charges shall be recovered from contractor.

OR

- (b) Water if available may be supplied to the contractor by the department subject to the following conditions :-
- (i) The water charges @ 1% shall be recovered on gross amount of the work done.
- (ii) The contractor(s) shall make his/their own arrangement of water connection and laying of pipelines from existing main/source of supply.
- (iii) The department does not guarantee to maintain uninterrupted supply of water and it will be incumbent on the contractor(s) to make alternative arrangements for water at his/their own cost in the event of any temporary break down in the UGC-DAE CSR water main so that the progress of his/their work is not held up for want of water. No claim of damage or refund of water charges will be entertained on account of such break down.
- (iv) The Engineer-in-charge shall be the final authority to determine the cost recoverable from the contractor on account of any damage to the main line source and his decision shall be binding on the contractor.

OR

- (c) Where there is no piped water supply arrangement or it is not separable the contractor shall be allowed to draw water from the wells or hand pump constructed by the UGC-DAE CSR, subject to the following conditions:
- (i) The water charges @ 1% shall be recovered on gross amount of the work done.

- (ii) The contractor(s) shall make his/their own arrangement of water connection and laying of pipelines from existing main/source of supply.
- (iii) The contractor shall, however, draw water at such hours of the day that it does not interfere with the normal use for which the hand pumps and wells are intended.
- (iv) The contractor shall install his own pumping unit and shall be responsible for all damage and abnormal repairs arising out of his use, power conditions, voltage fluctuations etc.
- (v) If feasible, power supply as per clause 14 (b) at rates specified therein shall be made available.
- (vi) The Engineer-in-charge shall be the final authority to determine the cost recoverable from the contractor on account of any damage to the source and his decision shall be binding on the contractor.

OR

- (d) The contractor shall be allowed to construct temporary wells in UGC-DAE CSR land for drawing water for construction purposes only after obtaining the permission of the Engineer-in-charge in writing. Following conditions shall apply:
- (i) No water charges shall be recovered from the contractor for using ground water of UGC-DAE CSR's premises.
- (ii) The contractor shall be required to provide necessary safety arrangements to avoid any accidents or damage to adjacent buildings, roads, and service lines. He shall be responsible for any accidents or damage caused due to construction and subsequent maintenance of the wells and shall restore the ground to its original conditions after the wells are dismantled on completion of the work.
- (iii) If the source of water dries up at any stage of construction or in case of non availability or water due to any reason what so ever; the contractor has to make alternate arrangement for water, at his own cost. No claim for compensation shall be entertained by the department on this account.
- (iv) The contractor(s) shall make his/their own arrangement of water connection and laying of pipelines from existing main/source of supply.
- (v) The contractor shall install his own pumping unit and shall be responsible for all damage and abnormal repairs arising out of his use, power conditions, voltage fluctuations etc.
- (vi) If feasible, power supply as per clause 14 (b) at rates specified therein shall be made available.
- (vi) The Engineer-in-charge shall be the final authority to determine the cost recoverable from the contractor account of any damage to the any structure or the like caused by the source and his decision shall be binding on the contractor.

OR

(e) Such works where the requirement of water is not there like structural steel works, Gyp Board/A.C. Sheet false ceiling, P/F PVC flooring, P/F Sun control film or where requirement of water is almost insignificant earth disposal, excavation for works other than road work etc. water shall not be supplied by the department and no recovery shall be made for water charges.

NOTE APPLICABLE FOR ALL CASES FROM 14 (I) (a) to (e) above: The contractor shall ensure that water to be used for construction work shall be fit for construction purposes as per stipulations of IS 456-2000.

19. SUPPLY OF ELECTRICITY FOR CONSTRUCTION PURPOSE:

In case of stipulation of departmental supply of Electricity for construction purpose under <u>Schedule 'B' of</u>
<u>Salient Governing features of the Tender / work"</u>, the same shall be dealt with as under:

(In case of non-stipulation of departmental supply of Electricity for construction purpose in the **Schedule** "B", the contractor shall make his own arrangement for the same as required at his own cost.)

19.1 Guide Lines for temporary power supply and general safety procedure:

A. General:

- i) Electrical power supply at medium voltage (415 Volts, 3 Phase 4 wire) for constructional purpose and general lighting will be made available at site of work at the discretion of Engineer-in-charge at one point. The contractor has to lay the power lines from this point at his own cost in an approved manner as indicated in subsequent clauses. The power supply will be made available subject to following.
- ii) The contractor should submit a list of equipments, he proposes to connect for constructional and general lighting purposes indicating his power requirements in appropriate form enclosed (Annexure-I) for approval of Engineer-in-charge.
- iii) A list of licensed electrical staff he will be posting at site.
- iv) The contractor should pay the Minimum Charges based on his power demands at current tariff rates prevailing, at site as charged by supply authorities.

Minimum charges for Load Demand : <u>As per schedule of material 'B'</u>

- v) Suitable rated KWH Meter will be supplied and installed by contractor and test certificates as per IS from authorized test lab, or manufacturer shall be submitted.
- vi) All extension from this point shall be got executed by Licensed Electrical Contractors only in an approval manner with prior permission of Electrical Engineer. The installation shall conform to latest Indian Electricity Rules and regulations.
- vii) The entire installation including portable equipments shall be subjected to the following tests before energization.
- a) Insulation resistance test
- b) Polarity test of switches
- c) Earth continuity test.
- d) Earth electrode resistance

The testing procedure and results shall conform to IS and code of practice. The contractor shall provide the necessary skilled and unskilled workers and instruments for conducting the tests. The tests shall be carried out in the presence of Electrical Engineer and report shall be submitted in proforma enclosed (Annexure – II)

viii) Double grounding will be provided for all equipments.

Power supply will be affected after completion of above.

- B. After Energizing the installation/continuity of power supply will be subject to the following:
 - i) The contractor shall submit a test report as per clause (A) (vii) a), b), c), d) for his complete installation every 2 months or after rectifying any fault.

One such test report for the complete installation shall be submitted before onset of monsoon.

- ii) The contractor should not connect any additional load without permission of Electrical Engineer. For obtaining additional power required, test reports should be submitted.
- iii) Where distribution boards are located at different places, the contractor shall submit a schematic drawing indicating all details like size of wires, OH or cable feeders, earthing etc.
- iv) Power supply will be switched off by the Electrical Engineer whenever required. The duration and time will be intimated to the contractor. The availability of power supply will be further subject to shut down due to any emergency break downs or interruption from utility. Contractor is not eligible for any compensation due to above.

Government will not be liable for any loss or damage to the contractor's equipment as a result of variations in voltage or frequency or interruptions in power supply. In the event of any failure/interruptions/stoppage of power supply for a continuous period not exceeding 24 hours, the contractor shall have no claim whatsoever against Government. For any power failure/stoppage resulting in interruptions for a continuous period exceeding 24 hours, the contractor will be eligible only for reasonable extension of time and not for any compensation on this account.

Government will not be liable for any loss to the contractor arising from failure or interruption or stoppage of works, any attendant delays consequent upon such failure, interruption or stoppage of power supply or variations in voltage or frequency.

- C. The following are provided for general guidance for the contractor and should be read as specific requirement, in addition to complying with Indian Electricity Act. Indian Electricity Rules, IS Regulations.
 - i) The minimum clearance to be maintained for all overhead lines shall be 4 meters along roads and 6.1 meters across roads.
 - ii) Wherever cables or wires are laid on poles a guard wire of adequate size shall be run along the cables/ wires and earthed effectively.
 - iii) Metallic poles as a general rule should be avoided and if used should be earthed individually.
 - iv) Loose hanging of wires and cables should be avoided and should be properly supported.
 - v) Installation shall not cause any hindrance to movement of men and materials.
 - vi) Reinforcement rods or any metallic part of structure should not be used for supporting wires and cables, fixtures, equipments etc.
 - vii) All cables and wires should be adequately protected against damage.
 - viii) In case the cable is required to be laid in ground, it should be adequately protected with bricks and sand.
 - ix) Laying of cables and wires direct on floor shall be avoided, but if, required, the same shall be taken through G.I./M.S. pipes etc.
- D. i) All the switchboards, equipments etc. should be protected from rain and should not be exposed to weather. The contractor should provide proper enclosure of approved size and shape for protection against rain.
- E. ii) As far as possible, MCCB/MCB/RCBO distribution boards should be used. The switchgear component and meters etc. used in the distribution board shall be of reputed makes duly marked ISI.
 - iii) DELETED
 - iv) All the distribution boards, switches etc. shall be fixed in such a way so that they should be easily accessible. The position and location of all equipments, switches etc. shall be informed to the Electrical Engineer at the time of energization. Also the same should be informed as soon as any change is done.
- F. i) Only PVC insulated and PVC sheathed wires or armored PVC insulated and sheathed cables should be used for external temporary power supply connections. Weather proof rubber wires should not be used for any temporary power supply connections. Taped joints in the wires shall be avoided as far as possible and the connections shall be made in looping system. At the terminal points of the switch boards, an effective PVC box or alternatively M.S. box, with proper glands and sealing arrangements, should be provided to ensure that no moisture leaks at the terminal of the switches.
 - ii) All armored cables shall be properly terminated by using suitable cable glands. Stranded conductor cables shall be connected by using cable lugs/sockets. Cable lugs should preferably be crimped. Cable lugs should be of proper size and should correspond to the current rating and size of the cables. Twisted connections will not be allowed.

- iii) All the cable glands shall be properly earthed.
- iv) All connections to luminaires, starters or other power supplies should be provided with PVC insulated PVC sheathed twin core wires to have better mechanical protection for preventing possible damage to equipment or injury to personnel. No taped joint will be allowed and the connections may be made in looping system.
- v) All the luminaires and lamp holders shall be of good quality and in good condition. Badly repaired or broken holders etc. will not be allowed for use.
- vi) The working areas shall be adequately illuminated. The luminaires shall be fixed in such a manner that sufficient clearance is provided for general working.
- vii) For day to day lighting requirements it is preferred that an extension board is used and three pin plugs should be used for tapping. By using the extension boards any number of light points can be tapped as and when required, without having any joints in wires.
- Viii) The connection for portable machines shall be taken through 3 pin plug points. Iron clad industrial type plug outlets are preferred. While taking the supply through plug outlet a plug-top must be used. The third pin of the plug shall invariably be earthed and a 3 core wire shall be used.
- IX) Wire guards shall be provided on lamps as far as possible.
- G. i) Method of earthing, installation and size of earth electrodes and earthing conductors and earth testing results shall conform to relevant I.S. etc.
 - (ii) Contractor shall make his own arrangements for main Earth electrode. Tapping from existing earth pits/points available at site can be used at the discretion of the Electrical Engineer with prior permission.
 - (iii) Joints in earthing conductors shall be avoided as far as possible. However, in case of a joint can not be avoided it should be properly soldered or jointed in an appropriate manner. Twisting of wires will not be allowed. Loop earthing of equipments shall not be allowed. However, tapping from an earth bus may be done. Every equipment should be provided with two independent earth connections except for portable equipments.
 - iv) All three phase equipments shall be provided with duplicate earthing. All luminaires and portable equipments should be effectively earthed to main earthing.
 - (G) Power supply to all the machines and luminaires etc. shall be switched off when not in use.
 - i) Persons having valid wiremen's license/competency certificate must be employed for carrying out installation and maintenance of electrical equipments for the construction power supply at site. A qualified / licensed supervisor may also be employed for supervision.
 - ii) An electric power failure and/or accident caused due to non compliance of above mentioned instructions will entirely be the responsibility of the contractor.
 - iii) On recommendation by the Electrical Engineer the Engineer-in-charge reserves the right to disconnect the power supply to the contractor, without prior intimation. If the above mentioned instructions are not followed. The contractor will not be eligible for any time extension or compensation due to such disconnection.

H. I) INSTALLATION:

- i) Electrical equipment and installations should be so designed, installed and maintained as to prevent danger from contact with live conductors and/or from electrically originated fire. Only qualified/licensed persons should be permitted to install, adjust, examine or repair electric equipment/circuits.
- ii) Materials for all electrical equipments should be selected with regards to working voltage, load and working environment. All such equipment should conform to the relevant standards.
- iii) Exposed live parts of electrical circuits and equipment operating with alternating current AC at 50 volts or more should be generally provided with permanent enclosures/covers.
- Crane trolley wires and other conductors which cannot be completely insulated should be placed such that they are shrouded and inaccessible under normal working conditions.
- iv) Armoring and sheathing of electric cables, metallic fittings and other non current carrying parts of electrical equipments and apparatus should be effectively grounded.
- v) Grounding conductor of wiring system should be of Copper/GI. An extra grounding connection should be made in appliances/equipment where chances of electric shock is high.
- vi) Circuit breakers installed in equipment/circuit for short circuit protection should be of proper rating.
- vii) Open type distribution boards should be placed only in dry and ventilation rooms. They should not be placed in the vicinity of storage batteries or otherwise exposed to chemical fumes.
- viii) Isolating switches/Circuit breaker should be provided for disconnecting electrical equipment or conductors from the source of supply when repair or maintenance work has to be done on them.
- ix) In front of distribution boards a clear space of 105 cm (3.5 feet) should be maintained in order to have easy access during an emergency.
- x) Adequate working space should be provided around electrical equipment which requires adjustment or examination during operation.
- xi) As far as possible electrical switches should be excluded from a place where there is danger of explosion. All electricity equipments such as motors, switches and lighting fittings, installed in work room where there is possibility of explosion hazard should be explosion proof type approved by CMRS, Dhanbad.

xii) After installation of new electric system and/or other extensive alternations to existing installations, thorough inspection should be made by an Electric Engineer before the new system or new extension is put in use.

(II) OPERATION AND MAINTENANCE:

- i. All persons who work on the electrical installation / equipment should be aware of the electrical hazards, use of protective devices and safe operational procedure. They should be given training in fire fighting, first aid and artificial resuscitation techniques.
- ii. The supervisor should instruct proper procedure, specify and enforce the use of necessary protective equipment and tools suitable for working on electrical system / equipment i.e. insulated pliers, screw drivers, fuse pullers and similar hand tools. Ladders should be suitable for electrical work.
- iii. Before any maintenance work is commenced on electrical installations / equipments, the circuits should be de-energized and ascertained to be dead by positive test with an approved voltage testing device. Switches should be tagged or the fuse holders withdrawn before starting the work.
- iv. Appropriate precautions should be taken in two important aspects:
- (a) there shall be no danger from any adjacent live parts and,
- (b) there shall be no chance of re-energization of the equipment on which the persons are working.
- v. While working on or near a circuit whenever possible, the use of only one hand should be practiced even though the circuit is supposed to be dead. The other hand may preferably be kept in pocket.
- vi) When it is necessary to touch electrical equipment (for example when checking for overload of motors) back of the hand may be used. Thus, if accidental shock were to cause muscular contraction, one would not seize the conductor.
- vii) Operation of electrical equipment should be avoided with wet hands or feet.
- viii) In case of tripping of circuit breaker or blowing of fuse the circuit should be checked and rectified before resumption of supply.
- ix) When two persons are working within reach of each other, they should never work on different phases of the supply.
- x) While carrying out structural repairs, modification or painting work, appropriate measures should be taken for protection of persons where work may bring them in to the proximity of live equipment / circuit.
- xi) Temporary electrical connections should be removed as soon as the stipulated work is over.
- xii) An insulation resistance test should be carried out every time equipment is connected back after alterations or repair. Insulation resistance tests (megger tests) should be carried out periodically. In case of significantly low readings or sudden changes, the same should be carefully investigated. Outdoor installations should be tested more frequently.
- xiii) It should be ensured that no extension boards are over loaded. Only standard three pin plug should be used. Broken sockets / plugs should be replaced immediately. Joint free cables only should be used for connecting equipment / apparatus.
- xiv) Floors should be kept free from trailing electrical cable to avoid trapping hazards.

III. PORTABLE ELECTRICAL EQUIPMENT:

- (i) Portable electrical equipment should be regularly examined, tested and maintained to ensure that the equipment and its loads are in good order.
- (ii) All portable appliances should be provided with a three pin plug. It should be ensured that the metal part of the equipment should be effectively earthed.
- (iii) Bare wires should not be used for electrical connections
 - It should be ensured that insulation and wire size of extension cords are adequate for the voltage and current to be carried.
 - b) All trailing and flexible cables for portable lamps, tools and apparatus should be regularly examined, tested and maintained to ensure safety.

iv. GENERAL SAFETY PROCEDURE:

- (i) It should be ensured that power supply to equipment is disconnected before any repair work is undertaken.
- (ii) Insulated tools shall be used for working on electrical equipments.
- (iii) At building constructional sites, helmets and safety shoes shall be used.
- (iv) In case of an accident, the security staff on duty shall be informed immediately. Also the Engineer-in-charge and Administrative officer shall be informed.
- (v) In case of an electrical accident resuscitator (Artificial respirator) if required, shall be used. A report should also be sent to the Electrical Inspector, in prescribed proforma, under intimation to the Engineer-in-charge and Electrical Engineer.
- (vi) The contractor shall keep a first aid kit at site. However, in case of accident (major/serious), the victim shall be taken to any nearest Hospital.
- (vii) In case of working at a high elevation either safety belts shall be used or railings / enclosures shall be provided around the working platform / cage / ladder etc.
- (viii) Ropes, shackles, chains, slings, etc. to be used (specially for use of tying the scaffoldings etc.) shall be periodically checked for integrity and mechanical soundness and corrected by replacement.
- (ix) All safety procedure and practices as informed by the Department should be followed.

FORM OF REQUISITION FOR SUPPLY OF ELECTRICITY

То,								
Sir,								
I / We require power supply at 415 V. 3 phase 4 wire for our installation at the following location for a period ofyears/months.								
Location of Project:								
The installation shall be executed by the following Electrical Contractor.								
Name of the contractor Licence No. & Grade								
The details of the propos								
Description H.P./KW	Type of starting	3 Phase or Single phase supply						
Motors (i)								
(ii)								
(iii)								
Other plants Lighting load - Ceiling fans - Heaters - Socket - 6 A X Single Phase = W/KW Socket - 16 A X Single Phase = W/KW								
SOCKEL - 16 A A	igie Pilase –	٧٧/٢.٧٧						
3. We propose to install overhead lines / underground cables. Brief details to be given (wires, cables, type of pole to be used etc.)								
We shall be provi	ding the earthing layout as	follows:						
a) Type o	f earth electrode :	Plate / pipe / coiled earth						
b) Materia	als :	Copper / G.I.						
c) No. of (electrodes and location :							
d) Min. siz	ze of earth conductor on :							
OH lay	out and bearer wires							
e) Any oth	ner relevant details :							
4. Total maximum demand for our layout will not exceedKW/KVA								

- 5. We shall be providing our own KWH meter and test certificate for the KWH meter will be submitted before effectively power supply.
- 6. We agree to pay towards electricity bill during the calendar month for consumption of energy as indicated in the tender.
- 7. The installation shall be executed conforming to I.S. code of practice and Indian Electricity Rules with their latest revision.
- 8. We shall submit required test reports in proforma enclosed every 2 months and before onset of monsoon.
- 9. We shall maintain our installation in good repair and conform to all statutory regulation of Central / State Government and also as per safety regulations that will be intimated by the Department from time to time at our own cost and risk. We have read the guidelines for temporary power supply and agree to abide by them.

Signature of the contractor

3 Phase

Name and Address

Annexure-II [Clause 14 A (vii) and B (i)] **Temporary Power Supply DETAILS AND TEST REPORTS** Ref. No..... Date..... Name of the Contractor · **Address** . Name of the Licensee . Electrical contractor / Supervisor:..... I / We here by certify that the installation detailed below has been installed by me/us and tested and that to the best of my / our knowledge and belief, it compiled with Indian Electricity Rules. **Electrical installation at** . Voltage and system of supply . 1. Particulars of works A) Internal Electrical Installation. Nature of load No./Qty. **Total load** Type or system of wiring

B) Others

ii)

iii)

a)

b)

Light point

3 pin 6 amp.

5 pin 16 amp.

Fan point Plug point

Description H.P./KW

Type of

Single Phase/

starting

a) Motors 1)

			2)					
b)	Oth	3) Other plants						
C)	If th	he work involves installation of overhead line and / or underground cable:						
	a) i) Type and description		Type and description of overhead line					
	ii) Total length a		Total length and No. of spans					
b) i		i) T	Total length of underground cable and its size					
		ii) I	No. of Joints: End Joints :					
			Tee Joints :					
			St. through Joint:					
Note: /	All ou	tdoor lir	nes should be of doubly insulated lines and wires should conform to relevant IS.					
II. EAF i)	RTHIN		ption of earthing electrode					
ii)		No. of earth electrode						
iii)		Size of main earth lead						
i)		PHN						
ii)		Energy meter details Sr. NoMake						
		Initial reading on the meterOn						
iii)		Meter test certificate attached : Yes/No						
iv)		Test R	esults					
	a)	Insulation Resistance						
		i)	Insulation resistance of the whole system or conductors to earthMegohms.					
		ii)	Insulation resistance between the phase conductor and neutral.					
			Between Phase R and neutralMeg Ohms					
			Between Phase Y and neutralMeg Ohms					
			Between Phase B and neutralMeg Ohms					
		iii)	Insulation resistance between the phase conductor in case of poly phase supply.					
			Between Phase R and neutralMeg Ohms					
			Between Phase Y and neutralMeg Ohms					
			Between Phase B and neutralMeg Ohms					

iv) Insulation resistance of motors/other plants

Sr. No. Equipment Capacity I.R. test results

b) Earth continuity Test

	Maximum resistance between any point in the earth continuity conductor including met and main earthing leadohms.			
c) Earth electrode resistance				
	Resistance of each earth electrode.			
	i)ohms			
	ii)ohms			
	iii)ohms			
	iv)ohms			
d)	Name and signature of licensed wireman who will installationsLicense No	operate and maintain contractor's		
	0			
	Signature of Electrical Supervisor/Contractor	Signature of the contractor Name and Address		
	License No. and Class			

19.2 CONSTRUCTION AND MAINTENANCE BY THE CONTRACTOR:

As mentioned above, the contractor shall maintain his entire electrical installation, appliances etc. in good and safe condition as required under relevant rules and codes of practice. However, the following precautions and directives shall be followed in addition to observing other essential rules:

- i) The minimum clearance (measured at the lowest sag point) to be maintained for all over head lines shall be 4 Mtrs. cross country or along roads and 6.1 metres across roads.
- ii) Metallic poles as a general rule should be avoided and if used should be earthed individually.
- iii) All loose hanging of wires and cables should be avoided. The line wires should be properly supported and an approved method of fixing shall be adopted.
- iv) Installation shall not cause any hindrance to the normal movement of men and materials at site.
- v) All cables and wires should be adequately protected against mechanical damage during construction activity of all contractors, working at site.
- vi) In case the cable is required to be laid in ground, it should be adequately protected by covering the same with bricks, R.C.C. tiles or any other approved means and cable markers provided at suitable intervals as per approval of the Department.
- vii) Laying of cable and wires direct on floor shall not be allowed but if absolutely necessary for some very short lengths, the same shall be taken through suitable mechanical covering like G.I. / M.S. Pipes etc.
- viii) All the cut door switch boards, equipments etc., should be adequately protected against rain or preferably they should not be exposed to weather.
- ix) If overhead lines using bare conductors are installed, a guard wire system of adequate size shall run along the cables / wires and earthed effectively.
- x) The connection for portable machines shall be taken only through suitably rated 3 pin socket points. Iron clad industrial type outlets are preferred. While taking supply through socket outlet a plug top must be used, avoiding inserting of loose wires in the sockets. The third pin of the plug shall invariably be earthed and 3 core wire of appropriate specifications and capacity shall be used.
- xi) All three phase equipment shall be provided with duplicate earthing. All metallic frames, light fixtures, portable equipments etc. should be effectively earthed to main earthing.
- xii) Duly authorised persons having valid wireman's license / competence certificate must be employed under the supervision of a qualified and experienced Electrical Supervisor for carrying out electrical work and repair of electrical equipments, installation and maintenance etc. at site.

19.3 Additional Power:

Power in excess of the limit stipulated above may, subject to availability, be provided if applied for by the contractor by installing additional cables / lines from the change over nearby. These additional lines along with necessary switches etc. shall be provided by the Department and full cost thereof will be payable by the contractor in advance.

20. TENDERED RATES:

The rates quoted by the tenderer in the schedule shall be inclusive of all taxes including Goods & Service Tax (GST), VAT, Cess, Purchase tax, duties, WCT,Turn over Tax and other statutory levies / taxes etc. imposed by the Government or other public bodies from time to time. The rates quoted shall also cover the cost of necessary protection including labour, materials and equipment to ensure safety and protection against risk or accident, compensation for injury to life and damage to property if any, caused by the contractor's operations connected with this work. The rates shall be firm and shall not be subject to change due to variations during the entire period of execution of the work in cost of materials, labour and conditions, or any other conditions whatsoever except for the provisions contained in clause 10 C, 10 CA and 10 CC of General conditions of contract as applicable for this work.

The rates quoted by the tenderer shall also be inclusive of State Sales Tax on the transfer of property in goods involved in execution of works contract Act, 1985 (in other words WCT / Turn over Tax) which is to be paid by the tenderer to the government from time to time during the execution of the contract / works. No separate claim on this account will be entertained by the Department. Also no certificate(s) for exemption of Octroi / Entry tax shall be issued by the Department.

Unless otherwise stated in schedule of quantities, rates for item quoted by the tenderer should be for the complete work including supply and fixing with all materials and should be for all heights and depths, lifts and leads, lengths and widths involved in the work.

Any cement slurry added over base surface (or) for continuation of concreting, for better bond, is added to have been in-built in the item (unless otherwise explicitly stated) and nothing extra shall be payable and no extra cement considered in consumption on this account.

Rate for all items, in which use of cement is involved, shall include charges for curing.

The contractor when called for by the Department should furnish detailed rate analysis in support of the rates quoted by him against each item of the tender. The Department reserves the right to utilize the analysis thus supplied in settling the rate of any deviations or claims arising in this contract.

For any deviations or claims or extra items arising out of this contract, the contractor will be entitled for overheads and profits of 2.5% (two and half percent) only towards handling, storing etc. of such materials which are supplied by the Department under **Schedule 'B'** and / or at fixed issue rates / procurement rates in case of free issue materials.

21. CLAIMS AGAINST THE CONTRACTOR:

Whenever any claim against the contractor for the payment of a sum or money arises out of or under the contract, Department shall be entitled to recover such sum by appropriating in part or whole, the security deposit of the contractor and to sell any UGC-DAE CSR promissory notes etc. forming the whole or part of such security. In the event of the security deposit having been taken from the contractor, the balance or the total sum recoverable, as the case may be, shall be deducted from any sum then due or which at any time thereafter may become due from the contractor, under this or any other contract with the Department. Should this sum be not sufficient to cover the full amount recoverable, the contractor shall pay the Department, on demand the balance remaining due. Department shall have the right to cause an audit and technical examination of the work and the final bill of the contractor including all supporting vouchers, abstracts etc. to be made after payment of the final bill and if as a result of the due audit and technical examination any sum is found to have been over paid in respect of any work done by the contractor under the contract or any work claimed by him to have been done under the contract and found not have been executed, the contractor shall be liable to refund the amount of the over payment and it shall be lawful for the Department to recover the same from him in the manner prescribed above or in any other manner legally permissible and if it is found that the contractor was paid less than what was due to him under the contract in respect of any work executed by him under it, amount of such under payment shall be duly paid by the Department to the contractor.

Provided that the Department shall not be entitled to recover any sum overpaid, nor the contractor shall be entitled to payment of any such paid short where such payment has been agreed upon between the Engineer-in-Charge on one hand and the contractor on the other, under any term of the contract permitting payment for work after assessment by the Engineer-in-Charge.

Provided further no recovery of an over payment and no payment of any sum paid short shall be made where such over payment or under payment has remained undiscovered for a period of three years after the date of payment of the final bill.

22. MODE OF MEASUREMENTS:

Measurements for all hidden items once taken jointly and so accepted by the tenderer in the bills, in writing shall be final and binding. No re-recording of measurements for hidden items of work will be permitted.

The contractor shall provide at his own cost suitable weighing and measuring arrangements at site for checking the weight / dimensions as may be necessary for execution of the work. All measuring tapes (of steel), scaffolding and ladders which may be required for taking measurements shall be supplied by the contractor.

If the contractor fails to accompany the Engineer-in-Charge or his duly authorised person to take measurements, then he shall be bound by the measurements, recorded by the Engineer-in-Charge or his representative.

23. STORES AND MATERIALS AT SITE:

Stores and materials required for the works are to be deposited by the contractor only in places to be indicated by the Engineer-in-Charge. The Engineer-in-Charge shall have a right at any time to inspect and examine any stores and materials intended to be used in or on the works either on the site or at any factory or workshops or other places where such stores or materials are being constructed or manufactured or processed or any place from where they are being obtained and the contractor shall give such facilities as required to be given for such inspection and examination.

The Engineer-in-Charge shall be entitled to have tests made without any extra cost to the Department at an approved laboratory for any stores and or materials supplied by the Contractor, who shall provide at his own expense all the facilities which the Engineer-in-Charge may require for this purpose.

Any stores and materials brought to site for use on the work shall not be removed off the site without prior written approval of the Engineer-in-Charge, but on final completion of the work, the contractor shall at his own expenses remove from the site all surplus stores and materials originally brought by him.

24. PROPER DRAWINGS AND INSTRUCTIONS: The Engineer-in-Charge shall have full powers and authority to supply to the contractor from time to time during progress of the work such further drawings and instructions as shall be necessary for the purpose of proper and adequate execution and maintenance of the work and the contractor shall carry out the work and be bound by the same.

One copy each of the drawings furnished to the contractor shall be kept by the contractor at the site and the same shall at all reasonable times be made available for inspection and use by the Engineer-in-Charge and any other person authorised by the Engineer-in-Charge.

25. EMPLOYMENT OF STAFF FOR PLUMBING & ELECTRICAL WORKS;

- **25.1 Employment of certified plumber:** Certified plumbers should be employed by the contractor on the work for main sewer, filtered and unfiltered main.
- **25.2 Employment of licensed electrical foreman :** The contractor should employ a licensed electrical foreman to supervise the Electrical works.
- **26. GOVERNMENT LABOUR ACT:** The contractor has to follow strictly the Government labour Acts, which are and will be in force during the period of execution of work. All necessary arrangement for labourer's safety, insurance will have to be made by the contractor as per Municipal rules / labour regulations of Other Central or Local statutory body. The contractor shall insure his labourers with Janata Insurance Policy and all risk insurance policies etc. at his own cost.
- **27. DEDUCTION OF INCOME TAX**: As per Section 194-C of Income tax Act 1961, as amended by letter No. 275/9/72/9-TJ (Circular No. 86) dated 19.5.72 and No. 275/14/91-IT (B) (Circular No. 593) dated 5.2.91, received from Ministry of Finance, Department of Revenue, Central Board of Direct Taxes, New Delhi, the Income tax @ 2% and Surcharge thereon @12% (or any other amended rate by Ministry of Finance from time to time), of the gross value of the work done will be recovered from the bills. A certificate for the amount so recovered will be issued by the Department.
- 28. URGENT REPAIRS: If by reason of any accident or failure or other event occurring to or in connection with the work or any part thereof either during the period of maintenance, any remedial or other work or repair shall in the opinion of the Engineer-in-Charge be urgently necessary for security and the contractor is unable or unwilling, at once, to do such work or repair, the Engineer-in-Charge may be his own or other workmen do such work or repair as he may consider necessary. If the work or repair so done which in the opinion of the Engineer-in-Charge, the contractor was liable to do at his own expenses under the contract and all cost and charges properly incurred by the Engineer-in-Charge in so doing shall on demand be paid by the contractor or may be deducted from any sum due or which may become due to the contractor provided always that the Engineer-in-Charge shall soon after the occurrence of any such emergency as may be reasonable, practicable, notify the contractor thereof in writing.
- 29. SECURITY REGULATIONS: The contractors have to follow strictly the regulations of the Department at the work site regarding entry of personnel, material etc. and any other regulation that might be enforced from time to time. All materials and articles brought by the contractor to the work site shall have to be declared at the security gate. Similarly no materials shall be taken out from the Departmental premises without proper gate pass, which will be issued by the Engineer-in-Charge to the contractor on written request. It is to be noted that loading of contractor's materials in vehicles and trucks shall be done in the presence of Departmental personnel. The contractor's representative will have to escort the materials till the security check is over.

The contractors, suppliers, vendors, workers engaged in work/business will be issued with renewable entry permit to avoid un-authorised entry in the Departmental area/site on scrutiny of applications in prescribed form.

For working on Sundays, Holidays and late hours, even though permission will be accorded by the Engineer-in-Charge, the contractor will have to make application to the Security Department also and keep them informed well in advance.

The area where the proposed work is to be carried is residential / non-residential area under the control of Security authorities of Department, entry to the site of work shall be through the main gate only. The contractors shall follow strictly the security regulations of the Department at site of work regarding entry of personnel, materials etc. and other regulations that might be enforced from time to time at the work site and also in the campus for smooth and efficient operation. The contractor, his agents, representatives, workmen etc. and his materials, carts, trucks or other means of transport etc. will be allowed to enter through and leave from such point of entry/exit at such times, the authorities in-charge of the area, at their sole discretion, may permit.

The contractor, his agents and representatives are required to be in possession of the individual identity / muster cards or passes. The muster cards or passes are examined by the security staff at the time entry / exit inside the departmental area and also at any time or number of times within such area.

The contractor will have to apply for entry/muster permits of likely number of labour to be engaged during the week for the workers and authorise their representatives to collect the entry permits for labour from the Departmental Security Authorities.

It will be the responsibility of the contractor to maintain the list of labourers permitted to work inside the premises in a register and the representative of contractor's labour will have to issue entry pass to each labour after making necessary entry in the registers.

The contractor, his agents, representatives, workmen shall strictly observe the orders pertaining to prevailing fire precautions.

In addition to the above, other security regulations as may be imposed by the Security authorities / Engineer-in-Charge shall be complied with / observed by the contractor and his workmen, in addition to the above.

Contractor shall arrange for valid police verification of labourers, supervisors and engineers engaged by him.

Any breach of above security regulations and rules in force from time to time will be viewed seriously. No claim whatsoever will be entertained by the Department on account of the observation of the Security regulations.

30. WATCH AND WARD AND LIGHTING: The contractor shall in connection with the works provide and maintain at his own cost all lights, guards, fencing and watching when and where necessary or as required by the Engineer-in-Charge and duly constituted authority for the protection of the workers or for safety and convenience of the public or others. The contractor shall be responsible for all damages and accidents caused due to negligence in this regard.

It will be the entire responsibility of the contractor to protect the work(s) carried out by them including the fittings, fixtures and other accessories provided by them till the entire work is satisfactorily handed over to the Department / Users.

- **31. DEPARTMENT'S DRAWINGS, SPECIFICATIONS, PROTO-TYPE ETC.**: All drawings, specifications, patterns, samples, models and proto-types furnished to the contractor by the Department are intended to be complementary and to provide for and comprise everything necessary for the completion of work / supply and are the property of the Department. These are not to be used for any work or purpose other than those for which these have been provided and shall be returned to the Department immediately on completion of work / supply in good condition.
- **32. CONFIDENTIAL INFORMATION**: The drawings, specifications, proto-type, samples and such other information furnished to the contractor relating to the supply / work, sub-systems / equipment etc. are to be treated as confidential which shall be held by the contractor in confidence and shall not be divulged to any third party without the prior written consent of the Department. The contractor, therefore, binds himself, his successors, heirs, executors, administrators, employees and the permitted assignees or such other persons or agents directly or indirectly concerned with the work / supply to the confidential nature of the drawings, specifications, proto-type samples etc. It is a further condition of the contract that the contractor shall not, without prior written permission from the Department, transmit, transfer, exchange, gift or communicate any such confidential information, and also the component, sub assembly, products, by-products etc. pursuant to the fabrication under taken by the contractor, to any third party.
- **32.** (a) Patents and Patent Rights Indemnification: All specifications, drawings, patents and such other relevant information furnished to the contractor by the Department shall be the property of the Department. If, during the process of execution of the contract, any improvement, refinement or technical changes and modifications are effected by the contractor, such changes shall not affect the title to the property of the Department and all the information, specifications, drawings etc. including the improvement / modifications, effected by the contractor shall continue to be the property of the Department. The Department shall also have the absolute right to assign, transfer, sublet, use and transmit all such information and details to the Department's consultants, agents and collaborators and the contractor shall not have any claim or rights whatsoever in respect of the Department's drawings, specifications, patents, prototypes etc. even where improvement, refinement, modifications etc. were effected by the contractor.
- (b) Endorsement to be made by the Contractor on Fabrication Drawings for the protection of Departments Interest: "This design / drawing is the property of the UGC-DAE CSR and it must be returned with the tender / quotation or upon delivery of the materials / equipment and must not be used except with the permission of the owner".

* * *

SECTION - 6 - SAFETY CODE:

- 1) Suitable scaffolds should be provided for workmen for all works that cannot safely be done from the ground, or from solid construction except such short period work as can be done safely from ladders. When a ladder is used an extra mazdoor shall be engaged for holding the ladder and if the ladder is used for carrying materials as well, suitable footholds and handholds shall be provided on the ladder and the ladder shall be given an inclination not steeper than 1/4 to 1 (1/4 horizontal and 1 vertical).
- 2) Scaffolding or staging more than 3.6 m. (12 feet) above the ground or floor, swung or suspended from an over head support or erected with stationary support shall have a guard rail properly attached or bolted, braced and otherwise secured atleast 90 cm. (3 feet) high above the floor or platform of such scaffolding or staging and extending along the entire length of the out side and ends thereof with only such opening as may be necessary for the delivery of materials. Such scaffolding or staging shall be so fastened as to prevent it from swaying from the building or structure.
- 3) Working platform, gangways, and stairways should be so constructed that they should not sag unduly or unequally, and if the height of the platform or the gangway or the stairway is more than 3.6 m. (12 feet) above ground level or floor level, they should be closely boarded, should have adequate width and should be suitably fastened as described in (ii) above.
- 4) Every opening in the floor of a building or in a working platform shall be provided with suitable means to prevent the fall of persons or materials by providing suitable fencing or railing whose minimum height shall be 90 cm. (3 feet).
- 5) Safe means of access shall be provided to all working platforms and other working places. Every ladder shall be securely fixed. No portable single ladder shall be over 9 m in length while the width between side rails in rung ladder shall in no case be less than 29 cm for ladder up to and including 3 m in length. For longer ladders this width should be increased at least 1/4" for each additional 30 cm of length. Uniform step spacing or not more than 30 cm. shall be kept. Adequate precautions shall be taken to prevent danger from electrical equipment. No materials on any of the sites or work shall be so stacked or placed as to cause danger or inconvenience to any person or the public. The contractor shall provide all necessary fencing and lights to protect the public from accident, and shall be bound to bear the expenses of defense of every suit, action or other proceedings at law that may be brought by any persons for injury sustained owing to neglect of the above precautions and to pay any damages and cost which may be awarded in any such suit, action or proceedings to any such persons or which may, with the consent of the contractor, be paid to compensate any claim by any such person.
- 6) **Excavation and trenching**: All trenches, 1.2 m or more in depth, shall at all times be supplied with atleast one ladder for each 30 m in length or fraction thereof, Ladder shall extend from bottom of the trench to at least 90 cm above the surface of the ground. The side of the trenches which are 1.5 m or more in the depth shall be stepped back to give suitable slope or securely held by timber bracing, so as to avoid the danger of sides collapsing. The excavated materials shall not be placed within 1.5 m of the edges of the trench or half of the depth of the trench whichever is more. Cutting shall be done from top to bottom. Under no circumstances undermining or under cutting shall be done.
 - Demolition: Before any demolition work is commenced and also during the progress of the work:—
 - i) All roads and open areas adjacent to the work site shall either be closed or suitably protected.
- ii) No electric cable or apparatus which is liable to be a source of danger or a cable or apparatus used by the operator shall remain electrically charged.
- iii) All practical steps shall be taken to prevent danger to persons employed from risk of fire or explosion or flooding. No floor, roof or other part of the building shall be so overloaded with debris or materials as to render it unsafe.
- 8) All necessary personal safety equipment as considered adequate by the Engineer-in-Charge should be kept available for the use of the person employed on the site and maintained in a condition suitable for immediate use, and the contractor should take adequate steps to ensure proper use of equipment by those concerned: The following safety equipments shall invariably be provided:
- i) Workers employed on mixing asphaltic materials, cement and lime mortars shall be provided with protective footwear and protective goggles.
- ii) Those engaged in white washing and mixing or stacking of cement bags or any material which is injurious to the eyes shall be provided with protective goggles.
 - iii) Those engaged in welding works shall be provided with welders protective eye shields.
- iv) Stone breakers shall be provided with protective goggles and protective clothing and seated at sufficiently safe intervals.
- v) When workers are employed in sewers and manholes, which are in active use, the contractors shall ensure that the manhole covers are opened and are ventilated at least for an hour before the workers are allowed

to get into the manholes, and the manholes so opened shall be cordoned off with suitable railing and provided with warning signals or boards to prevent accident to the public.

In addition the contractor shall ensure that the following safety measures are adhered to:

- a) Entry for workers into the line shall not be allowed except under supervision of the EIC or his representative.
- b) At least 5 to 6 manholes upstream and downstream should be kept open for at least 2 to 3 hours before any man is allowed to enter into the manhole for working inside.
- c) Before entry, presence of Toxic gases should be tested by inserting wet lead acetate paper which changes colour in the presence of such gases and gives indication of their presence
- d) Presence of Oxygen should be verified by lowering a detector lamp into the manhole. In case, no Oxygen is found inside the sewer line, workers should be sent only with Oxygen kit.
- e) Safety belt with rope should be provided to the workers. While working inside the manholes, such rope should be handled by two men standing outside to enable him to be pulled out during emergency.
- f) The area should be barricaded or cordoned of by suitable means to avoid mishaps of any kind. Proper warning signs should be displayed for the safety of the public whenever cleaning works are undertaken during night or day.
- g) No smoking or open flames shall be allowed near the blocked manhole being cleaned.
- h) The MALBA obtained on account of cleaning of blocked manholes and sewer lines should be immediately removed to avoid accidents on account of slippery nature of the MALBA.
- i) Workers should not be allowed to work inside the manhole continuously. He should be given rest intermittently. The Engineer-in-Charge may decide the time up to which a worker may be allowed to work continuously inside the manhole.
- j) Gas masks with Oxygen Cylinder should be kept at site for use in emergency.
- k) Air-blowers should be used for flow of fresh air through the manholes. Whenever called for, portable air blower are recommended for ventilating the manholes. The motors for which shall be vapour proof and of totally enclosed type. Non sparking gas engines also could be used but they should be placed at least 2 metres away from the opening and on the leeward side protected from wind so that they will not be a source of friction on any inflammable gas that might be present.
- I) The workers engaged for cleaning the manholes / sewers should be properly trained before allowing to work in the manhole.
- m) The workers shall be provided with gum-boots or non-sparking shoes bump helmets and glows gas masks and non-sparking tools safety lights and gas masks and portable air blowers (when necessary). They must be supplied with barrier cream for anointing the limbs before working inside the sewer line.
- n) Workmen descending a manhole shall try each ladder stop or rung carefully before putting his full weight on it to guard against insecure fastening due to corrosion of the rungs fixed to manhole.
- o) If a man has received a physical injury, he should be brought out of the sewer immediately and adequate medical aid should be provided to him.
- p) The extent to which these precautions are to be taken depend on individual situation but the decision of the Engineer-in-Charge regarding the steps to be taken in this regard in an individual case will be final.
- 9) The contractor shall not employ men and women below the age of 18 years the work of painting with products containing lead in any form. Wherever men above the age of 18 are employed on the work of lead painting, the following precautions should be taken:
 - i.No paint containing lead or lead products shall be used except in the form of paste or ready made paint.
 - ii. Suitable face masks should be supplied for use by the workers when paint is applied in the form of spray or a surface having lead paint dry rubbed and scrapped.
 - iii.Overalls shall be supplied by the contractors to the workmen and adequate facilities shall be provided to enable the working painters to wash during and on cessation of work.
- 10) The Contractor shall not employ women and men below the age of 18 on the work of painting with product containing lead in any form, wherever men above the age of 18 are employed on the work of lead painting, the following principles must be observed for such use
 - i) White lead, sulphate of lead, or product containing these pigment, shall not be used in painting operation, except in the form of paste or of paint ready for use.
 - ii) Measures shall be taken, wherever required in order to prevent danger arising from the application of a paint in the form of spray.
 - iii) Measures shall be taken, wherever practicable, to prevent danger arising out of from dust caused by dry rubbing down and scrapping.

- Adequate facilities shall be provided to enable working painters to wash during and on cessation of work.
- v) Overalls shall be worn by working painters during the whole of the working period.
- vi) Suitable arrangements shall be made to prevent clothing put off during working hours, being soiled by painting materials.
- vii) Cases of lead poisoning and suspected lead poisoning shall be notified and shall be subsequently verified by a medical man appointed by the competent authority of the Department.
- viii) The Department of Atomic Energy may require, when necessary, medical examination of workers.
- ix) Instruction with regard to special hygienic precautions to be taken in the painting trade shall be distributed to working painters.
- When the work is done near any place where there is risk of drowning, all necessary equipments should be provided and kept ready for use and all necessary steps taken for prompt rescue of any person in danger and adequate provision should be made for prompt first-aid treatment of all injuries likely to be obtained during the course of the work.
- 12) Use of hoisting machines and tackle including their attachments, anchorage and supports shall conform to the following standards or conditions:
 - i) a) These shall be of good mechanical construction, sound material and adequate strength and free from patent defects and shall be kept repaired and in good working order.
 - b) Every rope used in hoisting or lowering materials or as a means of suspension shall be of durable quality and adequate strength, and free from patent defects.
 - ii) Every crane driver or hoisting appliance operator shall be properly qualified and no person under the age of 21 years should be in charge of any hoisting machine including any scaffolding winch or give signals to operator.
 - iii). In case of every hoisting machine and of every chain ring hook, shackle swivel and pulley block used in hoisting or as means of suspension the safe working load shall be ascertained by adequate means. Every hoisting machine and all gear referred to above shall be plainly marked with the safe working load. In case of a hoisting machine having a variable safe working load, each safe working load and the conditions under which it is applicable shall be clearly indicated. No part of any machine or any gear referred to above in this paragraph shall be loaded beyond the safe working load except for the purpose of testing.
 - iv). In case of departmental machines, the safe working load shall be notified by the Electrical Engineer-in-Charge. As regards contractors machines the contractors shall notify the safe working load of the machine to the Engineer-in-Charge whenever he brings any machinery to site of work and get it verified by the Electrical Engineer concerned.
- Motors, gearing, transmission, electrical wiring and other dangerous parts of hoisting appliances should be provided with efficient safe-guards. Hoisting appliances should be provided with such means as will reduce to the minimum the risk of accidental descent of the load. Adequate precautions should be taken to reduce to the minimum the risk of any part of a suspended load becoming accidentally displaced. When workers are employed on electrical installations which are already energised, insulating mats, wearing apparel, such as gloves, sleeves and boots as may be necessary should be provided. The workers should not wear any rings, watches and carry keys or other materials which are the good conductors of electricity.
- All scaffolds, ladders and other safety devices mentioned or described herein shall be maintained in safe condition and no scaffold, ladder or equipment shall be altered or removed while it is in use. Adequate washing facilities should be provided at or near places of work.
- These safety provisions should be brought to the notice of all concerned by display on a notice board at a prominent place at work spot. The person responsible for compliance of the safety code shall be named therein by the contractor.
- To ensure effective enforcement of the rules and regulations relating to safety precautions the arrangements made by the contractor shall be open to inspection by the Labour Officer or Engineer-in-Charge of the Department or their representatives.
- Notwithstanding the above clauses from (i) to (xiv) there is nothing in these to exempt the contractor from the operations of any other Act or Rule in force in the Republic of India.

* * :

SECTION - 7: SAFETY WITH SCAFFOLDING:

INTRODUCTION:

- 1. Following paragraphs deals with the safety regulations and precautions to be followed in the construction use, maintenance, etc. of scaffolds. This will serve as a guide to users of scaffolds in the construction and maintenance operations.
- 2. Suitable scaffolds are used for performing work that cannot be done from the ground, part of a permanent structure, a ladder or other available means of support.

Scaffolds are used in many construction and maintenance operations. Fall of person is the most common hazard accompanying the use of scaffolds because of the height usually involved.

1. General Requirements:

- 1.1 Every scaffold and its supporting members should be designed to support given load, with a safety factor of at least four. No alterations should be made that might impair the strength of such structures, no improvised, make-shift or substandard scaffold should be permitted even for the most temporary use.
- 1.2 All work in connection with such structures, including construction, alteration and removal should be carefully done under the direction and supervision of persons who have had experience in such works.

2. Materials of Construction:

2.1. Every scaffold and every part thereof, including supports, should be of good construction, sound material, of adequate strength for the purpose which it is meant to be used and should be properly maintained.

Planks should be laid flat with an overlap, lengthwise, of at least 30 cm. with the centre of the overlap directly over a bearer. Boards and planks used for the floors should be of uniform thickness, closely laid and securely fastened in place.

- 2.2 All lumber used in the construction of scaffolds should be sound, straight-grained, free from cross-grains, shakes and loose or dead knots. It should also be free from dry rot, large checks, worm holes, or other defects impairing its strength or durability.
- 2.3 All nails used in the construction of scaffolds, staging and supports should be of ample size and used in sufficient quantities at each connection to develop the designed strength of scaffold. Nails should penetrate to the holding piece to a depth of at least 12 times the diameter of nail.
- 2.4 Barrels, boxes, loose tile blocks, loose piles of bricks or other unstable objects should not be used to support planks used as working platforms.

3. Platforms, Railings and Tee-Boards:

- 3.1 The minimum uniformly distributed design load per Sq. m. of platforms should be 250 kg. Any concentrated load at any point in the span should not exceed the designed uniformly distributed load. Planks should not be less than 50 mm thick.
- 3.2 The rear of outer side of every scaffolding, platform and ramp more than 2M above the surrounding ground or solid construction, or adjacent to deep holes, excavations, railroad tracks, high tension electrical wires, should be provided with a substantial guard rail of standard construction consisting of top and intermediate rails, and toe-boards all supported by posts and securely connected to scaffold at intervals of not more than 2.4 M (See figure 1).
- 3.3 The width of the scaffolds should be such as to provide a clear walkway 50 cm. wide. If part of the width of scaffold is to be used for keeping materials such as brick, mortar or lumber, the scaffold should be made wider so as to provide a walkway of the required width.
- 3.4 Where scaffolds are erected over side walks or over areas in which persons must work or pass, the space between the railing and toe-board should be fitted with side screens.
- 3.5 There should be a screen or other protection suspended from the scaffold to catch materials that may fall from above. Screens should extend beyond the edge of the scaffold to catch any materials that may fall over the edges.

4. Means of Access:

4.1 A safe and convenient means of access should be provided to the platform or scaffold. This requirement does not apply to swinging scaffolds or those with convenient access from adjacent floors (see figure - 2).

Means of access may be a portable ladder, fixed ladder, ramp or it may be a stairway. The use of cross braces or frame work as means of access to the working surface should not be permitted.

- 4.2 If scaffolds are to be used to a great extent or for a long period of time, a regular plank stairway, wide enough to allow two persons to pass, should be erected. Such stairways should have handrails on both sides.
 - 4.2.1 No stairway or run of slope exceeding 2 in 3 should be used.
- 4.2.2 Where the slope of a stairway or run renders additional foot hold necessary, and in every case where the slope is more than 1 in 4, there should be provided proper stepping laths which should:
 - a) have a minimum section of 50 x 30 mm and be placed at maximum interval of 45 cm and
- b) be of length to cover the full width of the stairway of run except that they may be interrupted over a width of not more than 10 cm to facilitate the movement of barrows.

5. Overhead Protection:

5.1 Overhead protection should be provided on the scaffold whenever persons are working at higher places. This protection should be not more than 3m above the scaffold floor and should be of planks or other suitable materials.

6. Use of Scaffolds:

- 6.1 Good housekeeping should be maintained at all times upon scaffolding, platforms and ramps. Excessive storage of materials thereon should be avoided. Care must be taken to avoid accumulating of small objects, such as boards, tools, pieces of reinforcing steel, waste concrete which may easily be disturbed on knock off. Hand rails should be kept in good repair and securely nailed or otherwise fastened down. Scaffold should be cleared of all tools, materials and rubbish at the end of each working day/shift.
- 6.2 Persons should not be permitted on scaffolds when the platform or guard rails are slippery. Persons should not be permitted to work on scaffolds during a storm or strong winds.
- 6.3 Suspended scaffolds should never be used for the storage of stone or heavy materials. Two or more swinging scaffolds should not at any time be combined into one by bridging the distance between them with planks or any other form of connection. Life lines securely fastened from above should be provided for each person working on a swinging scaffold. Safety belts should be tied to the life lines (See figure 3).

7. Inspection:

- 7.1 As scaffolds have to remain in position normally for many weeks, they must be inspected at least once a week to make sure that nothing has gone wrong since erection. In addition, they must always be inspected after a spell of bad weather which might have affected their stability.
- 7.2 The inspections must be carried out by some one who knows the faults to look for and how they may be put right. It is important to know that the work of inspection has been completed and what faults have been found, the results of each inspection must, therefore be recorded. Any scaffold damaged or weakened from any cause should be immediately repaired and persons should not be allowed to use it until repairs have been completed.

8. Dismantling:

8.1 The dismantling of scaffold should be carefully done under experienced supervision. Care should be taken not to drop small, loose objects when removing scaffold planks. All nails should be promptly removed from scaffold planks and the planks safely piled.

9. Precautions against particular Hazards:


- 9.1 Care should be taken to see that no uninsulated electric wire exists within 3M. of the working platform, stairways, etc. of the scaffold.
- 9.2 While carrying bars, rods or pipes of any conducting material of length greater than 3 M. in the vicinity of electric wires, special care should be taken that these bars do not touch the electric wires.
- 9.3 Care should be taken against any possibility of wooden scaffold catching fire. In suspended scaffolds, if a blow torch or other flame is used for removing paints, only wire ropes not less than 10mm in diameter should be used.
- 9.4 Care should be taken to see that no part of a scaffold is struck by a truck or other heavy moving equipment and no material should be dumped against it.
 - 9.5 Scaffolds on thoroughfare should be provided with light.
 - 9.6 Access to cable tunnels, hydrants, etc. should remain free at all times.
- 9.7 Care should be taken from damaging under ground cables and equipment. This is specially important when parts of scaffolds for other fasteners have to be driven in the ground.

* * *


FIGURE NO. 1 SCAFFOLDING



THE REAR ON OUTER SIDE OF THE SCAFFOLD SHOULD BE PROVIDED WITH A SUBSTANTIAL GUARD RAIL OF STANDARD CONSTRUCTION



PERSONS SHOULD NOT BE ALLOWED TO WORK ON SCAFFOLDS WHERE THE EDGES ARE UNGUARDED. A SLIGHT SLIP WILL RESULT IN SERIOUS INJURY OR EVEN DEATH



FROM INDUSTRIAL SAFETY CHARTS-US DEPT. OF LABOUR.

FIGURE NO. 2 SCAFFOLDING





FIGURE NO. 3 SCAFFOLDING



SECTION - 8 : MODEL RULES FOR THE PROTECTION OF HEALTH AND SANITARY ARRANGEMENTS FOR WORKERS EMPLOYED OR CONTRACTORS

- 1. **Application:** These rules shall apply to all buildings and construction works in charge of Department in which twenty or more workers are ordinarily employed or are proposed to be employed in any day during the period during which the contract work is in progress.
- 2. **Definition**: Work place means a place where twenty or more workers are ordinarily employed in connection with construction work on any day during the period during which the contract work is in progress.

3. First-Aid Facilities:

- (1) At every work place there shall be provided and maintained, so as to be easily accessible during working hours, first-aid boxes at the rate of not less than one box for 150 contract labour or part thereof ordinarily employed.
- (2) The first-aid box shall be distinctly marked with a red cross on white back ground and shall contain the following equipment, namely:

a) For work places in which the number of contract labour employed does not exceed 50. Each first-aid box shall contain the following equipments:

- (i) 6 small sterilised dressings.
- (ii) 3 medium size sterilised dressings.
- (iii) 3 large size sterilised dressings.
- (iv) 3 large sterilised burn dressings.
- (v) 1 (30 ml.) bottle containing a two per cent alcoholic solution of iodine.
- (vi) 1 (30 ml.) bottle containing salvolatile having the dose and mode of administration indicated on the label.
- (vii) 1 snake-bite lancet.
- (viii) 1 (30 gms.) bottles of potassium permanganate crystals.
- (ix) 1 pair scissors.
- (x) 1 copy of the first-aid leaflet issued by the Director General, Factory Advice Service and Labour Institutes, Government of India.
- (xi) 1 bottle containing 100 tablets (each of 5 gms.) of aspirin.
- (xii) Ointment for burns.
- (xiii) A bottle of suitable surgical antiseptic solution.

b) For work places in which the number of contract labour exceeds 50. Each first-aid box shall contain the following equipments:

- (i) 12 small sterilised dressings.
- (ii) 6 medium size sterilised dressings.
- (iii) 6 large size sterilised dressings.
- (iv) 6 large size sterilised burn dressings.
- (v) 6 (15 gms.) packets sterilised cotton wool.
- (vi) 1 (60 ml.) bottle containing a two per cent alcoholic solution of iodine.
- (vii) 1 (60 ml.) bottle containing salvolatile having the dose and mode of administration indicated on the label.
- (viii) 1 roll of adhesive plaster.
- (ix) 1 snake-bite lancet.
- (x) 1 (30 gms.) bottle of potassium permanganate crystals.
- (xi) 1 pair scissors.
- (xii) 1 copy of the First-Aid leaflet issued by the Director General, Factory Advice Service and Labour Institute, Government of India.
- (xiii) A bottle containing 100 tablets (each of 5 gms.) of aspirin.
- (xiv) Ointment for burns.
- (xv) A bottle of suitable surgical antiseptic solution.
- (3) Adequate arrangements shall be made for immediate recoupment of the equipment when necessary.
- (4) Nothing except the prescribed contents shall be kept in the first aid box.
- (5) The First-Aid box shall be kept in charge of a responsible person who shall always be readily available during the working hours of the work place.
- (6) A person in charge of the First-Aid box shall be a person trained in First-Aid treatment, in work places where the number of contract labour employed is 150 or more.
- (7) In work places where the number of contract labour employed is 500 or more and hospital facilities are not available within easy distance from the works, First-Aid posts shall be established and run by a trained compounder. The compounder shall be on duty and shall be available at all hours when the workers are at work.

(8) Where work places are situated in places which are not towns or cities, a suitable motor transport shall be kept readily available to carry injured person or persons suddenly taken ill to the nearest hospital.

4. Drinking water:

- (i) In every work place, there shall be provided and maintained at suitable places, easily accessible to labour, a sufficient supply of cold water fit for drinking.
- (ii) Where drinking water is obtained from an intermittent public water supply, each work place shall be provided with storage where such drinking water shall be stored.
- (iii) Every water supply or storage shall be at a distance of not less than 50 feet from any latrine, drain or other source of pollution. Where water has to be drawn from an existing well which is within such proximity of latrine, drain or any other source of pollution, the well shall be properly chlorinated before water is drawn from it for drinking. All such wells shall be entirely closed in and be provided with a trap-door which shall be dust and water proof.
- (iv) A reliable pump shall be fitted to each covered well, the trap-door shall be kept locked and opened only for cleaning or inspection which shall be done at least once a month.

5. Washing facilities:

- (i). In every work place adequate and suitable facilities for washing shall be provided and maintained for the use of contract labour employed therein.
- (ii). Separate and adequate cleaning facilities shall be provided for the use of male and female workers.
- (iii). Such facilities shall be conveniently accessible and shall be kept in clean and hygienic condition.

6. Latrines and Urinals:

- (i). Latrines shall be provided in every work place on the following scale, namely:
- a) Where females are employed, there shall be at least one latrine for every 25 females.
- b) Where males are employed, there shall be at least one latrine for every 25 males.
 - Provided that where the number of males or females exceeds 100, it shall be sufficient if there is one latrine for 25 males or females, as the case may be, up to the first 100, and one for every 50 thereafter.
- (ii) Every latrine shall be under cover and so partitioned off as to secure privacy and shall have a proper door and fastening.
- (iii) **Construction of latrines**: The inside walls shall be constructed of masonry or some suitable heat resisting non-absorbent materials and shall be cement washed inside and outside at least once a year. Latrines shall not be of a standard lower than bore-hole system.
- (iv) a) Where workers of both sexes are employed, there shall be displayed out side each block of latrine and urinal, a notice in the language understood by the majority of the workers "For Men only" or "For Women only" as the case may be.
- b) The notice shall also bear the figure of a man or of a woman, as the case may be.
- (v) There shall be at least one urinal for male workers up to 50 and one for female workers up to 50 employed at a time. Provided that where the number of male or female workmen, as the case may be, exceeds 500, it shall be sufficient if there is one urinal for every 50 males or females up to the first 500 and one for every 100 or part thereof, thereafter.
- (vi) a) The latrines and urinals shall be adequately lighted and shall be maintained in a clean and sanitary condition at all times.
- b) Latrines and urinals other than those connected with a flush sewerage system shall comply with the requirements of the Public Health Authorities.
- (vii) Water shall be provided by means of a tap or otherwise so as to be conveniently accessible in or near the latrines and urinals.
- (viii) Disposal of excreta: Unless otherwise arranged for by the local sanitary authority, arrangements for proper disposal of excreta by incineration at the work place shall be made by means of a suitable incinerator. Alternately excreta may be disposed off by putting a layer of night soil at the bottom of a pucca tank prepared for the purpose and covering it with a 15 cm. layer of waste or refuse and then covering it with a layer of earth for a fortnight (when it will turn into manure).
- (ix) The contractor shall, at his own expense, carry out all instructions issued to him by the Engineer-in-Charge to effect proper disposal of night soil and other conservancy work in respect of the contractor's workmen or employees on the site. The contractor shall be responsible for payment of any charges which may be levied by Municipal or Cantonment Authority for execution of such work on his behalf.

7. Provision of shelter during rest: At every place there shall be provided, free of cost, four suitable sheds, two for meals, and the other two for rest separately for the use of men and women labour. The height of each shelter shall not be less than 3 metres from the floor level to the lowest part of the roof. These shall be kept clean and the space provided shall be on the basis of 0.6 Sq.m. per head.

8. Creches:

- i) At every work place at which 20 or more women workers are ordinarily employed, there shall be provided two rooms of reasonable dimensions for the use of their children under the age of six years. One room shall be used as a play room for the children and the other as their bed-room. The rooms shall be constructed with specification as per Clause 19-H (ii) a, b & c.
- ii) The rooms shall be provided with suitable and sufficient openings for light and ventilation. There shall be adequate provision of sweepers to keep the places clean.
- iii) The contractor shall supply adequate number of toys and games in the play rooms and sufficient number of cots and beddings in the bed room.
- iv) The contractor shall provide one Ayaa / Dai to look after the children in the creche when the number of women workers does not exceed 50 and two Dais when the number of women workers exceeds 50
- v) The use of the rooms earmarked as creches shall be restricted to children, their attendants and mothers of the children.

9. Canteens:

- (i) In every work place where the work regarding the employment of contract labour is likely to continue for six months and wherein contract labour numbering one hundred or more are ordinarily employed, an adequate canteen shall be provided by the contractor for the use of such contract labour.
- (ii) The canteen shall be maintained by the contractor in an efficient manner.
- (iii) The canteen shall consist of at least a dining hall, kitchen, store room, pantry and washing places separately for workers and utensils.
- (iv) The canteen shall be sufficiently lighted at all times when any person has access to it.
- (v) The floor shall be made of smooth and impervious material and inside walls shall be lime washed or colour washed at least once in each year:
 Provided that the inside walls of the kitchen shall be lime washed every four months.
- (vi) The premises of the canteen shall be maintained in a clean and sanitary condition.
- (vii) Waste water shall be carried away in suitable covered drains and shall not be allowed to accumulate so as to cause a nuisance.
- (viii) Suitable arrangement shall be made for the collection and disposal of garbage.
- (ix) The dining hall shall accommodate at a time 30 per cent of the contractor labour working at a time.
- (x) The floor area of the dining hall, excluding the area occupied by the service counter and any furniture except tables and chairs shall not be less than one square metre per diner to be accommodated as prescribed in sub-rule (ix).
- (xi) a) A portion of the dining hall and service counter shall be partitioned off and reserved for women workers, in proportion to their number.
 - b) Washing places for women shall be separate and screened to secure privacy.
- (xii) Sufficient tables, stools, chairs or benches shall be available for the number of diners to be accommodated as prescribed in sub-rule (ix).
- (xiii) (a) (1) There shall be provided and maintained sufficient utensils, crockery, furniture and any other equipments necessary for the efficient running of the canteen.
 - (a) (2)The furniture, utensils and other equipments shall be maintained in a clean and hygienic condition.
 - (b) (1) Suitable clean clothes for the employees serving in the canteen shall be provided and maintained.
 - (b) (2)A service counter, if provided, shall have top of smooth and impervious material.
 - (b) (3)Suitable facilities including an adequate supply of hot water shall be provided for the cleaning of utensils and equipments.
- (xiv) The food stuffs and other items to be served in the canteen shall be in conformity with the normal habits of the contract labour.
- (xv) The charges for food stuffs, beverages, and any other items served in the canteen shall be based on No profit, No loss and shall be conspicuously displayed in the canteen.
- (xvi) In arriving at the price of food stuffs and other articles served in the canteen, the following items shall not be taken into consideration as expenditure, namely:—
 - (a) The rent of land and buildings;
 - (b) The depreciation and maintenance charges for the building and equipments provided for the canteen;
 - (c) The cost of purchase, repairs and replacement of equipments including furniture, crockery, cutlery and utensils;
 - (d) The water charges and other charges incurred for lighting and ventilation;

- (e) The interest and amounts spent on the provision and maintenance and equipments provided for the canteen.
- (xvii) The accounts pertaining to the canteen shall be audited once every 12 months by registered accountants and auditors.
- **10. Anti-Malarial Precautions**: The contractor shall at his own expense, conform to all anti-malarial instructions given to him by the Engineer-in-Charge including the filling up of any borrow pits which may have been dug by him.
- **11. Amendments :** Government may, from time to time, add to or amend these rules and issue directions it may consider necessary for the purpose of removing any difficulty which may arise in the administration thereof.

* * *

SECTION-9: CONTRACTOR'S LABOUR REGULATIONS

1. Short Title:

These regulations may be called the "Contractors. Labour Regulations".

2. Definitions:

- i) "Workmen" means any person employed by the UGC-DAE CSR or its Contractor directly or indirectly through a sub-contractor, with or without the knowledge of the Department of Atomic Energy, to do any skilled, semi-skilled or unskilled manual, supervisory, technical or clerical work for hire or reward, whether the terms of employment are expressed or implied but does not include any person
 - a) Who is employed mainly in a managerial or administrative capacity; or
- b) Who, being employed in a supervisory capacity draws wages exceeding five hundred rupees per mensem or exercise either by the nature of the duties attached to the office or by reason of powers vested in him, functions mainly of managerial nature; or
- c) Who is an out worker, that is to say, a person to whom any article or materials are given out by or on behalf of the principal employer to be made up, cleaned, washed, altered, ornamental finished, repaired, adopted or otherwise processed for sale for the purposes of the trade or business of the principal employer and the process is to be carried out either in the home of the out worker or in some other premises, not being premises under the Control and management of the principal employer.
- ii) "Fair Wages" means wages whether for time or piece work fixed and notified under the provisions of the Minimum Wages Act from time to time.
- iii) "Contractors" shall include every person who undertakes to produce a given result other than a mere supply of goods or articles of manufacture through contract labour or who supplies contract labour for any work and includes a sub-contractor.
 - iv) "Wages" shall have the same meaning as defined in the payment of wages act.
- **3 (i)** Normally working hours of an adult employee should not exceed 9 hours a day. The working day shall be so arranged that inclusive of interval for rest, if any, it shall not spread over more than 12 hours on any day.
- (ii) When an adult worker is made to work for more than 9 hours on any day or for more than 48 hours in any week, he shall be paid over time for the extra hours put in by him at double the ordinary rate of wages.
- (iii) a) Every worker shall be given a weekly holiday normally on a Sunday, in accordance with the provisions of the Minimum Wages (Central) Rules, 1960 as amended from time to time irrespective of whether such worker is governed by the Minimum Wages Act or not.
- (iii) b) Where the Minimum Wages prescribed by the Government under the Minimum Wages Act are not inclusive of the wages for the weekly day of rest, the worker shall be entitled to rest day wages at the rate applicable to the next preceding day, provided he has worked under the same contractor for a continuous period of not less than 6 days.
- (iii) c) Where a contractor is permitted by the Engineer-in-Charge to allow a worker to work on a normal weekly holiday, he shall grant a substituted holiday to him for the whole day on one of the five days immediately before or after the normal weekly holiday and pay wages to such worker for the work performed on the normal weekly holiday at over time rate.

4. Display of Notice regarding wages etc. :

The contractor shall before he commences his work on contract, display and correctly maintain and continue to display and correctly maintain in a clear and legible condition in conspicuous places on the work, notices in English and in the local Indian languages spoken by the majority of the workers, giving the minimum rates of wages fixed under the Minimum Wages Act, the actual wages being paid, the hours of work for which such wages are earned, wage periods, dates of payment of wages and other relevant information as per **Appendix - III.**

5. Payment of Wages:

- (i) The contractor shall fix wage periods in respect of which wages shall be payable.
- (ii) No wage period shall exceed one month.
- (iii) The wages of every person employed as contract labour in an establishment or by a contractor where less than one thousand, such persons are employed shall be paid before the expiry of the seventh day and in other cases before the expiry of tenth day after the last day of the wage period in respect of which the wages are payable.
- (iv) Where the employment of any worker is terminated by or on behalf of the contractor, the wages earned by him shall be paid before the expiry of the second working day from the date on which his employment is terminated.

- (v) All payments of wages shall be made on a working day at the work premises and during the working time and on a date notified in advance and in case the work is completed before the expiry of the wage period, final payment shall be made within 48 hours of the last working day.
- (vi) Wages due to every worker shall be paid to him direct or to other person authorised by him in this behalf.
 - (vii) All wages shall be paid in current coin or currency or in both.
- (viii) Wages shall be paid without any deductions of any kind except those specified by the Central Government by general or special order in this behalf or permissible under the payment of Wages Act, 1956.
- (ix) A notice showing the wages period and the place and time of disbursement of wages shall be displayed at the place of work and a copy sent by the contractor to the Engineer-in-Charge under acknowledgement.
- (x) It shall be the duty of the contractor to ensure the disbursement of wages in the presence of the Engineer-in-Charge or any other authorised representative of the Engineer-in-Charge who will be required to be present at the place and time of disbursement of wages by the contractor to workmen.
- (xi) The contractor shall obtain from the Engineer-in-Charge or any other authorised representative of the Engineer-in-Charge as the case may be, a certificate under his signature at the end of the entries in the "Register of wages" or the "Wage-cum-Muster Roll" as the case may be in the following form:

"Certified that the amount shown in column Nohas been paid to the workman concerned in my presence on at....................."

6. FINES AND DEDUCTIONS WHICH MAY BE MADE FROM WAGES:

- (i) The wages of a worker shall be paid to him without any deductions of any kind except the following::
 - a) Fines.
 - b) Deductions for absence from duty i.e. from the place or the places where by the terms of his employment he is required to work. The amount of deduction shall be in proportion to the period for which he was absent.
 - c) Deduction for damage to or loss of goods expressly entrusted to the employed person for custody, or for loss of money or any other deduction which he is required to account, where such damage or loss is directly attributable to his neglect or default.
 - d) Deduction for recovery of advances or for adjustment of over-payment of wages; advances granted shall be entered in a register.
 - e) Any other deduction which the Central Government may from time to time allow.
- (ii) No fines should be imposed on any worker save in respect of such acts and omissions on his part as have been approved of by the Chief Labour Commissioner.

Note: An approved list of acts and omissions for which fines can be imposed is enclosed at Appendix-X.

- (iii) No fine shall be imposed on a worker and no deduction for damage or loss shall be made from his wages until the worker has been given an opportunity of showing cause against such fines or deductions.
- (iv) The total amount of fine which may be imposed in any one wage period on a worker shall not exceed an amount equal to three paise in a rupee of the total wages, payable to him in respect of that wage period.
- (v) No fine imposed on any worker shall be recovered from him by instalment, or after the expiry of sixty days from the date on which it was imposed.
- (vi) Every fine shall be deemed to have been imposed on the day of the act or omission in respect of which it was imposed.

7. Labour Records:

- (i.) The contractor shall maintain a "Register of persons employed" on work on contract in Form XIII of the CL (R&A) Central Rules, 1971 (Appendix-IV).
- (ii.) The contractor shall maintain a **"Muster Roll**" register in respect of all workmen employed by him on the work under contract in form XVI of the CL (R&A) Rules, 1971 **(Appendix-V).**
- (iii.) The contractor shall maintain a **"Wage Register**" in respect of all workmen employed by him on the work under contract in form XVII of the CL (R&A) Rules, 1971 **(Appendix-VI).**
- (iv.) **Register of accidents**: The contractor shall maintain a register of accidents in such form as may be convenient at the work place but the same shall include the following particulars:
 - a) Full particulars of the labourers who met with accident.

- b) Rate of wages.
- c) Sex.
- d) Age.
- e) Nature of accident and cause of accident.
- f) Time and date of accident.
- g) Date and time when admitted in Hospital.
- h) Date of discharge from Hospital.
- i) Period of treatment and result of treatment.
- j) Percentage of loss of earning capacity and disability as assessed by Medical Officer.
- k) Claim required to be paid under workmen's Compensation Act.
- I) Date of payment of compensation.
- m) Amount paid with details of the person to whom the same was paid.
- n) Authority by whom the compensation was assessed.
- 0) Remarks.
- (v) **Register of Fines**: The contractor shall maintain a "Register of Fines" in the form XII of the CL (R&A) Rules, 1971 **(Appendix-XI)**.

The contractor shall display in a good condition and in a conspicuous place of work the approved list of Acts and omissions for which fines can be imposed **(Appendix-X)**.

- (vi) Register of Deductions: The contractor shall maintain a "Register of deductions for damage or loss" in Form XX of the CL (R&A) Rules, 1971 (Appendix-XII).
- (vii) Register of Advances: The contractor shall maintain a "Register of Advances" in form XXII of the CL (R&A) Rules, 1971 (Appendix-XIII).
- (viii) **Register of Overtime**: The contractor shall maintain a "Register of Overtime" in form XXIII of the CL (R&A) Rules, 1971 **(Appendix-XIV).**

8. Attendance Card-cum-Wage slip:

- (i) The contractor shall issue an attendance card-cum-wage slip to each workman employed by him in the specimen form at (Appendix-VII).
- (ii) The card shall be valid for each wage period.
- (iii) The contractor shall mark the attendance of each workman on the card twice each day, once at the commencement of the day and again after the rest interval, before he actually starts work.
- (iv) The card shall remain in possession of the worker during the wage period under reference.
- (v) The contractor shall complete the wage slip portion on the reverse of the card at least a day prior to the disbursement of wages in respect of the wage period under reference.
- (vi) The contractor shall obtain the signature or thumb impression of the worker on the wage slip at the time of disbursement of wages and retain the card with himself.

9. Employment Card:

The contractor shall issue an Employment Card in form XIV of the CL (R&A) Central Rules, 1971 to each worker within three days of the employment of the worker (**Appendix-VIII**).

10. Service Certificate:

On termination of employment for any reason whatsoever the contractor shall issue to the workman whose services have been terminated, a service certificate in form XV of the CL (R&A) Central Rules, 1971 (Appendix-IX).

11. Preservation of Labour Records:

All records required to be maintained under Regulations Nos. 6 and 7 shall be preserved in original for a period of three years from the date of last entries made in them and shall be made available for inspection by the Engineer-in-Charge or Labour Officer or any other officers authorised by the Department in this behalf.

12. Power of Labour Officers to make investigations or enquiry:

The Labour Officer or any other person authorised by Central Government on their behalf shall have power to make enquiries with a view to ascertaining and enforcing due and proper, observance of the Fair Wages Clauses and the Provisions of Regulations. He shall investigate into any complaint regarding the default made by the contractor or sub-contractor in regard to such provision.

13. Report of Labour Officer:

The Labour Officer or other persons authorised as aforesaid shall submit a report of result of his investigation or enquiry to the Engineer-in-Charge concerned indicating the extent, if any, to which the default has been committed with a note that necessary deductions from the contractor's bill be made and the wages and other dues be paid to the labourers concerned. In case an appeal is made by the contractor under Clause 13 of these regulations, actual payment to labourers will be made by the Engineer-in-Charge after the Chief Engineer has given his decision on such appeal.

(i) The Engineer-in-Charge shall arrange payments to the labour concerned within 45 days from the receipt of the report from the Labour Officer or the Chief Engineer as the case may be.

14. Appeal against the decision of Labour Officer:

Any person aggrieved by the decision and recommendations of the Labour Officer or other person so authorised may appeal against such decision to the Engineer concerned within 30 days from the date of decision, forwarding

simultaneously a copy of his appeal to the Engineer-in-Charge concerned but subject to such appeal, the decision of the Officer shall be final and binding upon the contractor.

15. Prohibition regarding representation through lawyers:

- (i) A workman shall be entitled to be represented in any investigation or enquiry under these regulations by :
 - (a) An officer of a registered trade union of which he is a member.
 - b) An officer of a federation of trade unions to which the trade union referred to in clause (a) is affiliated.
 - c) Where the employer is not a member of any registered trade union, by an officer of a registered trade union, connected with the industry in which the worker is employed or by any other workman employed in the industry in which the worker is employed.
- (ii) An employer shall be entitled to be represented in any investigation or enquiry under these regulations by
 - a) An officer of an association of employers of which he is a member.
 - An officer of a federation of associations of employers to which association referred to in Clause (a) is affiliated.
 - c) Where the employer is not a member of any association of employers, by an officer of association of employer, connected with the industry in which the employer is engaged or by any other employer, engaged in the industry in which the employer is engaged.
- (iii) No party shall be entitled to be represented by a legal practitioner in any investigation or enquiry under these regulations.

16. Inspection of Books and slips:

The contractor shall allow inspection of all the prescribed labour records to any of his workers or to his agent at a convenient time and place after due notice is received or to the Labour Officer or any other person, authorised by the UGC-DAE CSR on his behalf.

17. Submission of Returns:

The contractor shall submit periodical returns as may be specified from time to time.

18. Amendments:

The Central Government may, from time to time, add to or amend the regulations and on any question as to the application, interpretation or effect of those regulations the decision of the Engineer concerned in that behalf shall be final.

* * *

REGISTER OF MATERNITY BENEFITS

(Clause 19 F of the conditions of contract)

(Clause 191 Of the	conditions of contract)
Name and address of the contractor(s):	
Name and location of the work:	

Name of the employee	Father's / Husband's Name	Nature of employment	Period of actual employment	Date on which notice of confinement given
1	2	3	4	5

Date of delivery /	Dat	e on which maternity le	ave commenced and e	nded
miscarriage	In case o	f Delivery	In case of I	Mis-carriage
	Commenced	Ended	Commenced	Ended
6	7	8	9	10

	Leave pay paid	to the employee		Remarks
In case o	f delivery	In case of mis-car	riage	
Rate of leave pay	Amount paid	Rate of leave pay	Amount paid	
11	12	13	14	15

APPENDIX-II

SPECIMEN FORM OF THE REGISTER, REGARDING MATERNITY BENEFIT ADMISSIBLE TO THE CONTRACTOR'S LABOUR IN D.A.E. WORKS.

1.	Name of the woman and her husband's Name :	
2.	Designation:	
3.	Date of appointment :	
4.	Date with months and years in which she is employed :	
5.	Date of discharge/dismissal, if any:	
6.	Date of production of certificates in respect of pregnancy:	
7.	Date on which the woman informs about the expected delivery :	
8.	Date of delivery/Miscarriage/death:	
9.	Date of production of certificate in respect of delivery/miscarriage :	
10.	Date with the amount of maternity/death benefit paid in advance of expected delivery:	
11.	Date with the amount of subsequent payment of maternity benefit :	
12.	Name of the person nominated by the woman to receive the payment of the maternity benefit after her death.	
13.	If the woman dies, the date of her death, the name of the person to whom maternity benefit amount was paid, the month thereof and the date of payment	
14.	Signature of the contractor authenticating entries in the register :	
15.	Remarks column for the use of Inspecting Officer:	

LABOUR BOARD

1	Name of work:	
2	Name and address of contractor:	
3	Name and address of Division:	
4	Name and address of Labour Officer:	
5	Name and address of Labour Enforcement officer:	

S. NO.	CATEGORY	MINIMUM WAGE FIXED	ACTUAL WAGE PAID	NUMBER PRESENT	REMARKS
Weekly	holiday :				
Wage pe	eriod :				
Date c	of payment o	f			
Working	hours :				
Rest inte	rval :				

REGISTER OF WORKMEN EMPLOYED BY CONTRACTOR

FORM XIII

Nan	Name and Address of contractor:	ess of con	tractor:								
Nan	ne and Addn	ess of esta	ablishment in	/under which	Name and Address of establishment in/under which contract is carried on :						
Nat	Nature and Location of work:	ation of wo	ork :								
Nan	ne and Addr	ess of Prir	Name and Address of Principal Employer.	ië.							
<u>15</u> 2	Name and sumame	d Age	Father's/ husband's	Nature of emolovment	Permanent home	Local	Date of commencement	Signature or thumb	Date of Termination	Reasons for termi -	Rem- arks
		Sex	Name	/designation		ress	Of employment	impression of the workman	of employment	nation	
-	2	m	4	5	9	7	8	8	10	11	12
					FOI MUST	FORM XVI Muster Roll	=			APPENDIX – V	- XIQI
Nan	Name and address of contractor:	ess of con	tractor:								
Nan	ne and addre	ess of esta	ablishment in/	under which o	Name and address of establishment in/under which contract is carried on :						
Nati	Nature and location of work :	tion of wor	¥:								
Nan	ne and addre	ess of Prin	Name and address of Principal Employer:								
For	For the month of/fortnight	f/fortnight									
		,									
	SI.No.	Name of	Name of workman	Sex	Father's/Husband's Name		_	Dates		Remarks	

9

ю

4

ო

N

-

C

ĸΩ

FORM XVII

žΕS
Š
9
TER
GIS
ž

Sl. Name of No. workman	addres	Name and address of Principal employer:	rincip	oal e	mploy	: Je/																			
										Wa	des	period	t: Mo	nthly	Wages period: Monthly / Fortnightly	night	lly								
,	Н	Serial No.	9	Ďě	Designation	\vdash	No. of	Units	H	Daily rate	æ				Amour	nt of w	Amount of wages earned	ned			Set		Signature	F	Initial of
		in the register of	rof	/ na wor	/ nature of work done		days worked			of wages / piece		Basic wages	\vdash	Dearness allowances	, s	Over- time	Other cash		Total	Dedu- ctions if	Amount paid		or thump Impression	-	contractor or his
		workmen	ea ea					done		rate		,					Payments (indicate nature)	\$ a	_	any (Indicate nature)			of workman		represent- tative
2		e		4		٠,	n O	ဖ	,	7	ω		ത		-	10	11	12		13	14		15	_	16
																						`	APPENDIX – VII	QN	IIV - X
													>	AGE	WAGE CARD	0									200
Wage Card No:	No:														Date	Date of issue:	:ne:								
Name and address of contractor:	addres	ss of co	ontra	ctor											Nam	e and	Name and location of work:	of wor	 ¥						
Name of workman:	orkmai														Desig	Designation:	: U								
Rate of wages:	des:																								
											Š	onth	/Fc	ř	Month/Fortnight:										
PARTICULARS	ARS	-	1	ю	4	w a	7 8	თ	10	11 12	43	4	15	16 17	8	19	20 21	22	23 24	25 26	27	28	29 30	34	
MORNING																									Rate:
EVENING																								_	Amount:
INITIAL																									

		ORM AGE	I XIX SLIP
Nan	ne and address of contractor:		
Nan	ne and Fathers/Husbands name of workman:		
Natı	ure and location of work:		
For	the Week/Fortnight/Month ending:		
1	No. of days worked:		
2	No. of units worked in case of piece workers:	rate	
3	Rate of daily wages/piece rate:		
4	Amount of overtime wages:		
5	Gross wages payable:		
6	6 Deductions, if any:		
7	Net amount of wages paid :		
	EMPL		Initials of the contractor or his representative APPENDIX-VIII MIXIV ENT CARD
Nan	ne and address of contractor:		
	Name and address of establishment in/under:		
whic	ch contract is carried on		
Nan	ne of work and location of work:		
Nan	ne and address of Principal employer:		

me of work and location of work:	
me and address of Principal employer:	
Name of the workman:	
SI. No. in the register of workman:	
employed	
Nature of employment/designation:	
Wage rate (with particulars of unit in:	
case of piece work)	
Wage period:	
Tenure of employment:	
Remarks:	
	Name of the workman: SI. No. in the register of workman: employed Nature of employment/designation: Wage rate (with particulars of unit in: case of piece work) Wage period: Tenure of employment:

APPENDIX - IX

FORM – XV SERVICE CERTIFICATE

Name and	Name and address of contractor:	ntractor:				
Nature and	Nature and location of work:	ork :				
Name and	Name and address of workman :	orkman :				
Age or date of birth :	e of birth :					
Identification marks :	on marks :					
Father's/Hi	Father's/Husband's Name :	.e.				
Name and	address of es	tablishment in / under wh	Name and address of establishment in / under which contract is carried on :			
Name and	address of Pr	Name and address of Principal Employer:				
Sl.No.	Total perio From	Total period for which employed From To	Nature of work done	Rate of wages(with particulars of Unit in case of piece work)	s of	Remarks
-	2	ю	4	ю		9

APPENDIX-X

LIST OF ACTS AND OMISSIONS FOR WHICH FINES CAN BE IMPOSED:

In accordance with rule 7(V) of the Contractor's Labour Regulations to be displayed prominently at the site of work in both English and local language.

- 1. Willful insubordination or disobedience, whether alone or in combination with other.
- 2. Theft, fraud or dishonesty in connection with the contractors beside a business or property of Department of Atomic Energy.
- 3. Taking or giving bribes or any illegal gratifications.
- 4. Habitual late attendance.
- 5. Drunkenness fighting, riotous or disorderly or indifferent behaviour.
- 6. Habitual negligence.
- 7. Smoking near or around the area where combustible or other materials are locked.
- 8. Habitual indiscipline.
- 9. Causing damage to work in the progress or to property of the Department of Atomic Energy or of the contractor.
- 10. Sleeping on duty.
- 11. Malingering or slowing down work.
- 12. Giving of false information regarding name, age, father's name etc.
- 13. Habitual loss of wage cards supplied by the employers.
- 14. Unauthorised use of employer's property for manufacture or making of unauthorised articles at the work place.
- 15. Bad workmanship in construction and maintenance by skilled workers which is not approved by the Department and for which the contractors are compelled to undertake rectifications.
- 16. Making false complaints and/or misleading statements.
- 17. Engaging on trade within the premises of the establishments.
- 18. Any unauthorised divulgence of business affairs of the employees.
- 19. Collection or canvassing for the collection of any money within the premises of an establishment unless authorised by the employer.
- 20. Holding meeting inside the premises without previous sanction of the employers.
- 21. Threatening or intimidating any workman or employee during the working hours within the premises.

FORM-XII REGISTER OF FINES

Name and address of contractor:	
Name and address of establishment in/under which contract is carried on :	
Nature and location of work :	
Name and address of Principal employer :	

Remarks	12	
Date on which fine realised	11	
Amount of fine imposed	10	
Wage period and wages payable	в	
Name of person in whose presence employee's explanation was heard	8	
Date of Whether offence workman showed cause against fine	7	
Date of offence	9	
Act/omission for which fine imposed	5	
Designation / nature of employment	4	
Father's/Hus band's name	ю	
Name of workman	2	
S S	-	

APPENDIX - XII

FORM – XX REGISTER OF DEDUCTIONS FOR DAMAGE OR LOSS

Name and address of contractor :	
Name & address of establishment in/under which contract is carried on :	
Nature and location of work:	
Name and address of Principal Employer:	

Rem -	arks		13	
covery	Last	instal ment	12	
Amount of No. of Date of Recovery	First	install - ment	11	
No. of	install -	ments	9	
Amount of	deduction	imposed	8	
Name of person in	whose presence	employee's explanation was heard	8	
Whether	workman showed	cause against deduction	7	
Date of	damage	or loss	9	
Particulars	of damage	or loss	5	
Sr. Name of Father's/ Designation	Husband's / nature of	employment	4	
Father's/	Husband's	Name	ю	
Name of	workman		2	
ij	ģ		-	

FORM – XXII REGISTER OF ADVANCES

a	Name and address of contractor :	ntractor :								
ంర	address of estab	dishment in/unde	Name & address of establishment in/under which contract is carried on :	carried on :						
e	Nature and location of work:	ork :								
e an	d address of Prir	Name and address of Principal Employer:								
Sr.No.	Name of workman	Father's/ Husband's Name	Designation/na ture of employment	Wage period and wages payable	Date and amount of advance given	Purpose(s) for which advance made	No. of installments by which advance to be repaid	Date and amount of each installment repaid	Date and which last installment was repaid	Remarks
	2	m	4	æ	9	7	ω	B	10	11

APPENDIX - XIV

FORM – XXIII REGISTER OF OVERTIME

Nam	e and addres	Name and address of contractor	: 16								
Nam	e & address	of establishme	ent in/ur	Name & address of establishment in/under which contract is carried on :	at is carried on :						
Natu	Nature and location of work:	on of work:									
Nam	e and addres	Name and address of Principal Employer:	Employ	er:							
တ်	Name of	Father's/	Sex	Designation /	Dates on which	Total over time worked or Normal Overtime	Normal	Overtime	Overtime	Rate on	Rem -
ģ	workman	Husband's		nature of	overtime worked	production in case of	rate of	rate of	earning	which	arks
		Name		employment		piece rated work	wages	wages		overtime paid	
-	2	e	4	5	9	7	œ	6	10	11	12

SECTION-10 (i): FORM OF PERFORMANCE SECURITY - BANK GUARANTEE BOND (BG)

					work	
	Intent / Agreement (Rupees contractor(s) for cagreement, we referred to as "the	nt") having agreed to compliance of his contained to the	o production of production of philipations in a	(f a irrevocable only), as ccordance wit(Indicate y to the Gove	Thereinafter called "the said Letter bank Guarantee for Rs	er o the said aftei Rs.
2.	amounts due and DAE CSR stating the said Contracted due and payable restricted	l payable under this that the amount cla or(s). Any such del by the Bank under	guarantee wit aimed is require mand made or this guarantee amount	hout any demi ed to meet the the bank sha . However, ou not	nk) do hereby undertake to pay ur, merely on a demand from the L recoveries due or likely to be due Il be conclusive as regards the am ur liability under this guarantee sha exceeding Rs	IGC from ount all be
3.	notwithstanding a	any dispute or dispu	utes raised by	the Contracto	PAE CSR any money so deman r(s) in any suit or proceeding per der this present being absolute	ding
		-			discharge of our liability for payl for making such payment.	nen
4.	shall remain in ful Agreement and th virtue of the said in-charge on beha	ll force and effect d nat it shall continue Agreement have bo alf of the UGC-DAE	uring the perion to be enforcea een fully paid a ECSR certifies	d that would be ble till all the d and its claims a that the terms	the that the guarantee herein contains taken for the performance of the lucs of the UGC-DAE CSR under a satisfied or discharged or till Engires and conditions of the said Agreed or (s) and accordingly discharges	said or by neer men
5.	UGC-DAE CSR s obligations hereus performance by the any of the powers enforce any of the our liability by reading forbearance, to the said Control	hall have the fullest nder to vary any of he said Contractor(is exercisable by the eterms and condition ason of any such va act of omission on	t liberty without the terms and s) from time to the UGC-DAE Co the part of the such matter of	cour consent a conditions of to time or to pos SR against the he said Agree ension being of Government or thing whats	gree with the UGC-DAE CSR that and without affecting in any manne he said Agreement or to extend tint tpone for any time or from time to be said Contractor(s) and to forbe ment and we shall not be relieved granted to the said Contractor(s) or any indulgence by the Governioever which under the law relatings.	r oui ne oi time ar oi from from neni
6.	This guarantee v Contractor(s).	vill not be dischai	rged due to t	he change in	the constitution of the Bank or	the
7.		(indicate		, -	ndertake not to revoke this guara ı.	ntee
8.	anything mention	ed above, our liabili	ty against this g	guarantee is re	extended on demand. Notwithstan	

unless a claim in writing is lodged with us within six months of the date of expiry or the extended date expiry of this guarantee, all our liabilities under this guarantee shall stand discharged.	e of
Signed and sea	aled
Dated the day of for(indicate the name of Ba	ank)
* * *	
(Note: The Letter of Intent shall form part of the Agreement)	

SECTION 10 (ii): INDENTURE FOR SECURED ADVANCE

(For use in cases in which the contract is for finished work and the contractor has entered into an agreement for the execution of a certain specified quantity of work in a given time.)

UGC-DAE Consortium for Scientific Research Indore

	Indore
State	
Administration	: UGC-DAE CSR
Division	
context so admits or implethe President (hereinafte	E made theday of
WHEREAS by an a	agreement dated
(hereinafter called the sa	aid agreement) the contractor has agreed.
security of materials abs said agreement for use i	the contractor has applied to the President that he may be allowed advance on the solutely belonging to him and brought by him to the site of the works, he subject of the in the construction of such of the works as he has undertaken to execute at rates fixed clusive of the cost of materials and labour and other charges).
	ne President has agreed to advance to the contractor the sum of Rson the security of materials, the quantities and other

- 1. That the said sum of Rupeesso advanced by the Director, UGC-DAE CSR to the contractor as aforesaid and all or any further sum or sums advanced as aforesaid shall be employed by the contractor in or towards expenditure the execution of the said works and for no other purpose whatsoever.
- 2. That the materials detailed in the said Running Account Bill (B) which have been offered to and accepted by the Director, UGC-DAE CSR as security are absolutely the contractor's own property and free from encumbrances of any kind and the contractor will not make any application for or receives a further advance on the security of materials which are not absolutely his own property and free from encumbrance of any kind and the contractor indemnifies and president against all claims to any materials in respect of which an advance has been made to him as aforesaid.
- 3. That the materials detailed in the said Running Account Bill (B) and all other materials on the security of which any further advance or advances may hereafter to be made as aforesaid (hereinafter called the said materials) shall be used by the contractor solely in the execution of the said works in accordance with the directions of the Engineer/Officer of the said works, Civil Engineering Division (hereinafter called "the Engineer") and in the terms of the said agreement.
- 4. That the contractor shall make at his own cost all necessary and adequate arrangements for the proper watch, safe-custody and protections against all risks of the said materials and that until used in construction as aforesaid said materials shall remain at the site of the said works in the contractor's custody and on his own responsibility and shall at all times be open to inspection by the Engineer or any officer authorised by him. In the event of the materials or any part thereof being stolen, destroyed or damaged or becoming deteriorated in a greater degree that is due to reasonable use and wear thereof the contractor will forthwith replace the same with other materials of like quality or repair and make good the same as required by the Divisional Officer.
- 5. That the said materials shall not on any account be removed from the site of the works except with the written permission of the Engineer or an officer authorised by him on that behalf.
- 6. That the advance shall be repayable in full when or before contractor receives payment from the President of the price payable to him for the said works under the terms and provisions of the said agreement. Provided that if any intermediate payments are made to the contractor on account of work done thereon the

occasion of each such payment the Director, UGC-DAE CSR will be at liberty to make a recovery from the contractor's bill for such payment by deduction there from the value of the said materials than actually used in the construction and in respect of which recovery has not been made previously the value for this purpose being determined in respect of the each description of materials at the rates at which the amounts of the advances made under these presents were calculated.

- 7. That if the contractor shall at any time make any default in the performance or observance in any respect of any of the terms and provisions of the said agreement or of these presents the total amount of the advance or advances what may still be owing to the President shall immediately on the happening of such default be repayable by the contractor to the Director, UGC-DAE CSR together with interest thereon at twelve percent per annum from the date of respective dates of such advance or advances to the date of repayment and with all costs, charges, damages and expenses incurred by the President in or for the recovery thereof or the enforcement of this security or otherwise by reasons of the default of the contractor and contractor hereby convenants and agrees with the Director, UGC-DAE CSR to repay and pay the same respectively, to him accordingly.
- a) Seize and utilise the said materials or any part thereof in the completion of the said works on behalf of the contractor in accordance with the provisions in that behalf contained in the said agreement debiting the contractor with the actual cost of effecting such completion and the amount due in respect of advances under these present and crediting the contractor with the value of work done as if he had carried it out in accordance with the said agreement and at the rates thereby provided. If the balance is against the contractor he is to pay same to the Director, UGC-DAE CSR on demand.
- b) Remove and sell by public auction the seized materials or any part thereof and out of the moneys arising from the sale retain all the sum, aforesaid repayable or payable to the Director, UGC-DAE CSR under these presents and pay over the surplus (if any) to the contractor.
- c) Deduct all or any part of the money owing out of the security deposit or any sum due to the contractor under the said agreement.
- 9. That except in the event of such default on the part of the contractor as aforesaid interest on the said advances shall not be payable.
- 10. That in the event of any conflict between the provisions of these presents and the said agreement the provisions of these presents shall prevail and the event of any dispute or difference arising over the construction or effect of these presents the settlement of which has not been herein before expressly provided for the same shall be referred to the Engineer / Tender Inviting Authority, UGC-DAE CSR, time being in force shall apply to any such reference.

by the order under the direction of the Director, UGC-DAE CSR have hereinto set their respective hands the day

IN WITNESS thereof the said and and

and above written.	year	
Signed, sealed and delivered by the said cont	tractor in the presence of :	
		Signature
		Name
		Address
Witness	1	
Signed by		
by the order and direction of the Director, UG	C-DAE CSR in the presence of:	
		Signature
		Name
Witness		Address

SECTION 10 (iii): GUARANTEE BOND FOR WATERPROOFING WORKS

For Guarantee to be executed by contractors for removal of defects of water-proofing works after maintenance period

M/s	agreement made this	(hereina	after c	alled "the	Guaranto	
part) and th	ne Director, UGC-DAE CSR (hereinafter called "the	UGC-DAE	E CSR	" of the o	ther part).	
Whereas th	nis agreement is supplementary to the contract (her	einafter ca	alled "t	he Contra	act") dated.	
Contractor,	between the Guarantor of the one part and the interalia undertook to render the buildings and struer-ground tanks, lift pits, basement, toilets etc. in the	ictures su	ch as i	oof of bu	ildings, ove	r-head water
remain wat	WHEREAS THE GUARANTOR agree to give a get and leak-proof for ten years to be reckoned from ract expires.					
structures o	THE GUARANTOR hereby guarantees that waterp completely leak-proof and the minimum life of such rom the date after the maintenance period prescribe	waterprod	ofing tr	eatment	shall be ter	
	ded that the Guarantor will not be responsible for le of roof or other structures or alteration and for such	-	ised b	y earthqu	ake or strud	ctural defects
	lisuse of structure shall mean any operation which w d and things of the same nature which might cause				treatment,	like chopping
	Iteration shall mean construction of an additional st roof whereby water-proofing treatment is removed i		oart of	the roof	or construct	ion adjoining
	camaging or puncturing of the waterproofing treatment tank or lift pit, for providing any P.H./ Electric con	•		over hea	d tanks or	basement or
d) Ti	he decision of the Engineer-in-Charge with regard t	o cause of	f leaka	ige shall	oe final.	
defect beinguarantor anotice, frondone by the	g this period of guarantee the guarantor shall make og found, render the building waterproof to the satisficant shall commence the work for such rectification on the Engineer-in-Charge calling upon him to rectiful e Department by some other contractor at the GUAn-Charge as to the cost payable by the Guarantor signal.	action of the within sety of the defendant of the defenda	ne Eng ven d ects, fa R'S CC	ineer-in- ays from ailing which OST and	Charge at the the date of the the work	ne cost of the issue of the shall be got
will indemn be incurred this supple	if the Guarantor fails to execute the waterproofing or hify the Principal and his successors against all loss of by him by reason of any default on the part of the ementary agreement. As to the amount of loss a nt, the decision of the Engineer-in-Charge will be fir	s, damage, GUARAN ⁻ and / or d	, cost, TOR ir lamag	expense n perform e and /	or otherwis ance and o or cost inc	e which may bservance of
	ITNESS WHEREOF these presents have been exed on behalf of the Director, UGC-DAE CSR on the	ecuted by t	the Ob	ligor and	by	
day, month	and year first above written.					
SIGNED, s	sealed and delivered by OBLIGOR in the presence	of:				
1.		2.				
	ED FOR AND ON BEHALF OF THE Director, UGC		R BY			
	in the pres					
1.		2.				

* * *

SECTION-10 (iv): GUARANTEE BOND FOR ANTITERMITE TREATMENT

(For Guarantee to be executed by contractors for removal of defects of antitermite treatment works

after maintenance period)

This agreement made this	day of	two thousand
	between M/s	
(hereinafter called "the Guarantor of the or DAE CSR" of the other part.)	ne part) and the Director, U0	GC-DAE CSR (hereinafter called "the UGC-
Whereas this agreement is supplementary	y to the contract (hereinafte	er called "the Contract") dated
made between the Guarantor of the one palia, undertook to render the buildings and		he other part, whereby the Contractor, interact recited, completely termite proof.
		tee to the effect that the said structure will the maintenance period prescribed in the
	ne minimum life of such ant	ite treatment provided by him will render the ti-termite treatment shall be ten years to be a the contract expires.
Provided that the Guarantor will not be of premises/area.	oe responsible for damages	s caused due to structural defects or misuse
a) Misuse of premises shall mean under floors, breaking of walls at G.L. dist		disturb the chemical barrier like excavation by carried out.
The decision of the Engineer-in-Cha	rge with regard to cause of	damage shall be final.
anti-termite treatment in all the buildings satisfaction of the Engineer-in-Charge at twithin seven days from the date of calling which the work shall be got done by the De	in case of any termite nuthe cost of guarantor and sing upon him to rectify the epartment by some other controls.	arrangements to do the post constructiona visance being found in the building, to the hall commence the work for such treatment defects, by the Engineer-in-Charge, failing contractor at the GUARANTOR'S COST and by the Guarantor shall be final and binding.
Guarantor will indemnify the principal and which may be incurred by the Departm performance and observance of this supp	I his successors against all nent by reason of any de plemental agreement. As to	It or commits breaches hereunder then the loss, damage, cost, expense or otherwise fault on the part of the GUARANTOR in the amount of loss and/or damage and/or arge will be final and binding on the parties
IN WITNESS WHEREOF these pres	sents have been executed I	by the Obligor
and by and for and on behalf of the Dire year first above written.	ector, UGC-DAE CSR on the	neday, month and
SIGNED, sealed and delivered by O	BLIGOR in the presence o	f:
1.		
2.		
SIGNED FOR AND ON BEHALF OF		SR BYin the presence of:
1.		
2		

* * *

Salient Governing Features of the Tender / Work Proforma of Schedules*

*: Please refer "SALIENT GOVERNING FEATURES OF THE TENDER / WORK" (SGF) for blanks

SCH	SCHEDULE 'A':				
S.N	TITLE	PARTICULARS	PAGE		
1.	Tender Notice No	(PI. Refer SGF)			
2	Notice Inviting Tenders (NIT) details	i) NIT as published in News Papers	attached		
		ii) NIT as Logged on to Web Site	attached		
3	Scope and location of the work:	(Pl. Refer SGF)			
4	Time Schedule for the work:	(Pl. Refer SGF)			
5	List of drawings	(Pl. Refer SGF)			
6	List of changes in conditions of contract	CDN / C -1 (CS-1 to CS-12) & CS-13			
7	List of changes in specifications	As shown below			
	a) Civil work -	(Pl. Refer SGF)			
	b) PH works -	(PI. Refer SGF)			
	c) Electrical works -	(Pl. Refer SGF)			
8	Schedule of Quantities (Enclosed) -	(Pl. Refer SGF)			

Schedule of materials to be issued to the contractor					
S. No	Description of item	Quantity	Rates at which the Materials will be charged to the contractor	Place of issue	
1	2	3	4	5	
1	Reinforcement steel			Shall not be supply by department	
2	Water for construction. Purpose	As required for the work	As per clause 18(I) (a) of section V(ii) of tender document.	Shall not be supply by department	
3	Electricity for construction purpose	do	@ as	At one point in UGC- DAE CSR campus. Contractor has to make his own arrangement for further connection	

SCH	SCHEDULE 'C' :			
Land earmarked for temp. infrastructures and Tools & plants to be hired to the contractor				
S.No	Description	Hire charges	Place of Issue	
1	2	3	4	
1.	Area for storage / site office (SCC-11)	As per Clause SCC-11	Site premises	

2.	Temporary Buildings (SCC-12)	
3.	Labour hutments (SCC-12)	No labour hutment permitted in UGC-DAE CSR premises.

SCHEDULE 'D': specific requirements / documents			
Extra schedule for specific Particularly for addl Sector. (CPWD MAN Circular No.176 at this project and implime and for this project.)	Security guidelines, Gate pass details are as per GCC		
SCHEDULE 'E':	Reference to the Book of "Conditions & Clauses of Contract" to be followed for this work	Refer UGC-DAE CSR website	
Name of Work: PH works f	or Narmada water line at UGC-DAE CSR, Piplya		
Rao Cai	mpus, Indore		
Estimated cost of work :	Rs.16,98,010/-		
i) Earnest money			
ii) Performance Guarantee	3% of tendered value	As per Tender	
iii) Security Deposit	2.5% of tendered value	As per Tender	

	redule of component of Cement, Steel, other rerials, Labour etc. for price escalation.			
CL	AUSE 10 CC			
1	Component of Cement - expressed as percent of total value of work		Xc	NA
2	Component of Steel - expressed as percent of total value of work		Xs	NA
3	Component of civil (except cement & steel) / Electrical construction Materials - expressed as percent of total value of work:		Xm	NA
4	4 Component of Labour - expressed as percent of total value of work		Υ	NA
5	Component of P.O.L expressed as percent	of total value of work	Z	NA

SCHEDULE 'F':

SCHEDULE 'F': Blanks/Variables in conditions & Clauses of contract

General Rules & Directions :			
Officer inviting tender : Engineer, UGC-DAE CSR			
Maximum percentage for quantity of Items of work to be executive which rates are to be determined in accordance with Clauses		See Clause-12 below	

Defini	Definitions :			
<u>2(v)</u>	Engineer-in-charge	Engineer, UGC-DAE CSR, Indore		
<u>2(viii)</u>	Accepting Authority	Director/Centre-Director, UGC-DAE CSR,Indore		
<u>2(x)</u>	Percentage on cost of materials and labour to cover all overheads & profits	15% (Fifteen percent)		
<u>2(xii)</u>	Department	UGC-DAE CSR, Indore		
9(ii)	Standard Contract Form of Deptt.	Item Rate Tender		

Clause – 1 :	
i) Time allowed for submission of Performance Guarantee from the date of issue of letter of acceptance / WO.	15 days
ii) Maximum allowable extension beyond the period (provided in - i) above.	7 days

Clause – 2:		
Authority for fixing compensation under clause 2.	Centre-Director, UGC- DAE CSR	

Clause - 5:		
Number of days from the date of issue of letter of acceptance / WO for reckoning date of start.		15 days
Mile stone(s) as per table given below:		

TABL	TABLE OF MILE STONE(S)			
SI. No.	Description of Milestone (Physical)	Time Allowed in days (from date of start)	Amount to be with-held in case of non achievement of milestone	
1.		(Pl. Refer SGF)		

TIME ALLOWED FOR EXECUTION OF WORK	3 months
------------------------------------	----------

	Clause 6 for Manual Billing / Clause 6A	6 A
(6 or 6A) :	for Computerised Billing	

Clause – 7 :	
Gross work to be done together with net payment / adjustment of advances for material collected, if any, since the last such payment for being eligible to interim payment.	As per CCC

Clause - 10A : Based on magnitude of the work, Units to decide		ne work, Units to decide
List of testing equipments to be provided by the contractor at site lab. (Pl. Refer SGF)		
1	2	3

_	_	<u> </u>
I /I	5	1 6
4	J	0

Clause - 10B(ii): (Mobilisation Advance)		
Whether Clause 10 B (ii) shall be applicable (If yes, Clause of Tender Condition to be followed.)	N/A	
Clause - 10C:		
Component of labour expressed as percent of value of the work		5%

Cla	lause - 10CA :			
	Materials Covered under this Clause	Nearest Material for which All India Wholesale Price Index is to be followed	Basic Rate	
1	N/A	N/A	As notified by	
2	N/A	N/A	DG(W), CPWD & valid at the time of receipt of tender	
3	Other materials	Nil		

Note: Base price for materials given above are only for regulating operation of clause 10-CA. The tenderers are requested to consider prevailing market rates while quoting the rates.

claus	e – 10CC: (CCC – 2008, P. 22)		
	Clause 10 CC to be applicable in contracts with stipulated period of completion exceeding the period shown in next column. Eighteen(18)Mon		
II	Schedule of component of Cement, Steel, other Materials, Labour, POL etc. for price escalation.		
1	Component of Grey Cement – expressed as percent of total value of work	Xc	
2	Component of Rebars- expressed as percent of total value of work	Xs	
3	Component of civil (except Grey cement & Rebars)– expressed as percent of total value of work:	Xm	
4	Component of Labour – expressed as percent of total value of work	Y	
5	Component of P.O.L. – expressed as percent of total value of work	Z	

Clause – 11:		
Specifications to be followed for execution of this work	(Pl. Refer SGF)	

Clause – 12 :			
12.2 & 12	2.3	Deviation Limit beyond which clauses 12.2 & 12.3 shall apply for building work	30%
12.5		Deviation Limit beyond which clauses 12.2 & 12.3 shall apply for foundation work	100%
12.5	De	eviation Limit beyond which clauses 12.2 & 12.3 shall apply for maintenance work	100 %

Clause – 16:	
Competent Authority for deciding reduced rates.	Centre-Director ,UGC-DAE CSR

Clause – 18: (To be inco	rporated by the Units, based on me	erit of the particular work)	
List of mandatory machinery, tools & plants to be deployed by the contractor at site: (PI. Refer SGF)			
1.	2. : (Pl. Refer SGF)	3.	
4	5.	6	

	nuse – 36(i) : Refer SGF)	Requirement of Technical Representative(s) and recovery Rate				
SI. No.	Minimum Qualification of Technical Representative	Disci- pline	Designation (Principal Technical / Technical representative)	Min. Exp. In yrs.	No.	Rate at which recovery shall be made from the contractor in the event of not fulfilling provision of clause 36(i). (Rupees in figures & words)
1	BE		(PI refer SGF)			
2	BE					
3	Diploma					

Assistant Engineers / Scientific Officer- "C", retired from Govt. services that are holding Diploma, will be treated at par with Graduate Engineers.

Cla	use – 42 :				
(i)	(a) Schedule / statement for determining theoretical quantity of cement on the basis of :				
(ii)	Variations permissible on theoretical quantities.				
а	Cement				
	i) for works with estimated cost put to tender not more than Rs.5 Lakhs	5% plus / minus			
	ii) for works with estimated cost put to tender more than Rs.5 lakhs	3% plus / minus			
b	Bitumen for All works	2.5% plus only & nil on minus side			
С	Steel reinforcement and structural steel sections	(+) 5% for wastage, over and above (+) 5%/ (-) 4% being variation in wastage.			
d	All other materials.	Nil			

RECOVERY RATES FOR QUANTITIES BEYOND PERMISSIBLE VARIATION:

S. No.	Description of Item	Rates in figures & words at which recovery shall be made from the Contractor		
		Excess beyond permissible variation	Less use beyond the permissible variation	
1	Grey Cement	Not Applicable	Rs.xxxx/- per MT	
2	Rebars	Not Applicable	Rs.xx- per MT	

Signature of Officer Inviting Tender
Designation